



HP Color LaserJet Managed MFP M577dnm (B5L49A)

Active as of 6/05/2015



Overview

HP Managed MFPs and printers are optimized for managed environments. Offering increased monthly page volumes and fewer interventions, this portfolio of products can help reduce printing and copying costs. See your HP Authorized Reseller for details.

High-speed performance meets energy efficiency

Don't wait for documents. Print your first page in as few as 9 seconds from energy-efficient sleep mode.²

Speed through jobs. Print two sides as quickly as one—up to 40 ipm⁹—and scan both sides of the page at once.

This MFP uses exceptionally low amounts of energy—thanks to its innovative design and toner technology.³

Unparalleled fleet security and management

Embedded features detect security threats and heal your MFP, protecting it from boot up to shutdown.¹⁰

Protect sensitive data on the MFP and in transit, using embedded security features and 256-bit encryption.¹⁰

Protect sensitive business data with embedded and optional HP JetAdvantage Security Solutions.¹¹

More. Pages, Performance, and Protection.

Make an impression with leading color quality from HP. Get unparalleled printing for your office needs.

Get more pages with each Original HP Toner cartridge with JetIntelligence and high-yield cartridges.^{1, 13}

Help ensure the Original HP quality you paid for with anti-fraud and cartridge authentication technology.

Stay connected with secure mobile printing options

Use optional, 128-bit encrypted wireless direct printing from mobile devices—no network needed.⁵

Add the option to print with a touch of your NFC-enabled mobile device to this printer—no network needed.⁶

Easily print from a variety of smartphones and tablets—generally no setup or apps required.⁷

Replaces

Status	Product Name	Discontinued	SKU
Pending discontinuance	HP Color LaserJet Managed MFP M575dnm	01/12/9998	L3U46A

Specifications

Functions

Print, copy, scan

Multitasking supported

Yes

Print Speed Black (ISO)

Up to 38 ppm¹¹

Print Speed Color (ISO)

Up to 38 ppm¹¹

Print speed duplex (A4)

Up to 38 ipm

Print speed duplex (A4)

Up to 38 ipm

First page out black (A4, ready)

As fast as 5.6 sec

First page out color (A4, ready)

As fast as 6.9 sec

Duty cycle (monthly, A4)

Up to 120,000 pages⁹

Recommended monthly page volume

2000 to 15,000¹⁰

Number of users

5-15 Users

Print technology

Laser

Print quality black (best)

HP ImageREt 3600

Print quality color (best)

HP ImageREt 3600

Processor speed

1.2 GHz

Print languages

HP PCL 6; HP PCL 5c; HP postscript level 3 emulation, native PDF printing (v 1.7)

Display

8" color touchscreen

Print colors

Yes

Number of print cartridges

4 (1 each black, cyan, magenta, yellow)

Automatic paper sensor

Yes

Mac compatible

Yes

Printer Management

UPD Printer Administrator Resource Kit (Driver Configuration Utility, Driver Deployment Utility, Managed Printing Administrator); HP Web JetAdmin Software; HP Proxy Agent Software; HP JetAdvantage Security Manager

Security management

Identity management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate, Pre-Shared Key, and Kerberos authentication, Supports WJA-10 IPsec configuration Plug-in, 802.1X authentication (EAP-PEAP, EAP-TLS), SNMPv3, HTTPS, Certificates, Access Control List; Data: Storage Encryption, Encrypted PDF & Email (uses FIPS 140-2 validated cryptographic libraries), Secure Erase, SSL/TLS (HTTPS), Encrypted Credentials; Device: Security lock slot, USB port disablement, hardware integration pocket for security solutions, optional Trusted Platform Module; Security management: Compatible with optional HP JetAdvantage Security Manager

Fonts and typefaces

105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript Level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono World Type); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); Additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at <http://www.hp.com/go/laserjetfonts>

HP ePrint capability

Yes

Mobile printing capability

HP ePrint; Apple AirPrint™; Mopria-certified; Google Cloud Print 2.0¹⁴

Wireless capability

Optional, enabled with purchase of hardware accessory.

Connectivity, standard

2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit/Fast Ethernet 10/100/1000Base-TX network; Hardware Integration Pocket

Connectivity, optional

HP Jetdirect 3000w NFC/Wireless Accessory J8030A, HP Jetdirect 2900nw Print Server J8031A

Network ready

Standard (built-in Gigbit Ethernet)

Minimum System Requirements

Windows XP SP3 all 32-bit editions (XP Home, XP Pro, etc.), Windows Vista all 32-bit editions (Home Basic, Premium, Professional, etc.), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets); Windows OS compatible with Universal Print Driver (From HP.com); Windows XP SP3 32- & 64-bit editions (XP Home, XP Pro, etc.), Windows Vista all 32- & 64-bit editions (Home Basic, Premium, Professional, etc.), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets); CD-ROM or DVD drive, or Internet connection; Dedicated USB or network connection or Wireless connection; 200 MB available hard disk space; OS compatible hardware (For OS hardware requirements see <http://www.microsoft.com>)

Minimum System Requirements for**Macintosh**

Mac OS (HP Print Drivers available from HP.com and Apple Store); OS X 10.8 Mountain Lion, OS X 10.9 Mavericks, OS X 10.10 Yosemite; Internet; USB; 1 GB HD; OS compatible hardware (For OS hardware requirements see <http://www.apple.com>)

Compatible Operating Systems

Windows OS compatible with In-Box Driver; Windows XP SP3 all 32-bit editions (XP Home, XP Pro, etc.), Windows Vista all 32-bit editions (Home Basic, Premium, Professional, etc.), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets); Windows OS compatible with Universal Print Driver (From HP.com); Windows XP SP3 32- & 64-bit editions (XP Home, XP Pro, etc.), Windows Vista all 32- & 64-bit editions (Home Basic, Premium, Professional, etc.), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets); Mac OS (HP Print Drivers available from HP.com and Apple Store); OS X 10.8 Mountain Lion, OS X 10.9 Mavericks, OS X 10.10 Yosemite; Mobile OS (In-OS drivers); iOS, Android, Windows 8/8.1/10 RT; Linux OS (In-OS HPLIP; SUSE Linux (12.2, 12.3, 13.1), Fedora (17, 18, 19, 20), Linux Mint (13, 14, 15, 16, 17), Boss (3.0, 5.0), Ubuntu (10.04, 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10), Debian (6.0.x, 7.x); Other OS; UNIX¹³

Compatible Network Operating Systems

Windows OS compatible with In-Box Driver; Windows Server 2003/2003 R2 32-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 32-/64-bit (SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 R2 64-bit (SP1) Standard/Enterprise (+ Cluster & Terminal Services); Windows OS compatible with Universal Print Driver (UPD) or Product-Specific drivers from HP.com; Windows Server 2003/2003 R2 32-/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32-/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2012/2012 R2 64-bit Standard/Foundation/Essentials/Datacenter (+ Cluster & Terminal Services); Citrix (on Windows Server 2003/2003R2), Citrix MetaFrame Presentation Server, 3.0, Citrix MetaFrame XP Presentation Server (Feature Release 1, 2, and 3), Citrix Presentation Server 4.0/4.5, Citrix XenApp 5.0 (Plus Feature Pack 2 & 3), Citrix (on Windows Server 2008/2008R2, Citrix XenApp 5.0 (Plus Feature Pack 2 & 3), Citrix XenApp 6.0/6.5/7.5, Citrix XenDesktop 5.6/7.0/7.5, Citrix (on Windows Server

2012/2012R2, Citrix XenApp 7.5, Citrix XenDesktop 7.0/7.5; Novell Servers; www.novell.com/iprint), Novell iPrint Appliance v1.0, Novell Open Enterprise Server 11/SP1, Novell Open Enterprise Server 2 for Linux, NetWare 6.5/SP8, Novell Clients (www.novell.com/iprint); Windows 8 (32-bit / 64-bit) recommend v5.86+, 8.1 recommend v5.94+, Windows 7 (32-bit / 64-bit) recommend v5.82+, Windows Vista (32-bit / 64-bit) recommend v5.82+, Windows XP / SP3 (32-bit only) recommend v5.82+

Memory

1.25 GB (printer), 500 MB (scanner)

Maximum Memory

2.0 GB (printer), 500 MB (scanner)

Memory Slots

1 slot, 144-pin DDR3

Memory card compatibility

DDR3 Memory DIMM

Internal Storage

Standard, embedded HP High-Performance Secure Hard Disk, minimum 320 GB; AES 256 hardware encryption or greater; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk); U.S. Government: Standard, FIPS 140-2 validated hard disk, minimum 500 GB

Paper handling input, standard

100-sheet multipurpose tray, 550-sheet input tray 2

Paper handling input, optional

550-sheet media input tray 3, 550-sheet media input tray 4, 550-sheet media input tray 5

Input capacity

Up to 650 sheets

Maximum input capacity (sheets)

Up to 2300 sheets

Paper handling output, standard

250-sheet output bin

Output capacity

Up to 250 sheets

Maximum output capacity (sheets)

Up to 250 sheets

Finished output handling

Sheetfed

Duplex printing

Automatic (standard)

Paper trays, standard

2

Paper trays, maximum

5

Envelope Feeder

No

Maximum Input Capacity (envelopes)

Up to 10 envelopes

Media sizes supported

Tray 1: A4, RA4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6, 16K, envelopes (B5, C5 ISO, C6, DL ISO); Custom: 76 x 127 to 216 x 356 mm; Tray 2: A4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6, 16K; Custom: 102 x 148 to 216 x 297 mm; Optional Trays 3+: A4, RA4, A5, B5 (JIS), 16K; Custom: 102 x 148 to 216 x 356 mm

Media sizes, custom

Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 102 x 148 to 216 x 297 mm; Optional Trays 3+: 102 x 148 to 216 x 356 mm

Media types

Paper (plain, light, bond, recycled, mid-weight, heavy, mid-weight glossy, heavy)

glossy, extra heavy, extra heavy glossy, cardstock, card glossy), color transparency, labels, letterhead, envelope, preprinted, prepunched, colored, rough, opaque film, user-defined

Media weight, supported

Tray 1: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Optional Trays 3+: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper)

Scanner type

Flatbed, ADF (two-sided, single-pass)

Scan file format

PDF, JPEG, TIFF, MTIFF, XPS, PDF/A

Scan resolution, optical

Up to 600 dpi

Bit depth

24-bit

Scan size, maximum

216 x 356 mm

Scan size (ADF), maximum

216 x 356 mm

Automatic document feeder capacity

Standard, 100 sheets

Digital sending standard features

Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to FTP; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto Crop To Content; Compact PDF

File Format Supported

Digital Send: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Print from easy access USB: PDF, PS, Print Ready files (.prn, .pcl, .cht)

Scan speed (normal, A4)

Up to 43 ppm/43 ipm (b&w), up to 38 ppm/38 ipm (color)²³

Scan input modes

Front panel applications: Copy, E-mail, Save to Network Folder, Save to USB, Save to Device Memory, Open Extensibility Platform (OXF) applications

Copy speed (black, normal quality, A4)

Up to 38 cpm

Copy speed (color, normal quality, A4)

Up to 38 cpm

Copy resolution (black text)

Up to 600 x 600 dpi (flatbed), 600 x 450 dpi (ADF)

Copy resolution (black graphics)

Up to 600 x 600 dpi (flatbed), 600 x 450 dpi (ADF)

Copy resolution (color text and graphics)

Up to 600 x 600 dpi (flatbed), 300 x 600 dpi (ADF)

Copy reduce / enlarge settings

25 to 400%

Copies, maximum

Up to 9999 copies

Copier settings

Two-sided copying; Scalability; Image adjustments (darkness, contrast, background cleanup, sharpness); N-up; N or Z-ordering; Content orientation; Collation; Booklet; Job build; Edge-to-edge; Job storage; ID Copy; Book Copy; A-to-B Copy (different media sizes)

Faxing

Optional

Power

Input voltage: 100 to 127 VAC, 60 Hz, Input voltage: 200 to 240 VAC, 50 Hz (Not dual voltage, product varies by part number with # Option code identifier)

Power supply type

Internal (Built-in) power supply

Power consumption

592 watts (Printing), 47.3 watts (Ready), 3.48 watts (Sleep), 0.08 watts (Auto-Off/Manual On), 0.49 watts (Auto-Off/Auto-On/Wake on LAN)⁴

Typical electricity consumption (TEC) number

1.58 kWh/Week (Energy Star), 1.51 kWh/Week (Blue Angel)

Energy efficiency

ENERGY STAR® certified; Blue Angel; EPEAT® Silver

ENERGY STAR® certified

Yes

Operating temperature range

15 to 30°C

Operating humidity range

30 to 70% RH

Dimensions (W x D x H)

482 x 504 x 583 mm

Maximum dimensions (W x D x H)

699 x 504 x 583 mm

Weight

38.1 kg

UPC number

(201) 888793191514; (AAZ) 888793191521; (AB0) 888793191385; (AB2) 888793191392; (ABJ) 888793191408; (ABT) 888793191446; (ABY) 888793191453; (AC4) 888793191491; (AC8) 888793191507; (ACJ) 888793191415; (ACQ) 888793191460; (B13) 888793191545; (B19) 888793191477; (BAZ) 888793191484; (BBU) 888793191422; (BGJ) 888793191538; (BGM) 888793191439

Package dimensions (W x D x H)

755 x 600 x 650 mm

Package weight

44.4 kg

Quantity per pallet

6

Pallet dimensions (W x D x H)

1200 x 800 x 2325 mm

Pallet weight

277 kg

Country of origin

Made in China; Mexico (B5L46A#AC4, B5L46A#AC8, B5L46A#201, B5L46A#AAZ, B5L46A#BGJ)

What's in the box

Printer
Four preinstalled HP LaserJet toner cartridges (Black: ~6000 pages, Color: ~5000 pages)
Toner collection unit
In-box documentation
Software CD
Power Cord

Cable included

No, please purchase USB cable separately

Replacement cartridges

HP 508X Black Contract LaserJet Toner Cartridge (~14,900 ISO yield) CF360XC; HP

508X Cyn Contract LaserJet Toner Cartridge (~11,700 ISO yield) CF361XC; HP 508X
Yellow Contract LaserJet Toner Cartridge (~11,700 ISO yield) CF362XC; HP 508X
Magenta Contract LaserJet Toner Cartridge (~11,700 ISO yield) CF363XC

Software included

For Windows OS; HP Software Installer/Uninstaller
HP PCL 6 Printer Driver
HP Device Experience (DXP)
HP Send Fax
HP Update
Product Registration Assist
HP Web Services Assist (HP Connected)
Online user manuals; For Mac OS; Welcome Screen
(Directs users to HP.com or OS App Store for LaserJet Software)

Warranty

1 Year Limited Warranty (Next Business Day On-Site)

Overview

- 1 More pages versus predecessor cartridges claim based on page-yield comparison of HP 507A High Yield Original LaserJet Toner Cartridges with HP 508X High Yield Original LaserJet Toner Cartridges. For more information, see <http://www.hp.com/go/learnaboutsupplies>
- 2 Based on HP internal testing of top three leading competitors' first page out from sleep mode and duplex print and copy speed completed 8/2015. Subject to device settings. Actual results may vary. For details, see <http://www.hp.com/go/Ljclaims>
- 3 Based on HP testing using the ENERGY STAR® program's Typical Electricity Consumption (TEC) method or as reported in energystar.gov versus the top three leading competitors as of 8/2015. Actual results may vary. For details see <http://www.hp.com/go/Ljclaims>
- 5 Wireless direct printing requires purchase of optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device needs to be connected directly to the Wi-Fi network of a wireless direct-capable MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. Wireless performance is dependent on physical environment and distance from the access point in the MFP or printer. For details, see <http://www.hp.com/go/businessmobileprinting>
- 6 Touch-to-print capability requires purchase of optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device must support Near Field Communication (NFC)-enabled printing. For more information, see <http://www.hp.com/go/businessmobileprinting>
- 7 Wireless operations are compatible with 2.4 GHz operations only. App or software and HP ePrint account registration may also be required. Some features require purchase of an optional accessory. Learn more at <http://www.hp.com/go/mobileprinting>
- 9 Measured using ISO/IEC 24734 and excludes first set of test documents. For more information, see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- 10 Some features require additional purchase. A FutureSmart service pack update may be required to activate security features. Learn more at <http://www.hp.com/go/printsecurity>
- 11 Some solutions require download or additional purchase. Learn more at <http://www.hp.com/go/printingsolutions>
- 13 HP 508X High Yield Original LaserJet Toner Cartridges not included; please purchase separately.

Specifications

- 4 Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.
- 9 Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
- 10 HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
- 11 Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- 13 Not all "Compatible Operating Systems" are supported with INBOX software; Full solution software available only for Windows 7 and newer; Legacy Windows Operating Systems (XP, Vista, and equivalent servers) get print and Scan drivers only; Windows RT OS for Tablets (32- & 64-bit) uses a simplified HP print driver built into the RT OS; UNIX modelscripts are available on HP.com (Modelscripts are printer drivers for UNIX operating systems); Linux systems use in-OS HPLIP software.
- 14 Wireless operations are compatible with 2.4 GHz operations only. App or software and HP ePrint account registration may also be required. Some features require purchase of an optional accessory. Learn more at <http://www.hp.com/go/mobileprinting>
- 23 Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

Customer presentation (5)

HP and Celiveo Enterprise. Customer presentation.

Partner and Channel

A presentation describing the HP and Celiveo Enterprise document management and security solution, which offers wide-ranging authentication options, analytical tracking features, robust printing safeguards, and industry-specific connectors.

HP FutureSmart 4.0. Customer presentation

Partner and Channel

This customer presentation describes the new features and benefits of HP FutureSmart 4.0. The all new, modern user interface includes simplified home screens, consolidated contacts, and consistency across the fleet.

Secure MPS--the whole story. Customer presentation

Partner and Channel

A comprehensive presentation that tells the story of increasing threats to security, and how HP Secure MPS can help provide leading end-to-end print security through our comprehensive portfolio of printer security features, solutions, and services.

The Wolf. Customer presentation (HP Channel Partner Sales)

Partner and Channel

A customer-facing presentation to help HP sales and channel partners explain The Wolf films. Describes each film chapter with What happens, Vulnerabilities, and Solves to improve security for devices (PC and printer), data, and documents.

The Wolf. Customer presentation (HP Direct Sales)

Partner and Channel

A customer-facing presentation to help HP sales and channel partners explain The Wolf films. Describes each film chapter with What happens, Vulnerabilities, and Solves to improve security for devices (PC and printer), data, and documents.

FAQ/Q&A (4)

The Wolf. Internal FAQ (A4)

Partner and Channel

An internal FAQ to help HP sales and channel partners understand The Wolf film. Explains how companies are vulnerable to hacking and describes recommended protocols, HP hardware and solutions that can help prevent attacks.

The Wolf. Sales FAQ (LTR)

Partner and Channel

An internal FAQ to help HP sales and channel partners understand The Wolf film. Explains how companies are vulnerable to hacking and describes recommended protocols, HP hardware and solutions that can help prevent attacks.

The Wolf: The Hunt Continues. Sales FAQ (A4)

Partner and Channel

An internal FAQ to help HP sales and channel partners understand The Wolf: The Hunt Continues film. Explains how companies are vulnerable to hacking and describes recommended protocols, HP hardware and solutions that can help prevent attacks.

The Wolf: The Hunt Continues. Sales FAQ (LTR)

Partner and Channel

An internal FAQ to help HP sales and channel partners understand The Wolf: The Hunt Continues film. Explains how companies are vulnerable to hacking and describes recommended protocols, HP hardware and solutions that can help prevent attacks.

Internal presentation (1)

NDA A3 Recruitment Presentation

Partner and Channel

NDA presentation for recruiting channel partners for selling contractual HP A4 and A3 LaserJet and PageWide devices. New A3 devices and HP Smart Machine Service offer channel partners a competitive advantage with HP.

Play card (1)

Udocx for Office 365. Sales play card (LTR)

Partner and Channel

Udocx is a cloud service that works with HP MFPs, providing one-touch scanning to Microsoft Office 365 email, OneDrive, and SharePoint destinations, for more efficient workflows.

Sales battle card (4)

HP managed devices competitive comparison (A4)

Partner and Channel

A competitive comparison of HP's new and existing portfolio of A3 and A4 managed devices versus the leading competitors. Gain an advantage with maximum uptime, highest security, and PageWide affordable color.

HP managed devices competitive comparison (LTR)

Partner and Channel

A competitive comparison of HP's new and existing portfolio of A3 and A4 managed devices versus the leading competitors. Gain an advantage with maximum uptime, highest security, and PageWide affordable color.

HP Managed MFPs and printers. Sales battle card (A4)

Partner and Channel

Battle card comparing the HP Managed MFPs and printers to HP Enterprise devices and external competitors. These devices are exclusive to the HP MPS channel, delivering MPS benefits, PLUS increased cartridge yields, duty cycles and RMPV.

HP Managed MFPs and printers. Sales battle card (LTR)

Partner and Channel

Battle card comparing the HP Managed MFPs and printers to HP Enterprise devices and external competitors. These devices are exclusive to the HP MPS channel, delivering MPS benefits, PLUS increased cartridge yields, duty cycles and RMPV.

Sales guide (1)

HP Line-up Map A4 Printers (LaserJet and PageWide) - May 2017 Edition (APJ Version except China and India)

HP Line-up Map A4 Printers (LaserJet and PageWide) - May 2017 Edition consist of HP LaserJet Printers and HP PageWide Printers.

Solution brief (2)

The Wolf, season 2. Case study (A4)

A customer-facing case study about "The Wolf: The Hunt Continues" film. Describes the hack of Coastline Regional Hospital, why the company was at risk, and how HP helped them improve security for devices (PC and printer), data, and documents.

The Wolf: The Hunt Continues. Case study (LTR)

A customer-facing case study about "The Wolf: The Hunt Continues" film. Describes the hack of Coastline Regional Hospital, why the company was at risk, and how HP helped them improve security for devices (PC and printer), data, and documents.

Success story (16)

Baptist Health uses HP Imaging and Printing Security to improve print security.

Baptist Health operates seven hospitals and has more than 300 outlying facilities. When printing-related security gained attention in the healthcare industry, Baptist implemented HP Imaging and Printing Security to improve print security globally.

DreamWorks speeds contract process with help from HP, Hyland and Autonomy

DreamWorks an HP MPS customer worked with HP to streamline its back office document processes with Enterprise Content Management. HP scanned contract-document archives which are indexed and searchable. HP MFPs serve as a capture mechanism.

Global Legal Firm

Security and efficiency benefits realized with HP Managed Print Services and HP Access Control for anonymous recognized global leader in the legal industry.

HP MPS aids in efficient healthcare at Houston Healthcare while reducing costs

Houston Healthcare, a non-profit healthcare system in Georgia, streamlined costs without impacting quality of care and improved efficiencies with HP Managed Print Services. Implementing HP MPS has reduced print costs at Houston Healthcare by 48%.

HP MPS helps Hochschild Mining reach new heights in extreme conditions

Mining demands highly durable technology solutions that can withstand extreme elevations and physical environments. To meet these needs with significant results, Hochschild Mining relies on an HP MPS program incorporating HP printer technology.

HP MPS provides visibility into printing for Kelly-Moore Paints

Kelly-Moore Paints has 150 company-owned retail stores in seven states. The company has reduced internal printing costs by 60% with HP Managed Print Services. They know how much is being printed and that each location receives quality printer service.

HP MPS solves immediate problems and offers opportunities for Davis & Gilbert

Davis & Gilbert is a leading law firm in the marketing communications industry. A year after employing HP MPS, printing is rarely raised as a concern among employees and cost savings grow each month.

HP Planet Partners, HP PurchasEdge and HP MPS programs benefit Colorado State University

Colorado State University is known for its research in infectious disease, clean energy technologies and environmental science. With HP Planet Partners, HP PurchasEdge and HP Managed Print Services programs, CSU reaps environmental and cost benefits.

Merck implements HP MPS to reduce costs and add environmental benefits

Merck initiated HP Managed Print Services to help reduce costs and bring environmental benefits. By incorporating the latest technology advances, HP MPS helps Merck enhance efficiency, employee productivity, digital workflows and security.

Mercury Insurance Group engaged HP MPS to empower their technology vision.

Mercury Insurance Group transitioned from a break/fix environment of unreliable printers and toner to a proactive, optimized print infrastructure using HP MPS.

Milwaukee Electric Tool Corp. uses HP MPS and HP printers for heavy duty user

High-quality HP printers, HP Managed Print Services and remote monitoring have freed Milwaukee Electric Tool Corporation to work on higher-order business needs and help save time, money and headaches in the process.

Principal: HP MPS solution expands to improve security, mobility

Principal is building on its HP MPS foundation with HP Access Control and HP Capture and Route to help boost document security, reduce waste and simplify scanning.

Quakertown Community School District uses HP Probooks to help students excel

HP Probook Notebooks offer Quakertown Community School District the durable, reliable, high-quality power and performance that students and teachers require with the cost efficiency that helps keep public sector budgets on track.

RBC Capital Markets cuts costs and improves productivity with HP MPS

With HP Managed Print Services, RBC Capital Markets has eliminated print infrastructure inefficiencies, cut costs an estimated 30 percent and enabled everyone from human-resources staff to bond brokers do their jobs better.

Salt Lake Regional Medical Center saves with HP Partner Managed Print Services

Salt Lake Regional Medical Center targets costs with HP Partner Managed Print Services. By standardizing on HP multifunction devices and scanning software, cost savings are substantial and IT staff is free to focus on IT infrastructure projects.

The Silver Valley Unified School District relies on HP Managed Print Services.

With tight budgets and heightened focus on the Common Core State Standard Initiative in the field of Education, efficient and reliable technology is a must. That's why the Silver Valley Unified School District relies on HP Managed Print Services.

Technical white paper (3)

Aftermarket Chips for HP LaserJet Printers. Technical white paper

A Technical White Paper explaining the recommended changes to avoid brand misidentification.

The Wolf. Telemarketing Script for Channel (A4)

Partner and Channel


A telemarketing script to help channel partners guide customer calls about The Wolf films. Helps raise awareness of risks and encourage hardware and solution sales to improve security for devices (PC and printer), data, and documents.

The Wolf. Telemarketing Script for Channel (LTR)

Partner and Channel

A telemarketing script to help channel partners guide customer calls about The Wolf films. Helps raise awareness of risks and encourage hardware and solution sales to improve security for devices (PC and printer), data, and documents.

Images - Product (8)



Center facing	Left facing	Right facing	Detail view
54 x 41 (jpg) 54 x 41 (jpg)	54 x 41 (jpg) 54 x 41 (jpg)	54 x 41 (jpg) 54 x 41 (jpg)	54 x 41 (jpg) 54 x 41 (jpg)
54 x 41 (jpg) 54 x 41 (png)	54 x 41 (jpg) 54 x 41 (png)	54 x 41 (jpg) 54 x 41 (png)	54 x 41 (png) 54 x 41 (png)
54 x 41 (png) 54 x 41 (png)	54 x 41 (png) 54 x 41 (png)	54 x 41 (png) 54 x 41 (png)	100 x 70 (jpg) 100 x 70 (jpg)
100 x 70 (jpg) 100 x 70 (jpg)	100 x 70 (jpg) 100 x 70 (jpg)	100 x 70 (jpg) 100 x 70 (jpg)	96 x 72 (jpg) 96 x 72 (jpg)
100 x 70 (jpg) 96 x 72 (jpg)	100 x 70 (jpg) 96 x 72 (jpg)	100 x 70 (jpg) 96 x 72 (jpg)	96 x 72 (png) 96 x 72 (png)
96 x 72 (jpg) 96 x 72 (jpg)	96 x 72 (jpg) 96 x 72 (jpg)	96 x 72 (jpg) 96 x 72 (jpg)	99 x 74 (png) 99 x 74 (png)
96 x 72 (png) 96 x 72 (png)	96 x 72 (png) 96 x 72 (png)	96 x 72 (png) 96 x 72 (png)	153 x 115 153 x 115
96 x 72 (png) 99 x 74 (png)	96 x 72 (png) 99 x 74 (png)	96 x 72 (png) 99 x 74 (png)	(png) (png)
99 x 74 (png) 99 x 74 (png)	99 x 74 (png) 99 x 74 (png)	99 x 74 (png) 99 x 74 (png)	180 x 135 180 x 135
153 x 115 153 x 115	153 x 115 153 x 115	153 x 115 153 x 115	(png) (png)
(png) (png)	(png) (png)	(png) (png)	240 x 180 240 x 180
153 x 115 180 x 135	153 x 115 180 x 135	153 x 115 180 x 135	(jpg) (jpg)
(png) (png)	(png) (png)	(png) (png)	240 x 180 240 x 180
180 x 135 180 x 135	180 x 135 180 x 135	180 x 135 180 x 135	(png) (png)
(png) (png)	(png) (png)	(png) (png)	247 x 185 247 x 185
240 x 180 240 x 180	240 x 180 240 x 180	240 x 180 240 x 180	(png) (png)
(jpg) (jpg)	(jpg) (jpg)	(jpg) (jpg)	170 x 190 170 x 190
240 x 180 240 x 180	240 x 180 240 x 180	240 x 180 240 x 180	(jpg) (jpg)
(jpg) (png)	(jpg) (png)	(jpg) (png)	257 x 193 257 x 193
240 x 180 240 x 180	240 x 180 240 x 180	240 x 180 240 x 180	(png) (png)
(png) (png)	(png) (png)	(png) (png)	320 x 240 320 x 240
247 x 185 247 x 185	247 x 185 247 x 185	247 x 185 247 x 185	(jpg) (jpg)
(png) (png)	(png) (png)	(png) (png)	320 x 240 320 x 240
247 x 185 170 x 190	247 x 185 170 x 190	247 x 185 170 x 190	(png) (png)
(png) (jpg)	(png) (jpg)	(png) (jpg)	474 x 356 474 x 356
170 x 190 170 x 190	170 x 190 170 x 190	170 x 190 170 x 190	(png) (png)
(jpg) (jpg)	(jpg) (jpg)	(jpg) (jpg)	513 x 385 513 x 385
257 x 193 257 x 193	257 x 193 257 x 193	257 x 193 257 x 193	(png) (png)
(png) (png)	(png) (png)	(png) (png)	400 x 400 400 x 400
257 x 193 320 x 240	257 x 193 320 x 240	257 x 193 320 x 240	(jpg) (jpg)
(png) (jpg)	(png) (jpg)	(png) (jpg)	400 x 400 400 x 400
320 x 240 320 x 240	320 x 240 320 x 240	320 x 240 320 x 240	(png) (png)
(jpg) (jpg)	(jpg) (jpg)	(jpg) (jpg)	573 x 430 573 x 430
320 x 240 320 x 240	320 x 240 320 x 240	320 x 240 320 x 240	(png) (png)
(png) (png)	(png) (png)	(png) (png)	800 x 600 800 x 600
320 x 240 474 x 356	320 x 240 474 x 356	320 x 240 474 x 356	(png) (png)
(png) (png)	(png) (png)	(png) (png)	1659 x 1246 1659 x 1246
474 x 356 474 x 356	474 x 356 474 x 356	474 x 356 474 x 356	(png) (png)
(png) (png)	(png) (png)	(png) (png)	1500 x 1793 2806 x 3210
513 x 385 513 x 385	513 x 385 513 x 385	513 x 385 513 x 385	(jpg) (png)
(png) (png)	(png) (png)	(png) (png)	2892 x 3210 4365 x 3447
513 x 385 400 x 400	513 x 385 400 x 400	513 x 385 400 x 400	(jpg) (png)
(png) (jpg)	(png) (jpg)	(png) (jpg)	4371 x 3447
400 x 400 400 x 400	400 x 400 400 x 400	400 x 400 400 x 400	(jpg)
(jpg) (jpg)	(jpg) (jpg)	(jpg) (jpg)	
400 x 400 400 x 400	400 x 400 400 x 400	400 x 400 400 x 400	
(png) (png)	(png) (png)	(png) (png)	
400 x 400 573 x 430	400 x 400 573 x 430	400 x 400 573 x 430	
(png) (png)	(png) (png)	(png) (png)	
573 x 430 573 x 430	573 x 430 573 x 430	573 x 430 573 x 430	
(png) (png)	(png) (png)	(png) (png)	
800 x 600 800 x 600	800 x 600 800 x 600	800 x 600 800 x 600	
(png) (png)	(png) (png)	(png) (png)	
800 x 600 1659 x 1246	800 x 600 1659 x 1246	800 x 600 1659 x 1246	
(png) (png)	(png) (png)	(png) (png)	
1659 x 1246 1659 x 1246	1659 x 1246 1659 x 1246	1659 x 1246 1659 x 1246	
(png) (png)	(png) (png)	(png) (png)	
1500 x 1841 1500 x 2771	1500 x 1820 1500 x 2619	1500 x 1793 1500 x 2637	
(jpg) (jpg)	(jpg) (jpg)	(jpg) (jpg)	



Rear facing

54 x 41 (jpg) 54 x 41 (jpg)	54 x 41 (jpg) 54 x 41 (jpg)
54 x 41 (png) 54 x 41 (png)	54 x 41 (png) 54 x 41 (png)
100 x 70 (jpg) 100 x 70 (jpg)	100 x 70 (jpg) 100 x 70 (jpg)
96 x 72 (jpg) 96 x 72 (jpg)	96 x 72 (jpg) 96 x 72 (jpg)

1500 x 2771 (jpg)	2806 x 3277 (png)
2806 x 3277 (png)	2806 x 3383 (jpg)
2806 x 3383 (jpg)	3456 x 4242 (jpg)
3456 x 4242 (png)	

1500 x 2619 (jpg)	2971 x 3637 (png)
2971 x 3637 (png)	2969 x 3737 (jpg)
2969 x 3737 (jpg)	3456 x 4194 (jpg)
3456 x 4194 (png)	

1500 x 2637 (jpg)	2949 x 3439 (png)
2949 x 3439 (png)	2948 x 3538 (jpg)
2948 x 3538 (jpg)	3600 x 4302 (jpg)
3600 x 4302 (png)	

96 x 72 (png)	96 x 72 (png)
99 x 74 (png)	99 x 74 (png)
153 x 115 (png)	153 x 115 (png)
180 x 135 (png)	180 x 135 (png)
240 x 180 (jpg)	240 x 180 (jpg)
240 x 180 (png)	240 x 180 (png)
247 x 185 (png)	247 x 185 (png)
170 x 190 (jpg)	170 x 190 (jpg)
257 x 193 (png)	257 x 193 (png)
320 x 240 (jpg)	320 x 240 (jpg)
320 x 240 (png)	320 x 240 (png)
474 x 356 (png)	474 x 356 (png)
513 x 385 (png)	513 x 385 (png)
400 x 400 (jpg)	400 x 400 (jpg)
400 x 400 (png)	400 x 400 (png)
573 x 430 (png)	573 x 430 (png)
800 x 600 (png)	800 x 600 (png)
1659 x 1246 (png)	1659 x 1246 (png)
1500 x 1885 (jpg)	1500 x 2733 (jpg)
2847 x 3307 (png)	2846 x 3411 (jpg)
3456 x 4344 (jpg)	3456 x 4344 (png)



Right profile open

54 x 41 (jpg)	54 x 41 (png)
100 x 70 (jpg)	96 x 72 (jpg)
96 x 72 (png)	99 x 74 (png)
153 x 115 (png)	180 x 135 (png)
240 x 180 (jpg)	240 x 180 (png)
247 x 185 (png)	170 x 190 (jpg)
257 x 193 (png)	320 x 240 (jpg)



Top view closed

54 x 41 (jpg)	54 x 41 (png)
100 x 70 (jpg)	96 x 72 (jpg)
96 x 72 (png)	99 x 74 (png)
153 x 115 (png)	180 x 135 (png)
240 x 180 (jpg)	240 x 180 (png)
247 x 185 (png)	170 x 190 (jpg)
257 x 193 (png)	320 x 240 (jpg)



Top view open

54 x 41 (jpg)	54 x 41 (jpg)
54 x 41 (png)	54 x 41 (png)
100 x 70 (jpg)	100 x 70 (jpg)
96 x 72 (jpg)	96 x 72 (jpg)
96 x 72 (png)	96 x 72 (png)
99 x 74 (png)	99 x 74 (png)
153 x 115 (png)	153 x 115 (png)
180 x 135 (png)	180 x 135 (png)

320 x 240 (png)	474 x 356 (png)
513 x 385 (png)	400 x 400 (jpg)
400 x 400 (png)	573 x 430 (png)
800 x 600 (png)	1659 x 1246 (png)
2375 x 2893 (png)	2371 x 2996 (jpg)
1500 x 3279 (jpg)	

320 x 240 (png)	474 x 356 (png)
513 x 385 (png)	400 x 400 (jpg)
400 x 400 (png)	573 x 430 (png)
800 x 600 (png)	1659 x 1246 (png)
4368 x 3456 (jpg)	4368 x 3456 (png)

240 x 180 (jpg)	240 x 180 (jpg)
240 x 180 (png)	240 x 180 (png)
247 x 185 (png)	247 x 185 (png)
170 x 190 (jpg)	170 x 190 (jpg)
257 x 193 (png)	257 x 193 (png)
320 x 240 (jpg)	320 x 240 (jpg)
320 x 240 (png)	320 x 240 (png)
474 x 356 (png)	474 x 356 (png)
513 x 385 (png)	513 x 385 (png)
400 x 400 (jpg)	400 x 400 (jpg)
400 x 400 (png)	400 x 400 (png)
573 x 430 (png)	573 x 430 (png)
800 x 600 (png)	800 x 600 (png)
1659 x 1246 (png)	1659 x 1246 (png)
1500 x 1635 (jpg)	1500 x 1635 (jpg)
3171 x 3205 (png)	3171 x 3205 (png)
3171 x 3207 (jpg)	3171 x 3207 (jpg)

Videos (1)

Hacker disruption video identifying security vulnerabilities at LES Security Event

Search additional assets (Asset Hub)

Search for additional assets

This link is being provided as a convenience and for informational purposes only. HP Sales Central bears no responsibility for the accuracy, legality or content of the external site or for that of subsequent links. Contact the external site for answers to questions regarding its content.

Cabinets and Stands

Printer Cabinets and Stands

Active	HP Color LaserJet Printer Cabinet	B5L51A
--------	-----------------------------------	--------

Cables/Cable Kits/Cable Adapters

Port Cables and Cable Adapters

Active	HP Internal USB Ports	B5L28A
--------	-----------------------	--------

Printer Cables

Active	HP Foreign Interface Harness	B5L31A
--------	------------------------------	--------

Maintenance and Cleaning Kits

Maintenance Kits

Active	HP 200 ADF Roller Replacement Kit	W5U23A
--------	-----------------------------------	--------

Memory

DDR3 Memory

Active	HP 1 GB x32 144-pin (800 MHz)DDR3 SODIMM	E5K48A
--------	--	--------

Paper Handling

Fax Upgrades

Active	HP LaserJet MFP Analog Fax Accessory 600	B5L53A
--------	--	--------

Input Trays

Active	HP Color LaserJet 550-sheet Media Tray	B5L34A
--------	--	--------

Security and Protection

Security Devices

Active	HP Trusted Platform Module Accessory	F5S62A
--------	--------------------------------------	--------

Network Print Servers

External Print Servers

Active	HP Jetdirect 2900nw Print Server	J8031A
Active	HP Jetdirect 3000w NFC/Wireless Accessory	J8030A

HP Care Services

Imaging and Printing Commercial Care Services

Active	HP 1 year Post Warranty 4 hour Onsite 9x5 Hardware support w/DMR for Color LaserJet Managed M577	U9EX1PE
Active	HP 1 year Post Warranty NBD w/Defective Media Retention Service for Color LaserJet M577 MFP Managed	U8TX0PE
Active	HP 2 year Post Warranty NBD w/Defective Media Retention Service for Color LaserJet M577 MFP Managed	U8TX1PE
Active	HP 3 year 4 hour Onsite 9x5 HW support w/Defective Media Retention for Color LaserJet Managed M577	U9EW8E
Active	HP 3 year Next Business Day w/Defective Media Retention Service for Color LaserJet M577 MFP Managed	U8TW4E
Active	HP 4 year 4 hour Onsite 9x5 HW support w/Defective Media Retention for Color LaserJet Managed M577	U9EW9E
Active	HP 4 year Next Business Day w/Defective Media Retention Service for Color LaserJet M577 MFP Managed	U8TW5E
Active	HP 5 year 4 hour Onsite 9x5 HW support w/Defective Media Retention for Color LaserJet Managed M577	U9EX0E
Active	HP 5 year Next Business Day w/Defective Media Retention Service for Color LaserJet M577 MFP Managed	U8TW6E
Active	HP Inst SVC w/nw Workgroup Printer	U9JT2E

HP Laser Toner Cartridges and Kits

HP Color Laser Toner Printer Cartridges

Active	HP Color LaserJet B5L35A 110V Fuser Kit	B5L35A
Active	HP Color LaserJet B5L36A 220V Fuser Kit	B5L36A
Active	HP Color LaserJet B5L37A Toner Collection Unit	B5L37A

HP Paper Designed for Laser Printers

HP Laser Brochure Paper

Active	HP Laser Glossy Brochure Paper 150 gsm-150 sht/Letter/8.5 x 11 in	Q6611A
Active	HP Laser Glossy Brochure Paper 150 gsm-300 sht/Letter/8.5 x 11 in	X3E84A
Active	HP Laser Glossy Brochure Paper 200 gsm-100 sht/Letter/8.5 x 11 in	Q6608A
Active	HP Laser Matte Brochure Paper 200 gsm-100 sht/Letter/8.5 x 11 in	Q8824A

HP Laser Everyday Paper

Active	HP Color Laser Paper 90 gsm-500 sht/A4/210 x 297 mm	CHP370
Active	HP Color Laser Paper 100 gsm-500 sht/A4/210 x 297 mm	CHP350
Active	HP Color Laser Paper 120 gsm-500 sht/A4/210 x 297 mm	CHP342
Active	HP LaserJet Paper-5 reams/Letter/8.5 x 11 in	HPJ115R
Active	HP LaserJet Paper-10 reams/Letter/8.5 x 11 in	HPJ1124
Active	HP LaserJet Paper-500 sht/A4/210 x 297 mm	CHP310
Active	HP LaserJet Paper-500 sht/Letter/8.5 x 11 in	HPJ1124P
Active	HP Premium Choice Laser Paper-250 sht/A4/210 x 297 mm	Q2397A
Active	HP Premium Choice LaserJet Paper-6 reams/Letter/8.5 x 11 in	HPU1132
Active	HP Premium Choice LaserJet Paper-500 sht/Letter/8.5 x 11 in	HPU1132P

HP Laser Presentation Paper

Active	HP Premium Glossy Presentation Paper 120 gsm-250 sht/Letter/8.5 x 11 in	CG988A
--------	---	--------

HP Professional Laser Paper

Active	HP Professional Glossy Laser Paper 120 gsm-250 sht/A4/210 x 297 mm	CG964A
Active	HP Professional Glossy Laser Paper 150 gsm-150 sht/A4/210 x 297 mm	CG965A
Active	HP Professional Glossy Laser Photo Paper 200 gsm-100 sht/A4/210 x 297 mm	CG966A
Active	HP Professional Matt Laser Photo Paper-100 sht/A4/210 x 297 mm	Q6550A

HP Paper for Multiple Uses

HP Minority Business Enterprise Paper

Active	HP Business Copy Paper-10 reams/Letter/8.5 x 11 in	HPBC11
--------	--	--------

HP Multipurpose Paper

Active	HP Multipurpose Paper-5 reams/Letter/8.5 x 11 in	HPM115R
Active	HP Multipurpose Paper-5 reams/Letter/8.5 x 11 in	HPM115RC
Active	HP Multipurpose Paper-10 reams/3-hole punched/Letter/8.5 x 11 in	HPM113H
Active	HP Multipurpose Paper-10 reams/Legal/8.5 x 14 in	HPM1420

Active	HP Multipurpose Paper-10 reams/Letter/8.5 x 11 in	HPM1120
Active	HP Multipurpose Paper-500 sht/A4/210 x 297 mm	CHP225
Active	HP Multipurpose Paper-500 sht/Legal/8.5 x 14 in	HPM1420P
Active	HP Multipurpose Paper-500 sht/Letter/8.5 x 11 in	HPM1120R

HP Multi-use Everyday Paper

Active	HP All-in-One Paper-5 reams/Letter/8.5 x 11 in	HPT115
Active	HP All-in-One Paper-10 reams/Letter/8.5 x 11 in	HPT1122
Active	HP All-in-One Printing Paper-250 sht/A4/210 x 297 mm	CHP712
Active	HP All-in-One Printing Paper-500 sht/A4/210 x 297 mm	CHP710
Active	HP Copy Paper 80 gsm-500 sht/A4/210 x 297 mm	CHP910
Active	HP Everyday Copy and Print Paper-10 reams/Letter/8.5 x 11 in	HPA510
Active	HP Hi White Everyday Paper-5 reams/A4/210 x 297 mm	Q2400A
Active	HP Hi White Everyday Paper-5 reams/Letter/8.5 x 11 in	Q2398A
Active	HP Home and Office Paper-500 sht/A4/210 x 297 mm	CHP150
Active	HP Office Paper-5 reams/Letter/8.5 x 11 in	HPC115R
Active	HP Office Paper-10 reams/3-hole punched/Letter/8.5 x 11 in	HPC3HP
Active	HP Office Paper-10 reams/Legal/8.5 x 14 in	HPC8514
Active	HP Office Paper-10 reams/Letter/8.5 x 11 in	HPC8511
Active	HP Office Paper-500 sht/A4/210 x 297 mm	CHP110
Active	HP Office Paper-2500 sht/A4/210 x 297 mm	CHP113
Active	HP Office Quickpack-2500 sht/Letter/8.5 x 11 in	HP2500S
Active	HP Premium Choice Paper-500 sht/A4/210 X 297 mm	CHP812
Active	HP Printing Paper 90 gsm-500 sht/A4/210 x 297 mm	CHP235
Active	HP Printing Paper-500 sht/A4/210 x 297 mm	CHP210
Active	HP Printing Paper-2500 sht/A4/210 x 297 mm	CHP215

HP Recycled Paper

Active	HP Recycled Paper 80 gsm-500 sht/A4/210 x 297 mm	CHP830
Active	HP Recycled Paper-10 reams/Letter/8.5 x 11 in	HPE1120
Active	HP Recycled Paper-500 sht/Letter/8.5 x 11 in	HPE1120R

Detailed Specifications

Accessories

HP Color LaserJet 550-sheet Media Tray B5L34A, HP Color LaserJet Printer Cabinet B5L51A, HP LaserJet MFP Analog Fax Accessory B5L53A, HP Internal USB Ports B5L28A, HP 1GB DDR3 x32 144-Pin 800MHz SODIMM E5K48A, HP Trusted Platform Module Accessory F5S62A, HP Foreign Interface Harness B5L31A, HP Jetdirect 3000w NFC/Wireless Accessory J8030A, HP Jetdirect 2900nw Print Server J8031A

Acoustic power emissions

6.5 B(A) (printing at 38 ppm)

Acoustic power emissions (active copy)

6.9 B(A) (copying at 38 ppm with ADF running)

Acoustic power emissions (active scan)

6.8 B(A) (scan mono simplex at 48 ppm)

Acoustic power emissions (ready)

4.7 B(A)

Acoustic power footnote number

[16]

Acoustic pressure emissions bystander (active copy)

55 dB(A) (copying at 38 ppm with ADF running)

Acoustic pressure emissions bystander (active scan)

53 dB(A) (scan mono simplex at 48 ppm)

Acoustic pressure emissions bystander (active, printing)

51 dB(A) (printing at 38 ppm)

Acoustic pressure emissions bystander (ready)

32 dB(A)

Additional information about HP

<http://www.hp.com>

Additional information about HP in the countries

<http://www.hp.com/uk>

Automatic document feeder capacity

Standard, 100 sheets

Automatic paper sensor

Yes

Best technical electricity consumption (TEC)

1.52 kWh/Week

Best technical electricity consumption (TEC) footnote number

[19]

Bit depth

24-bit

Bottom margin (A4)

2 mm absolute/5 mm assured image

Cable included

No, please purchase USB cable separately

Code name

Cordoba

Color scanning

Yes

Compatible Network Operating Systems

Windows OS compatible with In-Box Driver; Windows Server 2003/2003 R2 32-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 32-/64-bit (SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 R2 64-bit (SP1) Standard/Enterprise (+ Cluster & Terminal Services); Windows OS compatible with Universal Print Driver (UPD) or Product-Specific drivers from HP.com; Windows Server 2003/2003 R2 32-/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32-/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2012/2012 R2 64-bit Standard/Foundation/Essentials/Datacenter (+ Cluster & Terminal Services); Citrix (on Windows Server 2003/2003R2), Citrix MetaFrame Presentation Server, 3.0, Citrix MetaFrame XP Presentation Server (Feature Release 1, 2, and 3), Citrix Presentation Server 4.0/4.5, Citrix XenApp 5.0 (Plus Feature Pack 2 & 3), Citrix (on Windows Server 2008/2008R2, Citrix XenApp 5.0 (Plus Feature Pack 2 & 3), Citrix XenApp 6.0/6.5/7.5, Citrix XenDesktop 5.6/7.0/7.5, Citrix (on Windows Server 2012/2012R2, Citrix XenApp 7.5, Citrix XenDesktop 7.0/7.5; Novell Servers; www.novell.com/iprint), Novell iPrint Appliance v1.0, Novell Open Enterprise Server 11/SP1, Novell Open Enterprise Server 2 for Linux, NetWare 6.5/SP8, Novell Clients (www.novell.com/iprint; Windows 8 (32-bit / 64-bit) recommend v5.86+, 8.1 recommend v5.94+, Windows 7 (32-bit / 64-bit) recommend v5.82+, Windows Vista (32-bit / 64-bit) recommend v5.82+, Windows XP / SP3 (32-bit only) recommend v5.82+

Compatible Operating Systems

Windows OS compatible with In-Box Driver; Windows XP SP3 all 32-bit editions (XP Home, XP Pro, etc.), Windows Vista all 32-bit editions (Home Basic, Premium, Professional, etc.), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets); Windows OS compatible with Universal Print Driver (From HP.com); Windows XP SP3 32- & 64-bit editions (XP Home, XP Pro, etc.), Windows Vista all 32- & 64-bit editions (Home Basic, Premium, Professional, etc.), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets); Mac OS (HP Print Drivers available from HP.com and Apple Store); OS X 10.8 Mountain Lion, OS X 10.9 Mavericks, OS X 10.10 Yosemite; Mobile OS (In-OS drivers); iOS, Android, Windows 8/8.1/10 RT; Linux OS (In-OS HPLIP; SUSE Linux (12.2, 12.3, 13.1), Fedora (17, 18, 19, 20), Linux Mint (13, 14, 15, 16, 17), Boss (3.0, 5.0), Ubuntu (10.04, 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10), Debian (6.0.x, 7.x); Other OS; UNIX

Connectivity, optional

HP Jetdirect 3000w NFC/Wireless Accessory J8030A, HP Jetdirect 2900nw Print Server J8031A

Connectivity, standard

2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit/Fast Ethernet 10/100/1000Base-TX network; Hardware Integration Pocket

Control panel

8.0-in (20.3 cm) color touchscreen; adjustable angle display with gesturing; illuminated Home button (for quick return to the Home menu)

Copier scaling (ADF)

25 to 200%

Copier settings

Two-sided copying; Scalability; Image adjustments (darkness, contrast, background cleanup, sharpness); N-up; N or Z-ordering; Content orientation; Collation; Booklet; Job build; Edge-to-edge; Job storage; ID Copy; Book Copy; A-to-B Copy (different media sizes)

Copier smart software features

Auto scale; Reduce/enlarge from scanner glass (25 to 400 percent); Collate; Auto color detection; Two-sided copying; Image adjustments (darkness, background cleanup, sharpness); Job build

Copies, maximum

Up to 9999 copies

Copy reduce / enlarge settings

25 to 400%

Copy resolution (black graphics)

Up to 600 x 600 dpi (flatbed), 600 x 450 dpi (ADF)

Copy resolution (black text)

Up to 600 x 600 dpi (flatbed), 600 x 450 dpi (ADF)

Copy resolution (color text and graphics)

Up to 600 x 600 dpi (flatbed), 300 x 600 dpi (ADF)

Copy speed (black, normal quality, A4)

Up to 38 cpm

Copy speed (color, normal quality, A4)

Up to 38 cpm

Copy speed black (normal, letter)

Up to 40 cpm

Copy speed black duplex (A4)

Up to 38 cpm

Copy speed black duplex (Letter)

Up to 40 cpm

Copy speed color (normal, letter)

Up to 40 cpm

Copy speed color duplex (A4)

Up to 38 cpm

Copy speed color duplex (Letter)

Up to 40 cpm

Copy speed footnote number

[21]

Copyright notice

The product could differ from the images shown. © 2014 Hewlett-Packard Development Company, L.P. The Information contained herein is subject to change without notice. Warranties for HP products and services are set out in the express warranty statements accompanying such products and services. In addition, our products and services come with guarantees that cannot be excluded under the Australian Consumer Law. Subject to the foregoing, nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Count of cartons per pallet layer

2

Count of layers in pallet

3

Country of origin

Made in China; Mexico (B5L46A#AC4, B5L46A#AC8, B5L46A#201, B5L46A#AAZ, B5L46A#BGJ)

Digital sending optional features

Optional via HP Digital Sending Software (HP DSS); Send to folder; Send-to-workflow; Send-to-printer; Authentication; Digital fax (send to LAN, Internet); OCR; Local Address Book

Digital sending standard features

Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to FTP; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto Crop To Content; Compact PDF

Dimension(W x D x H) Footnote Number

[2]

Dimensions (W x D x H)

482 x 504 x 583 mm

Display

8" color touchscreen

Display area (metric)

16.2 x 12.1 cm

Downloadable software

From 123.hp.com; HP Easy Start (Guided Software Install for Windows OS and Mac); From [HP.com](http://hp.com) for Windows OS and Mac; Full-solution software and drivers (Same solution as "Software Included"); HP PCL 6 print driver only (No installer for "Add Printer" installs), HP PCL 6 print driver with installer, Product Documentation and Support; From [HP.com](http://hp.com) for Mac OS; Full-solution software and drivers; For Mobile OS; (See "HP Mobile Printing" <http://www8.hp.com/us/en/ads/mobility/overview.html>); From In-OS app stores; HP recommended printer drivers and software; [HP.com](http://hp.com) for printer administrators, Printer Administrator Resource Kit (Driver Configuration Utility, Driver Deployment Utility, Managed Printing Administrator), HP Universal Print Drivers (PCL 6, PCL 5 & PS for Windows), HP ePrint Software (ePrint Mobile Driver for Windows), Linux/Unix Print Drivers, SAP (PCL 5 and PS Print Drivers), HP Web JetAdmin Software, HP Proxy Agent Software, HP Imaging and Printing Security Center, HP JetAdvantage Security Manager

Driver updates

Current HP printer drivers and software can be obtained from the HP Customer Care Website: In the US, go to <http://www.hp.com/Support/colorljM577>; Outside the US: 1. Go to <http://www.hp.com/support>. Select the country/region; 2. Select Drivers & Downloads; 3. Enter a product name/number; 4. Under Drivers and software/Driver language, select the language to receive a download in the language desired; 5. Select the operating system version; 6. Then select DOWNLOAD for the software desired.

Duplex ADF scanning

Yes

Duplex printing

Automatic (standard)

Duty cycle (monthly, A4)

Up to 120,000 pages

Duty cycle (monthly, letter)

Up to 120,000 pages

Duty cycle footnote number

[9]

Electromagnetic compatibility

CISPR 22:2008 (International) - Class A, EN 55022: 2010 (EU) - Class A, EN 61000-3-2: 2006 +A1: 2009 +A2: 2009, EN 61000-3-3: 2008, EN 55024: 2010, EMC Directive 2004/108/EC, FCC CFR 47 Part 15 Class A / ICES-003, Issue 5 Class A, Other EMC approvals as required by individual countries

Energy efficiency

ENERGY STAR® certified; Blue Angel; EPEAT® Silver

Energy savings feature technology

HP Auto-On/Auto-Off Technology; Instant-on Technology; Instant-on Copy

ENERGY STAR® certified

Yes

Enhanced scanning resolution

Up to 600 dpi

Envelope Feeder

No

Environmental

Mercury free

Faxing

Optional

FCC Class A emissions

FCC Class A emissions - for use in commercial environments, not residential environments

File Format Supported

Digital Send: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Print from easy access USB: PDF, PS, Print Ready files

(.prn, .pcl, .cht)

Finished output handling

Sheetfed

First copy out black (A4)

As fast as 5.6 sec

First copy out black (A4, sleep)

As fast as 10.0 sec

First copy out black (letter)

As fast as 5.4 sec

First copy out black (letter, sleep)

As fast as 9.4 sec

First copy out color (A4)

As fast as 9.1 sec

First copy out color (A4, sleep)

As fast as 12.8 sec

First copy out color (letter)

As fast as 8.7 sec

First copy out color (letter, sleep)

As fast as 12.9 sec

First page out black (A4, ready)

As fast as 5.6 sec

First page out black (A4, sleep)

As fast as 8.6 sec

First page out black (letter, ready)

As fast as 5.5 sec

First page out black (letter, sleep)

As fast as 8.6 sec

First page out color (A4, ready)

As fast as 6.9 sec

First page out color (A4, sleep)

As fast as 8.8 sec

First page out color (letter, ready)

As fast as 6.8 sec

First page out color (letter, sleep)

As fast as 8.8 sec

First page out footnote number

[22]

Fonts and typefaces

105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript Level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono World Type); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); Additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at <http://www.hp.com/go/laserjetfonts>

Functions

Print, copy, scan

HP ePrint capability

Yes

Image legal disclaimer

Product image may differ from actual product

Input capacity

Up to 650 sheets

Internal Storage

Standard, embedded HP High-Performance Secure Hard Disk, minimum 320 GB; AES 256 hardware encryption or greater; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk); U.S.

Government: Standard, FIPS 140-2 validated hard disk, minimum 500 GB

Left margin (A4)

2 mm absolute/5 mm assured image

Levels of grayscale

256

Mac compatible

Yes

Maximum dimensions (W x D x H)

699 x 504 x 583 mm

Maximum Input Capacity (envelopes)

Up to 10 envelopes

Maximum input capacity (sheets)

Up to 2300 sheets

Maximum Memory

2.0 GB (printer), 500 MB (scanner)

Maximum output capacity (sheets)

Up to 250 sheets

Maximum print area

215.9 x 355.6 mm

Media size (ADF)

Letter; legal; oficio; executive; statement; 16K; A4; RA4; A5; A6; B5; B6 (JIS);
Postcard (JIS); DPostcard (JIS); 4 x 6 in; 5 x 7 in; 5 x 8 in

Media size, tray 1

A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; envelopes (B5, C5 ISO, C6, DL
ISO); 76 x 127 to 216 x 356 mm

Media size, tray 2

A4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 102 x 148 to 216 x 297 mm

Media size, tray 3

A4; RA4; A5; B5 (JIS); 16K; 102 x 148 to 216 x 356 mm

Media sizes supported

Tray 1: A4, RA4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6, 16K, envelopes (B5, C5 ISO, C6,
DL ISO); Custom: 76 x 127 to 216 x 356 mm; Tray 2: A4, A5, B5 (JIS), B6 (JIS), 10 x 15
cm, A6, 16K; Custom: 102 x 148 to 216 x 297 mm; Optional Trays 3+: A4, RA4, A5,
B5 (JIS), 16K; Custom: 102 x 148 to 216 x 356 mm

Media sizes, custom

Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 102 x 148 to 216 x 297 mm; Optional
Trays 3+: 102 x 148 to 216 x 356 mm

Media type and capacity, ADF

Sheets: 100

Media type and capacity, tray 1

Sheets (75 g/m² paper): 100; Transparencies, cardstock (163 g/m²): 50; Cardstock
(216 g/m²): 30; Envelopes: 10

Media type and capacity, tray 2

Sheets (75 g/m² paper): 550; Labels, cardstock (163 g/m²); Transparencies: 100

Media type and capacity, tray 3

Sheets (75 g/m² paper): 550; Labels, cardstock (163 g/m²); Transparencies: 100

Media types

Paper (plain, light, bond, recycled, mid-weight, heavy, mid-weight glossy, heavy
glossy, extra heavy, extra heavy glossy, cardstock, card glossy), color transparency,
labels, letterhead, envelope, preprinted, prepunched, colored, rough, opaque film,
user-defined

Media weight (tray 1)

60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper)

Media weight (tray 2)

60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper)

Media weight (tray 3)

60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper)

Media weight, supported

Tray 1: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Optional Trays 3+: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper)

Media weights, supported ADF

45 to 199 g/m²

Memory

1.25 GB (printer), 500 MB (scanner)

Memory card compatibility

DDR3 Memory DIMM

Memory Slots

1 slot, 144-pin DDR3

Memory upgrade

System memory (formatter) is upgraded by adding a standard 1 GB DIMM through a single 144-pin socket.

Minimum System Requirements

Windows XP SP3 all 32-bit editions (XP Home, XP Pro, etc.), Windows Vista all 32-bit editions (Home Basic, Premium, Professional, etc.), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets); Windows OS compatible with Universal Print Driver (From [HP.com](http://www.hp.com)); Windows XP SP3 32- & 64-bit editions (XP Home, XP Pro, etc.), Windows Vista all 32- & 64-bit editions (Home Basic, Premium, Professional, etc.), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets); CD-ROM or DVD drive, or Internet connection; Dedicated USB or network connection or Wireless connection; 200 MB available hard disk space; OS compatible hardware (For OS hardware requirements see <http://www.microsoft.com>)

Minimum System Requirements for

Macintosh

Mac OS (HP Print Drivers available from [HP.com](http://www.hp.com) and Apple Store); OS X 10.8 Mountain Lion, OS X 10.9 Mavericks, OS X 10.10 Yosemite; Internet; USB; 1 GB HD; OS compatible hardware (For OS hardware requirements see <http://www.apple.com>)

Mobile printing capability

HP ePrint; Apple AirPrint™; Mopria-certified; Google Cloud Print 2.0

Mobile printing capability footnote

number

[14]

Multitasking supported

Yes

Native scan file format

PDF, JPEG, TIFF, MTIFF, XPS, PDF/A

Network capabilities

Via HP Jetdirect Ethernet embedded print server (standard) supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gigabit Ethernet; IPsec (standard)

Network protocols, supported

IPv4/IPv6: Apple Bonjour Compatible (Mac OS 10.2.4 or higher), SNMPv1/v2c/v3, HTTP, HTTPS, FTP, TFTP, Port 9100, LPD, WS Discovery, IPP, Secure-IPP, IPsec/Firewall; IPv6: DHCPv6, MLDv1, ICMPv6; IPv4: Auto-IP, SLP, Telnet, IGMPv2, BOOTP/DHCP, WINS, IP Direct Mode, WS Print; Other: NetWare NDS, Bindery, NDPS, ePrint; Google Cloud Print 2.0

Network ready

Standard (built-in Gigabit Ethernet)

Non-Operating Humidity Range

10 to 90% RH

Number of print cartridges

4 (1 each black, cyan, magenta, yellow)

Number of users

5-15 Users

Operating humidity range

10 to 80% RH

Operating humidity range

30 to 70% RH

Operating system supported footnote number

[13]

Operating temperature range

15 to 30°C

Orderable product number

B5L49A#AB0, B5L49A#AB2, B5L49A#ABJ, B5L49A#ACJ, B5L49A#BBU, B5L49A#BGM, B5L49A#ABT, B5L49A#ABY, B5L49A#ACQ, B5L49A#B19, B5L49A#BAZ, B5L49A#AC4, B5L49A#AC8, B5L49A#201, B5L49A#AAZ, B5L49A#BGJ, B5L49A#B13

Orderable supplies

HP LaserJet 110v Fuser Kit B5L35A, HP LaserJet 220v Fuser Kit B5L36A, HP Color LaserJet Toner Collection Unit B5L37A, HP 200 ADF Roller Replacement Kit B5L52A

Output capacity

Up to 250 sheets

Package dimensions (W x D x H)

755 x 600 x 650 mm

Package weight

44.4 kg

Pallet dimensions (W x D x H)

1200 x 800 x 2325 mm

Pallet weight

277 kg

Paper handling input, optional

550-sheet media input tray 3, 550-sheet media input tray 4, 550-sheet media input tray 5

Paper handling input, standard

100-sheet multipurpose tray, 550-sheet input tray 2

Paper handling output, standard

250-sheet output bin

Paper trays, maximum

5

Paper trays, standard

2

Ports

2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit/Fast Ethernet 10/100/1000Base-TX network; 1 Hardware Integration Pocket

Post warranty repair & maintenance

<http://www.hp.com/Support/colorljM577>

Power

Input voltage: 100 to 127 VAC, 60 Hz, Input voltage: 200 to 240 VAC, 50 Hz (Not dual voltage, product varies by part number with # Option code identifier)

Power consumption

592 watts (Printing), 47.3 watts (Ready), 3.48 watts (Sleep), 0.08 watts (Auto-Off/Manual On), 0.49 watts (Auto-Off/Auto-On/Wake on LAN)

Power consumption footnote number

[4]

Power supply type

Internal (Built-in) power supply

Print colors

Yes

Print languages

HP PCL 6; HP PCL 5c; HP postscript level 3 emulation, native PDF printing (v 1.7)

Print quality black (best)

HP ImageREt 3600

Print quality black (normal)

Up to 600 x 600 dpi

Print quality color (best)

HP ImageREt 3600

Print resolution black (fine lines)

Up to 1200 x 1200 dpi

Print resolution color (fine lines)

Up to 1200 x 1200 dpi

Print resolution color (normal)

Up to 600 x 600 dpi

Print Resolution Technologies

HP ImageREt 3600, Pantone Calibrated

Print speed (A4/letter) footnote number

[11]

Print Speed Black (ISO)

Up to 38 ppm

Print speed black (ISO)

Up to 40 ppm

Print speed black (Landscape, A5)

Up to 59 ppm

Print speed black (Portrait, A5)

Up to 6 ppm

Print Speed Color (ISO)

Up to 38 ppm

Print speed color (ISO)

Up to 40 ppm

Print speed color (Landscape, A5)

Up to 59 ppm

Print speed color (Portrait, A5)

Up to 6 ppm

Print speed duplex (A4)

Up to 38 ipm

Print speed duplex (A4)

Up to 38 ipm

Print speed duplex (letter)

Up to 40 ipm

Print speed duplex (letter)

Up to 40 ipm

Print speed footnote number (A5)

[20]

Print technology

Laser

Printer Management

UPD Printer Administrator Resource Kit (Driver Configuration Utility, Driver Deployment Utility, Managed Printing Administrator); HP Web JetAdmin Software; HP Proxy Agent Software; HP JetAdvantage Security Manager

Printer smart software features

Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB, HP Easy Color

Processor speed

1.2 GHz

Product long name specifications

HP Color LaserJet Managed MFP M577 dnm - Duplex, network and Mailbox; Print: Up to 38 ppm black & Up to 38 ppm colour, Up to 600 x 600 dpi black & Up to 600 x 600 dpi colour; Up to 120,000 pages per month duty cycle; Scan: Up to 600 x 600 dpi Hardware; Up to 600 dpi Optical; Up to 600 dpi Enhanced; Copy: Up to 38 cpm black & Up to 38 cpm colour, 25 to 400%; 2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit/Fast Ethernet 10/100/1000Base-TX network; Hardware Integration Pocket

Product note

FCC Class A emissions device for use in commercial environments, not residential environments[14]

Quantity per pallet

6

Recommended media weight (duplex)

Automatic: 105 to 220 g/m² (glossy), 60 to 163 g/m² (plain); Manual: 60 to 220 g/m² (all types)

Recommended monthly page volume

2000 to 15,000

Recommended monthly page volume footnote number

[10]

Recommended monthly scan volume

4,150 to 6,900

Recommended monthly scan volume footnote number

[12]

Recommended operating temperature range

17 to 25°C

Replacement cartridges

HP 508X Black Contract LaserJet Toner Cartridge (~14,900 ISO yield) CF360XC; HP 508X Cyn Contract LaserJet Toner Cartridge (~11,700 ISO yield) CF361XC; HP 508X Yellow Contract LaserJet Toner Cartridge (~11,700 ISO yield) CF362XC; HP 508X Magenta Contract LaserJet Toner Cartridge (~11,700 ISO yield) CF363XC

Replacement cartridges footnote number

[6, 15]

Replacement product number

CD644A

Resolution

600 dpi

Right margin (A4)

2 mm absolute/5 mm assured image

RMN number

BOISB-1406-00

Safety

IEC 60950-1:2005 +A1:2009 +A2:2013 (International); EN 60950-1:2006 +A11:2009 +A1:2010 +A12:2011 +A2:2013 (EU); EN 60825-1:2007/IEC 60825-1:2007 (Class 1 Laser Product); EN 62479: 2010/IEC 62479: 2010; Low Voltage Directive 2006/95/EC with CE Mark (Europe); GS Certificate (Germany, Europe); UL/cUL Listed and UC CoC (US/Canada); CAN/CSA C22.2 No. 60950-1-07 2nd Ed. 2011-12; Compliance with Laser safety standards 21 CFR 1040.10 and 1040.11 except for deviations pursuant to Laser notice No. 50, Dated June 24, 2007; Other safety approvals as required by individual countries.

Scan file format

PDF, JPEG, TIFF, MTIFF, XPS, PDF/A

Scan input modes

Front panel applications: Copy, E-mail, Save to Network Folder, Save to USB, Save to Device Memory, Open Extensibility Platform (OXF) applications

Scan resolution, hardware

Up to 600 x 600 dpi

Scan resolution, optical

Up to 600 dpi

Scan size (ADF), maximum

216 x 356 mm

Scan size ADF (minimum)

105 x 127 mm

Scan size, maximum

216 x 356 mm

Scan size, minimum

No minimum

Scan speed (normal, A4)

Up to 43 ppm/43 ipm (b&w), up to 38 ppm/38 ipm (color)

Scan speed (normal, letter)

Up to 45 ppm/45 ipm (b&w), up to 40 ppm/40 ipm (color)

Scan speed duplex (normal, A4)

Up to 43 ipm (b&w), up to 38 ipm (color)

Scan speed duplex (normal, letter)

Up to 45 ipm (b&w), up to 40 ipm (color)

Scan speed footnote number

[23]

Scan technology

Contact Image Sensor (CIS)

Scanner advanced features

Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge Erase; Job notification; Blank page suppression; HP Quick Sets

Scanner type

Flatbed, ADF (two-sided, single-pass)

Security management

Identity management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate, Pre-Shared Key, and Kerberos authentication, Supports WJA-10 IPsec configuration Plug-in, 802.1X authentication (EAP-PEAP, EAP-TLS), SNMPv3, HTTPS, Certificates, Access Control List; Data: Storage Encryption, Encrypted PDF & Email (uses FIPS 140-2 validated cryptographic libraries), Secure Erase, SSL/TLS (HTTPS), Encrypted Credentials; Device: Security lock slot, USB port disablement, hardware integration pocket for security solutions, optional Trusted Platform Module; Security management: Compatible with optional HP JetAdvantage Security Manager

Software included

For Windows OS; HP Software Installer/Uninstaller, HP PCL 6 Printer Driver, HP Device Experience (DXP), HP Send Fax, HP Update, Product Registration Assist, HP Web Services Assist (HP Connected), Online user manuals; For Mac OS; Welcome Screen, (Directs users to HP.com or OS App Source for LaserJet Software)

Standard media sizes (duplex)

A4; A5; B5 (JIS)

Standard output capacity (envelopes)

Up to 10 envelopes

Standard output capacity (transparencies)

Up to 100 sheets

Storage device and direct print

support

Front-facing USB printing; USB printing

Storage temperature range

0 to 35°C

Sub-brand name

LaserJet

SureSupply footnote number

[7]

SureSupply note

HP SureSupply alerts you when your print cartridge is running low and helps you purchase online or locally through HP or a participating retailer. Only available with Original HP supplies; Internet access required. To learn more, visit <http://www.hp.com/go/SureSupply>

SureSupply supported

Yes

Tariff numbers

8443310000 (National HTS); 8443318000 (EU Base HTS); 8443310000 (AM Base HTS); 84433120 (AP Base HTS)

Tech spec footnote

[1] Toner cartridge yields established using ISO/IEC test standards. Actual yields and costs vary considerably depending on images printed, number of color pages printed, and other factors.

Tech spec footnote

[10] HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

Tech spec footnote

[11] Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

Tech spec footnote

[12] HP recommends that the number of scanned pages per month be within the stated range for optimum device performance.

Tech spec footnote

[13] Not all "Compatible Operating Systems" are supported with INBOX software; Full solution software available only for Windows 7 and newer; Legacy Windows Operating Systems (XP, Vista, and equivalent servers) get print and Scan drivers only; Windows RT OS for Tablets (32- & 64-bit) uses a simplified HP print driver built into the RT OS; UNIX modelscripts are available on [HP.com](http://www.hp.com) (Modelscripts are printer drivers for UNIX operating systems); Linux systems use in-OS HPLIP software.

Tech spec footnote

[14] Wireless operations are compatible with 2.4 GHz operations only. App or software and HP ePrint account registration may also be required. Some features require purchase of an optional accessory. Learn more at <http://www.hp.com/go/mobileprinting>

Tech spec footnote

[15] Original HP LaserJet "A" and "X" toner cartridges are also compatible with this product.

Tech spec footnote

[16] Configuration tested: f bundle, simplex printing, A4 paper at an average of 38 ppm

Tech spec footnote

[19] Based on the BA TEC method with the following possible exceptions: 1 minute or less sleep delay setting, Wi-Fi disabled.

Tech spec footnote

[2] Without Tray 1 or Legal extension extended

Tech spec footnote

[20] Measured using ISO 24734 Feature Test, A5 Landscape Feed. Speed may vary based on content, PC, media orientation, and media type.

Tech spec footnote

[21] First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

Tech spec footnote

[22] Measured using ISO/IEC 17629. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

Tech spec footnote

[23] Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

Tech spec footnote

[3] With printer cartridges

Tech spec footnote

[4] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.

Tech spec footnote

[5] Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh).

Tech spec footnote

[6] Average color composite (C/M/Y) and black declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/learnaboutSupportlies>

Tech spec footnote

[7] HP SureSupply alerts you when your print cartridge is running low and helps you purchase online or locally through HP or a participating retailer. Only available with Original HP supplies; Internet access required. To learn more, visit <http://www.hp.com/go/SureSupply>

Tech spec footnote

[8] Max memory is with 1 GB DIMM installed. The maximum the Firmware can use is 2 GB so 250 MB is unused in this configuration.

Tech spec footnote

[9] Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.

Top margin (A4)

2 mm absolute/5 mm assured image

Typical electricity consumption (TEC)**footnote number**

[5]

Typical electricity consumption (TEC)**number**

1.58 kWh/Week (Energy Star), 1.51 kWh/Week (Blue Angel)

UNSPSC code

43212110

UPC number

(201) 888793191514; (AAZ) 888793191521; (AB0) 888793191385; (AB2) 888793191392; (ABJ) 888793191408; (ABT) 888793191446; (ABY) 888793191453; (AC4) 888793191491; (AC8) 888793191507; (ACJ) 888793191415; (ACQ) 888793191460; (B13) 888793191545; (B19) 888793191477; (BAZ) 888793191484; (BBU) 888793191422; (BGJ) 888793191538; (BGM) 888793191439

Warranty

1 Year Limited Warranty (Next Business Day On-Site)

Web address for additional information

Solutions: <http://www.hp.com/go/gsc>; Fonts and IPDS Emulation: <http://www.hp.com/go/laserjetfonts>; HP Web Jetadmin: <http://www.hp.com/go/wja>; HP Universal Print Driver: <http://www.hp.com/go/upd>; HP Imaging & Printing Security Center: <http://www.hp.com/go/ipsc>; On Demand Cloud Solutions: <http://www.hpjetadvantage.com/ondemand>

Weight

38.1 kg

What is in the box footnote number

[1]

What's in the box

Printer; Four preinstalled HP LaserJet toner cartridges (Black: ~6000 pages, Color: ~5000 pages); Toner collection unit; In-box documentation; Software CD; Power Cord

Wireless capability

Optional, enabled with purchase of hardware accessory.

The product could differ from the images shown. © Copyright 2015 HP Inc. The Information contained herein is subject to change without notice. Warranties for HP products and services are set out in the express warranty statements accompanying such products and services. In addition, our products and services come with guarantees that cannot be excluded under the Australian Consumer Law. Subject to the foregoing, nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.