

DELL E Series E2420HS LED display 61 cm (24") 1920 x 1080 pixels Full HD LCD Black

Brand : DELL Product family: E Series Product code: DELL-E2420HS

Product name: E2420HS

- 61cm (24") Full HD 1920 x 1080 LED IPS
- 8ms, 16:9, 250cd/m², 1000:1
- VGA, HDMI

61cm (24") Full HD 1920 x 1080 LED IPS, 16:9, 250cd/m², 16.78M, 8ms, 178°/178°, 1000:1

DELL E Series E2420HS LED display 61 cm (24") 1920 x 1080 pixels Full HD LCD Black:

A 23.8" monitor enhances your daily workflow. Featuring a height adjustable stand, Full HD resolution and integrated speakers in a space-saving design.

DELL E Series E2420HS. Display diagonal: 61 cm (24"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). VESA mounting, Height adjustment. Product colour: Black





Display		Ergonomics	
Display diagonal *	61 cm (24")	Adjustable height (max)	10 cm
Display resolution *	1920 x 1080 pixels	Tilt adjustment	✓
HD type *	Full HD	Tilt angle range	-5 - 21°
Native aspect ratio *	16:9	On Screen Display (OSD)	✓
Display technology *	LCD	Power	
Panel type *	IPS		
Backlight type	LED	Energy efficiency class (SDR) *	С
Touchscreen *	X 250 - 1/1/2	Energy consumption (SDR) per 1000 hours *	12 kWh
Display brightness (typical)	250 cd/m ²	Power consumption (typical) *	11.9 W
Response time *	8 ms	Power consumption (standby) *	0.3 W
Screen shape *	Flat	Power consumption (max)	24 W
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1600 x 900, 1920 x 1080	Power consumption (off)	0.2 W
		Power consumption (PowerSave)	12.6 W
		AC input voltage	100 - 240 V
Contract vatio (tunical) *	(HD 1080) 1000:1	AC input frequency	50 - 60 Hz
Contrast ratio (typical) * Maximum refresh rate *	1000:1 60 Hz	Input current	0.8 A
	178°	Energy efficiency scale	A to G
Viewing angle, horizontal	178°	European Product Registry for	345977
Viewing angle, vertical Display number of colours *	16.78 million colours	Energy Labelling (EPREL) code	J.55.7
Response time (fast)	5 ms	Operational conditions	
Pixel pitch	0.2745 x 0.2745 mm	Operating temperature (T-T)	0 - 40 °C
Pixel density	92 ppi	Storage temperature (T-T)	-20 - 60 °C
Horizontal scan range	30 - 83 kHz	Operating relative humidity (H-H)	10 - 80%
Vertical scan range	56 - 76 Hz	Storage relative humidity (H-H)	5 - 90%
Viewable size, horizontal	50 - 70 HZ 52.7 cm	Weight & dimensions	
Viewable size, vertical	29.6 cm		FF0 6 mm
Viewable size diagonal	60.5 cm	Width (with stand)	550.6 mm 187 mm
DDC/CI	6 0.5 cm ✓	Depth (with stand)	
טטכ/כו	•	Height (with stand)	489.1 mm

Display		Weight & dimensions	
Colour gamut	83%	Weight (with stand)	4.54 kg
3D	×	Width (without stand)	550.6 mm
Performance		Depth (without stand)	52.4 mm
NVIDIA G-SYNC *	x	Height (without stand)	326.5 mm
AMD FreeSync *	×	Weight (without stand) Bezel width (side)	3.3 kg 1.18 cm
Flicker-free technology	·	Bezel width (side)	1.18 cm
3,	•	Bezel width (bottom)	1.82 cm
Multimedia		Packaging data	
Number of speakers	2 2 W	Package width	400.1 mm
RMS rated power Built-in speaker(s) *	∠ vv	Package depth	724.9 mm
·		Package height	115.1 mm
Built-in camera *	X	Package weight	6.64 kg
Design		Packaging content	
Market positioning *	Home	Stand included	√
Product colour * Front bezel colour	Black Black	Cables included	AC, HDMI
Feet colour	Black	Manual	✓
Ports & interfaces	Black	Sustainability	
		Sustainability certificates	ENERGY STAR
Built-in USB hub *	X	Doesn't contain	PVC
VGA (D-Sub) ports quantity	1		
DVI port	X	Other features	
HDMI *	1	AC adapter included	✓
HDMI ports quantity HDMI version	1 1.4	On/off switch	✓
Audio input	X	TV tuner integrated	×
Headphone out *	X	Compliance certificates	RoHS
•	^ ✓	Certification	TCO
HDCP		Logistics data	
AC (power) in	/	Harmonized System (HS) code	85285210
Ergonomics			
VESA mounting *	✓		
Panel mounting interface	100 x 100 mm		
Cable lock slot *	1		
Height adjustment *	✓		





5397184200704

5704174098119



5704174388623

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.