



HP L2445w 24-inch Widescreen LCD Monitor монітор для ПК 61 см (24") 1920 x 1200 пікселів

Виробник : HP

Код продукту: KT931AA

Назва моделі : L2445w 24-inch Widescreen LCD Monitor

Широкоекранний ЖК-монітор HP L2445w, 24"

HP L2445w 24-inch Widescreen LCD Monitor. Діагональ дисплею: 61 см (24"), Роздільна здатність дисплея: 1920 x 1200 пікселів. Дисплей: РК. Час відклику: 5 мс, Кут огляду по горизонталі: 160°, Кут огляду по вертикалі: 160°



Дисплей		Дані про упаковку	
Діагональ дисплею *	61 см (24")	Маса брутто	12,8 кг
Роздільна здатність дисплея *	1920 x 1200 пікселів	Вміст упаковки HP Display Assistant is a software utility that enables theft deterrence and allows monitor adjustment, color calibration, and security/asset management using the Display Data Channel Command Interface (DDC/CI) protocol of the connected PC; HP Display LiteSaver allows you to schedule Sleep mode at preset times to help protect the monitor against image retention, drastically lower power consumption and energy costs, and extend the lifespan of the monitor; Pivot Pro software from Portrait Displays, Inc. interacts with your PC's native graphics driver to enable seamless portrait screen redraws with a simple mouse-click or keyboard command. Pivot Pro supports 90-degree portrait and landscape views. Language support is available in English, Japanese, French, German, Spanish, Italian, and Traditional and Simplified Chinese	
Сенсорний екран *	×		
Яскравість дисплея (типова)	400 кд/м²		
Час відклику *	5 мс		
Контрастність (типична) *	1000:1		
Кут огляду по горизонталі	160°		
Кут огляду по вертикалі	160°		
Розмір точки	0,270 x 0,270 мм		
Горизонтальна частота сканування	24 - 83 кГц		
Вертикальна частота сканування	50 - 76 Гц		
Частота розгортки дисплея	Horizontal Frequency: 24 to 83 kHz (VGA input), 24 to 83 KHz (DVI input for modes with pixel clock less than 165 MHz); Vertical Frequency: 50 to 76 Hz (VGA input), 50 to 76 Hz (DVI input for modes with pixel clock less than 165 MHz)	ПЗ, що поставляється	
Мультимедіа		Інші характеристики	
Вбудовані колонки *	×	Країна-виробник	Китай
Вбудована камера *	×	Дисплей	РК
Порти та інтерфейси		Вбудований TV-тюнер	×
Порти введення/виведення	USB 2.0 Hub: self-powered, four ports (cable included)	Розміри упаковки (ШхГхВ)	672 x 464 x 352 мм
Кількість портів VGA (D-Sub)	1	Розміри (ШхГхВ) (брит.)	565,4 x 301 x 526,8 мм (22.3 x 11.8 x 20.7")
Кількість портів DVI-D	1		
Ергономіка			
Кріплення VESA	100 x 100 мм		
Слот кабельного блокування *	✓		

Ергономіка		Інші характеристики	
Тип слоту кабельного блокування	Kensington	Вимоги до енергоживлення	100 - 240 V, 50 / 60 Hz
Регульована висота (макс)	13 см	Функції безпеки	Kensington Lock-ready
Діапазон кутів обертання	-45 - 45°	Максимальна роздільна здатність	1920 x 1200 пікселів
Кут нахилу	-5 - 35°	Крок точки	200 МГц
Plug & Play	✓	Роздільна здатність екрана при частоті	Preset VESA Graphic Modes (non-interlaced): 640 x 480 @ 60 Hz and 75 Hz, 800 x 600 @ 60 Hz and 75 Hz, 1024 x 768 @ 60 Hz and 75 Hz, 1280 x 960 @ 60 Hz, 1280 x 1024 @ 60 Hz and 75 Hz, 1440 x 900 @ 60 Hz, 1600 x 1000 @ 60 Hz, 1680 x 1050 @ 60 Hz, 1920 x 1200 @ 60 Hz; Text Mode: 720 x 400 @ 70 Hz; Mac Mode: 1152 x 870 @ 75 Hz and 832 x 624 @ 75 Hz
Діапазони нахилу та повороту дисплея	Tilt range: -5° to +35° vertical tilt, swivel range: -45° to +45°, height adjust: 130 mm, pivot rotation		
Енергоживлення		Вхідний роз'єм відео	VGA and DVI-D connectors, HDCP support
Споживча потужність (типічна) *	85 Вт		
Споживча потужність (у режимі очікування) *	2 Вт	Аудіо входить до комплектації	No audio included at platform level Optional HP Silver LCD Speaker Bar: powered directly by the monitor or PC, the Speaker Bar seamlessly attaches to the monitor's lower bezel to bring full audio support to select HP LCD monitors. Features include dual speakers with full sound range and external jack for headphones, part number EE418AA. For more information, refer to the product's Quick Specs. Optional HP LCD Monitor Quick Release: An easy-to-use, VESA-compliant, LCD monitor mounting solution that allows you to quickly and securely attach a flat panel monitor to a variety of stands, brackets, arms or wall mounts, part number EM870AA. For more information, refer to the product's Quick Specs. Optional Kensington Security Lock: combines aircraft-grade steel and Kevlar fiber to securely lock down your monitor and help prevent theft, part number PC766A. For more information, refer to the product's Quick Specs
Зовнішні умови			
Діапазон робочих температур	5 - 40 °C	Мультимедіа	Menu select, Auto adjust/OSD down, Input select/OSD up, Power Brightness, contrast, positioning, color temperature (6500k, 9300k, custom), individual color control, serial number, display, clock, clock phase, monitor management (power saver, sleep), factory reset
Діапазон температури зберігання	20 - 60 °C		
Діапазон відносної вологості при експлуатації	20 - 80%	Вага (брит.)	21.8 lb
Діапазон відносної вологості при зберіганні	5 - 95%		
Вага та розміри		Примітка до розмірів (брит.)	with stand
Ширина з підставкою	556 мм	Приміткк до розмірів (метрич.)	with stand
Глибина з підставкою	253 мм	Розміри продукту з підставкою (брит)	565,4 x 301 x 526,8 мм (22.3 x 11.8 x 20.7")
Висота з підставкою	521 мм	Розміри продукту без підставки (брит)	565,4 x 82,8 x 371,1 мм (22.3 x 3.26 x 14.6")
Ширина (без підставки)	565 мм	Сертифікація	TCO 03, ISO 13406-2 VDT Guidelines Approval, MPR-II Compliant, CISPR Requirements, VCCI Approvals, MIC (Korean) Requirements, CSA, Australian ACA Approval, “GS” Mark, TUV Approvals, CE Marking, FCC Approval, ENERGY STAR qualified, PC-2201 Certified Microsoft Windows Certification (Microsoft Windows 98, Microsoft Windows 2200, Microsoft Windows XP, and Windows Vista), EPEAT Silver, ENERGY STAR; EPEAT Silver
Глибина (без підставки)	83 мм		
Висота (без підставки)	421 мм		
Вага (без підставки)	9,8 кг		



0883585877249




883585877249



0883585877256



883585877256



0883585877362



883585877362



0883585877355



883585877355



0883585877348



883585877348



0883585877379



883585877379



0883585877331




883585877331




0883585877324




883585877324



0883585877294



883585877294



0883585877263



883585877263



0883585877393



883585877393



0883585877317



883585877317



0883585877270




883585877270



0883585877386



883585877386



0883585877287



883585877287



0883585877300



883585877300



0883585877409



883585877409

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.