

KYOCERA ECOSYS M5526cdw Лазерний A4 1200 x 1200 dpi 26 стор/хв Wi-Fi

Виробник : KYOCERA

Сімейство продуктів:
ECOSYS

Код продукту: 1102R73NL0

Назва моделі : M5526cdw

KYOCERA ECOSYS M5526cdw. Технологія друку: Лазерний, Друк: Кольоровий друк, Максимальна роздільна здатність: 1200 x 1200 dpi, Швидкість друку (колір, норм. як., A4/US Letter): 26 стор/хв. Копіювання: Кольорове копіювання, Максимальна роздільна здатність копіювання: 600 x 600 dpi. Сканування: Кольорове сканування, Роздільна здатність оптичного сканування: 600 x 600 dpi. Факс: Монохромна факсимільна передача. Дуплексні функції: Копіювання, Факс, Друк, Сканування. Максимальний розмір паперу ISO A-формату: A4. Wi-Fi. Прямий друк. Колір продукту: Чорний, Білий



Printing		Paper handling	
Duplex printing mode	Auto	Custom media width	70 - 216 mm
Print resolution colour	1200 x 1200 DPI	Custom media length	148 - 356 mm
Print resolution black	1200 x 1200 DPI	Paper tray media weight	60 - 163 g/m ²
Print technology *	Laser	Multi-Purpose Tray media weight	60 - 220 g/m ²
Printing *	Colour printing	Auto Document Feeder (ADF) media weight	50 - 160 g/m ²
Duplex printing *	✓	Duplex media weight	60 - 120 g/m ²
Maximum resolution *	1200 x 1200 DPI	Scan media weight	50 - 160 g/m ²
Print speed (black, normal quality, A4/US Letter) *	26 ppm	Media thickness (min)	0.11 mm
Print speed (colour, normal quality, A4/US Letter)	26 ppm	Ports & interfaces	
Print speed (black, draft quality, A4/US Letter)	26 ppm	Standard interfaces	Ethernet, USB 2.0, Wireless LAN
Print speed (colour, draft quality, A4/US Letter)	26 ppm	Direct printing *	✓
Duplex print speed (black, normal quality, A4/US Letter)	13 ppm	USB port	✓
Duplex print speed (colour, normal quality, A4/US Letter)	13 ppm	USB 2.0 ports quantity	2
Warm-up time	29 s	Network	
Time to first page (black, normal)	9.5 s	Wi-Fi *	✓
Time to first page (colour, normal)	10.5 s	Ethernet LAN *	✓
Print margins (top, bottom, right, left)	4.2 mm	Cabling technology	10/100/1000Base-T(X)
N-in-1 print function	✓	Ethernet LAN data rates	10,100,1000 Mbit/s
		Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
		Bluetooth	✗
		Near Field Communication (NFC)	✗

Printing		Network				
Skip blank page function	✓	Security algorithms	3DES, AES, DES, HTTPS, IPPS, IPsec, SHA-1, SHA-2, SNMPv3, SSL/TLS, TLS			
Auto tray switching function	✓		Email protocols	POP3, SMTP		
Tray priority settings function	✓			Email over SSL	✓	
N-up printing	2, 4, 6, 8, 9, 16, 25		Mobile printing technologies		Apple AirPrint, Google Cloud Print, Kyocera Mobile Print, Mopria Print Service	
Barcode printing	✓	Performance		Maximum internal memory	1536 MB	
Watermark printing	✓			Memory slots	1	
Economical printing	✓			Card reader integrated	✓	
Secure printing	✓		Internal memory *	512 MB		
Poster printing function	✓		Compatible memory cards	SD, SDHC		
Secure PDF printing function	✓		Built-in processor	✓		
Eco printing function	✓		Processor family	ARM Cortex-A9		
Copying			Processor frequency	800 MHz		
Duplex copying *	✓		Processor cores	1		
Duplex copying mode	Auto		Sound pressure level (printing)	49 dB		
Copying *	Colour copying	Sound pressure level (copying)	49 dB			
Maximum copy resolution *	600 x 600 DPI	Sound pressure level (standby)	30 dB			
Copy speed (black, normal quality, A4)	26 cpm	Sound pressure level (quiet mode)	44 dB			
Copy speed (colour, normal quality, A4)	26 cpm	Design	Product colour *	Black, White		
Time to first copy (black, normal)	8 s		Market positioning *	Home & office		
Time to first copy (colour, normal)	10 s		Built-in display *	✓		
Maximum number of copies	999 copies		Display	TFT		
Copier resize	25 - 400%		Display diagonal	10.9 cm (4.3")		
N-in-1 copy function	✓		Display resolution	480 x 272 pixels		
N-in-1 copy function (N=)	2, 4		Touchscreen	✓		
Copy programming function	✓	Control type	Touch			
ID-card copy function	✓	Colour display	✓			
Scanning		Power				
Duplex scanning *	✓	Power consumption (max)	1090 W			
Duplex scanning mode	Auto	Power consumption (average operating)	375 W			
Scanning *	Colour scanning	Power consumption (printing)	375 W			
Optical scanning resolution *	600 x 600 DPI	Power consumption (copying)	375 W			
Scanner type *	Flatbed & ADF scanner	Power consumption (ready)	41 W			
Scan technology	CIS/CCD	Power consumption (sleep)	1 W			
Scan to	E-mail, FTP, SMB, TWAIN, USB, WIA	Power consumption (off)	0.2 W			
Scan speed (colour)	23 ppm	Energy Star Typical Electricity Consumption (TEC)	1.024 kWh/week			
Scan speed (black)	30 ppm	AC input voltage	220 - 240 V			
Duplex scan speed (colour)	16 ppm	AC input frequency	50 - 60 Hz			
Duplex scan speed (black)	24 ppm	System requirements	Windows operating systems supported	✓		
Image formats supported	JPEG, MMR, TIFF		Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks		
Document formats supported	PDF, XPS			Linux operating systems supported	✓	
Greyscale levels	256				Operational conditions	Operating relative humidity (H-H)
Scan drivers	TWAIN, WIA	Storage temperature (T-T)				-20 - 40 °C
Scan speed (ADF, A4)	30 ppm	Operating temperature (T-T)	10 - 32.5 °C			
Fax						
Duplex faxing	✓					
Faxing *	Mono faxing					
Fax resolution (black)	400 x 400 DPI					
Fax transmission speed	3 sec/page					
Modem speed	33.6 Kbit/s					
Fax memory	100 pages					
Fax coding methods	JBIG, MH, MMR, MR					
Features						
Recommended duty cycle	500 - 2000 pages per month					
Maximum duty cycle *	50000 pages per month					
Duplex functions *	Copy, Fax, Print, Scan					

Features		Operational conditions	
Digital sender	✓	Storage relative humidity (H-H)	10 - 90%
Number of print cartridges *	4	Operating altitude	0 - 3500 m
Printing colours *	Black, Cyan, Magenta, Yellow	Non-operating altitude	0.6 - 15000 m
Page description languages	Microsoft XPS, PCL 5c, PCL 6, PCL XL, PostScript 3	Certificates	
Number of printer fonts	93	Waste Electrical and Electronic Equipment (WEEE) compliance	✓
All-In-One-multitasking	✓	Certification	TÜV/GS, CE, ISO 9001, ISO 14001
Replacement cartridges	TK-5240K, TK-5240C, TK-5240M, TK-5240Y	Sustainability	
Input & output capacity		Sustainability certificates	Blue Angel, EPEAT Silver, ENERGY STAR
Total number of input trays *	1	Weight & dimensions	
Total input capacity *	250 sheets	Width	417 mm
Total output capacity *	150 sheets	Depth	429 mm
Paper tray 1 input capacity	250 sheets	Height	495 mm
Multi-Purpose tray	✓	Weight	26 kg
Multi-Purpose tray input capacity	50 sheets	Packaging data	
Paper input type	Cassette, Paper tray	Package width	592 mm
Auto document feeder (ADF)	✓	Package depth	567 mm
Auto document feeder (ADF) input capacity	50 sheets	Package height	637 mm
Auto document feeder (ADF) output capacity	50 sheets	Package weight	33 kg
Maximum number of input trays	2	Packaging content	
Maximum input capacity	550 sheets	Cartridge(s) included	✓
Maximum output capacity	150 sheets	Included cartridge capacity (black)	1200 pages
Paper handling		Included cartridge capacity (CMY)	1200 pages
Maximum ISO A-series paper size *	A4	Imaging unit included	✓
Maximum print size	216 x 356 mm	Cables included	AC
Paper tray media types *	Letterhead, Plain paper, Pre-printed	Drivers included	✓
Multi-purpose tray media types	Bond paper, Envelopes, Labels, Legal, Letter, Letterhead, Plain paper, Recycled paper, Thick paper, Thin paper	Manual	✓
		Power cord included	✓
ISO A-series sizes (A0...A9) *	A4, A5, A6	Quick installation guide	✓
ISO B-series sizes (B0...B9)	B5, B6	Logistics data	
Non-ISO print media sizes	Legal, Letter	Harmonized System (HS) code	84433100
		Technical details	
		Compliance certificates	REACH, RoHS
		Other features	
		Finishing option	✗
		Energy saving mode	✓
		Software CD	✓
		Documentation CD	✓



0632983036594



632983036594

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.