


<p>Name LT2252p Wide Flat Panel Monitor Case color Business black Type-model 2572-MB6 / 2572-MB1 Panel TFT-LCD, twisted nematic (TN), White LED backlight Viewable image size 22" (559mm) diagonal Max view area (W x H) 18.7" x 11.7" (473.8mm x 296.1mm) Optimum resolution 1680x1050 Max pixel rate 205MHz Aspect ratio 16:10 Pixel pitch (mm) 0.282mm Dot/Pixel per Inch 90 dpi Brightness 250 nits or cd/m² (typical) Contrast ratio 1000:1 (typical) Pixel response time 5ms (typical) Color gamut 72% Anti-reflective Anti-reflective, anti-glare Viewing angle at 10:1 CR 170° horizontal, 160° vertical Stand Tilt, swivel, pivot, and height adjustable stand Bezel width <i>Sides:</i> 0.60" (15.3mm); <i>top:</i> 0.79" (20.0mm); <i>bottom:</i> 1.10" (28.0mm) Dimensions (HxWxD) 14.46-18.79" H x 19.92" W x 9.50" D; 367.3-477.3mm H x 506mm W x 241.2mm D Power supply 20 watts typical, 26 watts maximum, <0.5 watts standby/suspend, universal, integrated (no external brick-like power supply) Weight 12.97lb; 5.89kg Limited warranty⁴ 3 year (includes backlight) Available date September 2011 / December 2012</p>	<p>Features</p> <ul style="list-style-type: none"> • Widescreen 22-inch monitor • Supports 1680x1050 resolution • Ergonomic stand tilts, swivels, pivots and provides a 4.3" (110mm) range height adjustment for comfortable viewing • Cable Management for better user experience • Mercury and arsenic free glass • Recycled content in plastic material • Privacy Filter Slot • Microsoft® Windows® 7 certified • Model 2572-MB1 supports Lenovo Tiny PC via optional Lenovo bracket 												
<p>VESA-compliant² VESA DDC2B/CI Power management ENERGY STAR® 5.1 (2572-MB6) ENERGY STAR® 6.0 (2572-MB1) Ergonomics ISO 9241-307 Emission standards MPR-2, FCC Class B Environmental TCO Displays 5.2, TCO Certified Edge 1.1, WEEE, RoHS, EPEAT™ Gold rating, ULE Gold</p> <p>Preset resolutions VGA: 640x350, 640x480, 720x480 SVGA: 800x600 XGA: 1024x768, 1152x864 SXGA: 1280x1024 WXGA: 1280x768, 1280x800, 1366x768 WXGA+: 1440x900 1600x900 WSXGA+: 1680x1050 Presets / user settings Standard presets: <i>VGA/DisplayPort:</i> 26; <i>DVI-D:</i> 25; user settings: 25</p>	 <p>ThinkVision LT2252p Wide Monitor</p>												
<p>Viewing adjustments Tilt: 30° back, 0° forward; lift: 4.3" (110mm); swivel: +/-45°; detachable stand Rotating screen Screen pivots 90 degrees from landscape to portrait (requires image rotation support from graphics controller) On screen display On screen display with digital user controls (8 languages) Control features Direct access (buttons on front) for automatic image setup, input switch, and brightness USB hub None Camera None Multiple input Triple input (three different PCs attach to three different connectors; one PC shows image; select via button) Monitor connectors (1) VGA 15-pin D-shell, analog, blue (2) DisplayPort, digital, black, HDCP-compliant (3) Digital Visual Interface (DVI-D) for digital attach [white], HDCP-compliant Signal cables (1) detachable, VGA 15-pin D-shell at each end, analog, 1.8 meter (2) detachable, DVI-D at each end, digital, 1.8 meter Note: DisplayPort cable is not included; use optional DisplayPort to DisplayPort Monitor Cable (0A36537) Mounting features Wall or desk mounting using the Extend Arm or third-party accessories meeting the VESA FPMPI® (100mm mount) Security Security keyhole for attachment of optional cable lock (Kensington® lock-compatible) Ship group Monitor, attached stand, cable cover, Setup poster, Safety and Warranty Information, 1.8 meter analog signal cable, 1.8 meter DVI-D cable, 1.8 meter black power cord</p>	<p>Accessories</p> <table border="0"> <tr> <td>DisplayPort to DisplayPort Monitor Cable</td> <td>0A36537</td> </tr> <tr> <td>Kensington MicroSaver Cable Lock</td> <td>73P2582</td> </tr> <tr> <td>Kensington Twin Head Cable Lock</td> <td>45K1620</td> </tr> <tr> <td>Lenovo Security Cable Lock</td> <td>57Y4303</td> </tr> <tr> <td>ThinkCentre Extend Arm</td> <td>57Y4352</td> </tr> <tr> <td>Lenovo Easy Reach Monitor Stand</td> <td>55Y9258</td> </tr> </table> <p>See details at www.lenovo.com/support/monitoraccessories See all monitors at www.lenovo.com/thinkvision</p>	DisplayPort to DisplayPort Monitor Cable	0A36537	Kensington MicroSaver Cable Lock	73P2582	Kensington Twin Head Cable Lock	45K1620	Lenovo Security Cable Lock	57Y4303	ThinkCentre Extend Arm	57Y4352	Lenovo Easy Reach Monitor Stand	55Y9258
DisplayPort to DisplayPort Monitor Cable	0A36537												
Kensington MicroSaver Cable Lock	73P2582												
Kensington Twin Head Cable Lock	45K1620												
Lenovo Security Cable Lock	57Y4303												
ThinkCentre Extend Arm	57Y4352												
Lenovo Easy Reach Monitor Stand	55Y9258												
<p>Limited Warranty</p> <ul style="list-style-type: none"> ↪ 3 year limited warranty⁴ ↪ International Warranty Service⁵ ↪ Replacement normally arrives in two business days, excluding holidays ↪ Lenovo pays all shipping costs for valid warranty claims⁶ ↪ Service upgrade options:⁷ <ul style="list-style-type: none"> • 3 year, on site exchange, Mon-Fri 9-5 with next day response (Lenovo Services part number 41C9209) • 4 year, on site exchange, Mon-Fri 9-5 with next day response (41C9233) • 4 year, mail exchange (51J0589) • 5 year, mail exchange (51J0590) ↪ 24x7⁸ day toll-free support for warranty issues during the warranty period⁴ 	<p>Accessories</p> <table border="0"> <tr> <td>DisplayPort to DisplayPort Monitor Cable</td> <td>0A36537</td> </tr> <tr> <td>Kensington MicroSaver Cable Lock</td> <td>73P2582</td> </tr> <tr> <td>Kensington Twin Head Cable Lock</td> <td>45K1620</td> </tr> <tr> <td>Lenovo Security Cable Lock</td> <td>57Y4303</td> </tr> <tr> <td>ThinkCentre Extend Arm</td> <td>57Y4352</td> </tr> <tr> <td>Lenovo Easy Reach Monitor Stand</td> <td>55Y9258</td> </tr> </table> <p>See details at www.lenovo.com/support/monitoraccessories See all monitors at www.lenovo.com/thinkvision</p>	DisplayPort to DisplayPort Monitor Cable	0A36537	Kensington MicroSaver Cable Lock	73P2582	Kensington Twin Head Cable Lock	45K1620	Lenovo Security Cable Lock	57Y4303	ThinkCentre Extend Arm	57Y4352	Lenovo Easy Reach Monitor Stand	55Y9258
DisplayPort to DisplayPort Monitor Cable	0A36537												
Kensington MicroSaver Cable Lock	73P2582												
Kensington Twin Head Cable Lock	45K1620												
Lenovo Security Cable Lock	57Y4303												
ThinkCentre Extend Arm	57Y4352												
Lenovo Easy Reach Monitor Stand	55Y9258												

See footnotes for important warranty information
 US model announced September 13, 2011 or December 18, 2012
 US model 2572-MB6 withdrawn effective October 31, 2013

Model	2572-MB1
Product	ThinkVision LT2252p
Region	US
Color	Black
Panel	Twisted Nematic
Display Size	22"
View Area	473.8x296.1 mm
Resolution	1680x1050
Aspect Ratio	16:10
Pixel Pitch	0.28x0.28 mm
Dot/Pixel per inch	90 dpi
Brightness	250 nits
Contrast Ratio	1000:1
Pixel Response Time	5 ms
Color Gamut	72%
View Angle (H/V)	170/160
Stand	Tilt, swivel, pivot, height adjust
Side Bezel Width	15.30 mm
Dimensions (HxWxD, Including stand)	367.3x506.0x241.2 mm
Power Consumption (typical/maximum)	20w/26w
Power Adapter	Integrated
Weight(Including stand)	12.97lb/5.89kg
Base Warranty	3-year
ENERGY STAR	6.0
TCO	TCO 5.2
EPEAT	Gold
Presets/User Settings	26/25
On Screen Display	OSD, 8 languages
USB Port	No
Speakers	No
Camera	No
Multiple Input	VGA, DVI, DisplayPort
Signal Cables	VGA, DVI
CPU/Platform	No/No
Display Ram/Storage/Card slot	No/No/No
Wireless/Ethernet/Bluetooth	No/No/No
Touch Screen/Digitizer Pen/ Battery	No/No/No
OS Preload/Support	No/Windows 7
Ann Date (m/y)	12/12

