



Lenovo® ThinkPad T440



Lenovo ThinkPad T440



Lenovo ThinkPad T440



Lenovo ThinkPad T440



Lenovo ThinkPad T440

ThinkPad T440 Platform Specifications

Product Specifications Reference (PSREF)

Positioning	Mainstream Ultrabook™ or Thinbook; one spindle							Keyboard UltraNav™	6-row, spill-resistant, multimedia Fn keys, optional LED backlight TrackPoint® pointing device and Mylar surface touchpad, integrated five buttons, multi-touch		
Processor	4th Generation Intel® Core™ i3 / i5 / i7 Processor							ThinkLight™	None		
	Processor Number	# of Cores	# of Threads	Base Frequency	Max Turbo Frequency	Cache	Memory Types	Processor Graphics	WLAN ⁴ <i>One of the following, configurable by model:</i>		
	i3-4010U	2	4	1.7 GHz	-	3MB	DDR3L-1600	Intel HD graphics 4400	<ul style="list-style-type: none"> ThinkPad 11b/g/n, 2x2, Wi-Fi + Bluetooth combo adapter, M.2 card Intel Wireless-N 7260, 2x2, Wi-Fi + BT combo adapter, M.2 card Intel Dual Band Wireless-N 7260, 2x2, Wi-Fi + BT combo adapter, M.2 card Intel Dual Band Wireless-AC 7260, 2x2, Wi-Fi + BT combo adapter, M.2 card 		
	i3-4030U			1.9 GHz	-	3MB					
	i5-4200U			1.6 GHz	2.6 GHz	3MB					
	i5-4210U			1.7 GHz	2.7 GHz	3MB					
	i5-4300U			1.9 GHz	2.9 GHz	3MB					
	i7-4500U			1.8 GHz	3 GHz	4MB					
i7-4600U	2.1 GHz			3.3 GHz	4MB						
Memory	8GB or 12GB* max ⁷ / PC3-12800 1600MHz DDR3L, non-parity, dual-channel capable*, 4GB memory soldered to systemboard on selected models, one 204-pin SO-DIMM socket (*for the models with 4GB on-board memory)								WWAN (optional)	<i>One of the following, configurable by model (mutually exclusive with M.2 SSD):</i>	
Optical Storage	None <i>Some:</i> SSD / SATA 6.0Gb/s, 2.5" wide, 7mm high, removable, upgradable <i>Some:</i> HDD / SATA 6.0Gb/s, 2.5" wide, 7mm or 9.5mm high, removable, upgradable, Shock Mounted Hard Drive, Active Protection System™ <i>Some:</i> SSHD with 8GB NAND flash memory							SIM card (optional)	<i>One of the following, configurable by model:</i>		
M.2 SSD	<i>Some:</i> Single-sided M.2 SSD, via M.2 card slot, exclusive with Smart card reader <i>Some:</i> Double-sided M.2 SSD, via M.2 card slot, exclusive with WWAN card							<ul style="list-style-type: none"> AT&T® or Verizon® LTE (4G), contract required with service provider (US models) Lenovo SIM, out-of-box service, pay-as-you-go via credit card, no contract required (WE models) User selectable, contract required with service provider 			
Widescreen display	<i>Some:</i> 14.0" (355mm) HD (1366x768), anti-glare, LED backlight, 200 nits, 16:9 aspect ratio, 350:1 contrast ratio <i>Some:</i> 14.0" (355mm) HD+ (1600x900), anti-glare, LED backlight, 250 nits, 16:9 aspect ratio, 400:1 contrast ratio							Bluetooth™	Bluetooth 4.0 wireless, integrated in Wi-Fi + Bluetooth combo adapter		
Multi-touch Camera	<i>Some:</i> Capacitive-type multi-touch, supports 10-finger gesture HD720p resolution, wide view angle, low light sensitive, face tracking, fixed focus							Ethernet	<i>Non-vPro model:</i> Intel Ethernet Connection I218-V (Clarkville) <i>vPro model:</i> Intel Ethernet Connection I218-LM (Clarkville) <i>Optional:</i> Near Field Communication		
Graphics	Intel HD Graphics 4400 in processor only, or Intel HD Graphics 4400 in processor and NVIDIA GeForce® GT 720M, PCI Express® x8, 1GB memory, NVIDIA® Optimus™ technology; supports external analog monitor via VGA and digital monitor via Mini DisplayPort; supports three independent displays; <i>Max external resolution:</i> 1920x1200@60Hz (VGA); 3840x2160@30Hz (DisplayPort via Mini DisplayPort cable on integrated models); 2560x1600@60Hz (DisplayPort via Mini DisplayPort cable on optimus models)							NFC	<i>Optional:</i> Near Field Communication		
Dimensions ³	14.0W" (WxDxH): 13.35" x 9.15" x 0.83"; 339mm x 232.5mm x 21mm 14.0W" MultiTouch (WxDxH): 13.35" x 9.15" x 0.91"; 339mm x 232.5mm x 23mm							Security chip vPro (optional)	Power-on password, hard disk password, supervisor password, security keyhole Trusted Platform Module, TCG 1.2-compliant		
Weight ²	Models	3-cell + 3-cell		3-cell + 6-cell			Fingerprint reader <i>Optional:</i> Fingerprint reader on the keyboard bezel, swipe sensor				
	Integrated Non-MultiTouch	3.79 lb / 1.72kg		4.10 lb / 1.86kg			Limited warranty ¹² <i>One of the following, configurable by model:</i>				
	Integrated MultiTouch	4.03 lb / 1.83kg		4.33 lb / 1.97kg			<ul style="list-style-type: none"> 1-year depot repair service 3-year/1-yr battery depot repair service 3-year/1-yr battery limited onsite service²⁴ 3-year/1-yr battery limited onsite service, OID (Onsite International Delivery) 				
	Optimus Non-MultiTouch	3.73 lb / 1.69kg		4.04 lb / 1.83kg			Preload				
	Optimus MultiTouch	3.97 lb / 1.80kg		4.33 lb / 1.97kg			Windows® 7 Professional 64 preinstalled through downgrade rights in Windows 8 / 8.1 Pro 64-bit <ul style="list-style-type: none"> Lenovo Solution Center Lenovo Solution Center ThinkVantage Product Recovery Rescue and Recovery™ ThinkVantage System Update Lenovo Cloud Storage by SugarSync PC Device Stage Adobe® Reader® Nitro Pro Evernote® Skype™ Microsoft® Office preloaded; purchase a product key to activate Norton™ Internet Security (30 days of virus definitions) 				
Case material	Glass-Fiber Reinforced Plastic							<ul style="list-style-type: none"> Windows 8 / 8.1 64-bit Some: Windows 8 / 8.1 Pro 64-bit Lenovo Solution Center Lenovo Support Lenovo Companion ThinkVantage System Update Lenovo Reach (Windows 8.1 model) Hightail - Metro (Windows 8.1 model) Lenovo Cloud Storage by SugarSync - Metro (Windows 8 model) Lenovo Cloud Storage by SugarSync (Windows 8 model) PC Device Stage AccuWeather Amazon Kindle Nitro Pro Evernote Skype Rara Streaming Norton Studio Microsoft Office preloaded; purchase a product key to activate Norton Internet Security (30 days of virus definitions) 			
Internal battery	<i>Optional:</i> Integrated Li-Ion or Li-Polymer 3-cell (23.5Wh), HW Authentication							Mil-Spec test			
External battery	Li-Ion 3-cell (23.5Wh) or 6-cell (47.5Wh or 72Wh), HW Authentication							Environment			
Max battery life ¹⁰	Models	3-cell + 3-cell		3-cell + 6-cell 47.5Wh		3-cell + 6-cell 72Wh		EPEAT™ Gold (US) or EPEAT Silver (WE); ENERGY STAR® 6.0; GREENGUARD®; RoHS-compliant			
	Integrated	8.6 hr		12.9 hr		17.2 hr					
	Optimus	7.7 hr		11.6 hr		15.4 hr					
AC adapter	Integrated models: 45-watt AC adapter; Optimus models: 65-watt AC adapter										
Chipset	Intel SoC (System on Chip) platform										
Smart card reader	<i>Optional:</i> Smart card reader, exclusive with M.2 SSD										
Media reader	4-in-1 reader (MMC, SD, SDHC, SDXC)										
Ports	Two USB 3.0 (one Always On), VGA, Mini DisplayPort, Ethernet (RJ-45), Dock connector (integrated models only)										
Audio support	HD Audio, Realtek® ALC3232 codec, Dolby® Advanced Audio™ v2 / stereo speakers, 1W x 2 / dual array microphone, combo audio/microphone jack										

ThinkPad T440 20B6 (TopSeller)

Product Specifications Reference (PSREF)

Model	Processor vPro	Graphics	Memory (soldered +DIMM)	Multi-Display touch	Storage	WLAN & Bluetooth	WWAN / M.2 SSD	SIM card	Smart card reader / M.2 SSD	Camera	Backlit key-board	Finger-print reader	NFC	Battery cells (int+ext)	Power adapter (watt)	Preload	Base warranty (year)	Global	Ann date (m/y)
20B6009TUS	i3-4030U	No HD 4400	0+4GB 14" HD	No	500G 7200	7260 b/g/n+BT	Upp	None	None	720p	None	Finger	None	3+3	45W	Win8.1 DG Win7	1-depot	No	09/14
20B60057US	i5-4200U	No HD 4400	0+4GB 14" HD	No	500G 7200	7260 b/g/n+BT	Upp	None	16GB	720p	None	None	None	3+3	45W	Win8 DG Win7	1-depot	No	09/13
20B6005FUS	i5-4200U	No HD 4400	0+4GB 14" HD	No	500G 7200	7260 b/g/n+BT	Upp	None	None	720p	None	None	None	No+6(47.5wh)	45W	Win8 DG Win7	1-depot	No	09/13
20B6006CUS	i5-4200U	No HD 4400	0+4GB 14" HD	No	500G 7200	7260 ac+BT	Upp	None	None	720p	None	Finger	None	3+3	45W	Win8 DG Win7	1-depot	No	11/13
20B6008EUS	i5-4200U	No HD 4400	4+0GB 14" HD	No	500G 7200	7260 ac+BT	Upp	None	None	720p	None	Finger	None	3+3	45W	Win8 DG Win7	1-depot	No	03/14
20B60058US	i5-4300U vPro	HD 4400	0+4GB 14" HD	No	500G 7200	7260 ac+BT	Upp	None	16GB	720p	None	None	None	3+3	45W	Win8 DG Win7	1-depot	No	09/13
20B6005GUS	i5-4300U	No HD 4400	0+4GB 14" HD	No	500G 7200	7260 b/g/n+BT	Upp	None	None	720p	None	None	None	No+6(47.5wh)	45W	Win8 DG Win7	1-depot	No	09/13
20B6005RUS	i5-4300U vPro	HD 4400	0+4GB 14" HD	No	500G 7200	7260 ac+BT	Upp	None	None	720p	None	Finger	None	3+3	45W	Win8 DG Win7	1-depot	No	09/13
20B6008CUS	i5-4200U	No HD 4400	4+0GB 14" HD+	MT	500G 7200	7260 ac+BT	Upp	None	16GB	720p	Backlit	Finger	None	3+3	45W	Win8.1 DG Win7	3-depot	No	03/14
20B60059US	i5-4300U vPro	HD 4400	0+4GB 14" HD	No	500G 7200	7260 ac+BT	Upp	None	16GB	720p	None	None	None	3+3	45W	Win8 DG Win7	3-depot	No	09/13
20B6005AUS	i5-4300U vPro	HD 4400	0+4GB 14" HD	No	500G 7200	7260 ac+BT	Upp	None	16GB	720p	None	Finger	None	3+3	45W	Win8 DG Win7	3-depot	No	09/13
20B6005BUS	i5-4300U vPro	HD 4400	0+4GB 14" HD+	No	500G 7200	7260 ac+BT	Upp	None	16GB	720p	Backlit	Finger	None	3+3	45W	Win8 DG Win7	3-depot	No	09/13
20B6005CUS	i5-4300U vPro	HD 4400	0+8GB 14" HD+	No	500G 7200	7260 ac+BT	Upp	None	16GB	720p	None	Finger	None	3+3	45W	Win8 DG Win7	3-depot	No	09/13
20B6005DUS	i5-4300U vPro	HD 4400	0+8GB 14" HD+	No	500G 7200	7260 ac+BT	Upp	None	16GB	720p	Backlit	Finger	None	3+3	45W	Win8 DG Win7	3-depot	No	09/13
20B6005HUS	i5-4300U vPro	HD 4400	0+4GB 14" HD+	No	180G SSD Opal	7260 ac+BT	Upp	None	None	720p	Backlit	Finger	None	3+3	45W	Win8 DG Win7	3-depot	No	10/13
20B6005JUS	i5-4300U vPro	HD 4400	0+8GB 14" HD+	No	180G SSD Opal	7260 ac+BT	Upp	None	None	720p	Backlit	Finger	None	3+3	45W	Win8 DG Win7	3-depot	No	10/13
20B6005KUS	i5-4300U vPro	HD 4400	0+8GB 14" HD+	No	256G SSD eDrive	7260 ac+BT	Upp	None	None	720p	Backlit	Finger	None	3+3	45W	Win8 DG Win7	3-depot	No	09/13
20B6005LUS	i5-4300U vPro	HD 4400	0+4GB 14" HD	No	500G 7200	7260 ac+BT	Upp	None	None	720p	None	Finger	None	No+6(47.5wh)	45W	Win8 DG Win7	3-depot	No	09/13
20B6005MUS	i5-4300U vPro	HD 4400	0+4GB 14" HD	No	500G 7200	7260 ac+BT	Upp	None	None	720p	None	None	None	No+6(47.5wh)	45W	Win8 DG Win7	3-depot	No	09/13

• For detailed platform specifications, please see [ThinkPad T440 Platform Specifications](#) sheet

Processor	4th Generation Intel® Core™ i3 / i5 / i7 Processor						Keyboard UltraNav™	6-row, spill-resistant, multimedia Fn keys, optional LED backlight TrackPoint® pointing device and Mylar surface touchpad, integrated five buttons, multi-touch		
	Processor	# of Cores	Base Frequency	Max Turbo Frequency	Cache	Memory Types	ThinkLight™	None		
	i3-4010U	2	1.7 GHz	-	3MB	DDR3L-1600	Chipset	Intel SoC (System on Chip) platform		
	i3-4030U		1.9 GHz	-	3MB		Smart card reader	Optional: Smart card reader		
	i5-4200U		1.6 GHz	2.6 GHz	3MB		Media reader	4-in-1 reader (MMC, SD, SDHC, SDXC)		
	i5-4300U		1.9 GHz	2.9 GHz	3MB		Ports	Two USB 3.0 (one Always On), VGA, MiniDP, Ethernet (RJ-45), Dock connector		
	i7-4500U		1.8 GHz	3 GHz	4MB		Audio support	HD Audio, Realtek® ALC3232 codec, Dolby® Advanced Audio™ v2 / stereo speakers, 1W x 2 / dual array microphone, combo audio/microphone jack		
	i7-4600U		2.1 GHz	3.3 GHz	4MB		Memory	8GB or 12GB* max ⁷ / PC3-12800 1600MHz DDR3L, non-parity, dual-channel capable*, 4GB memory soldered to systemboard on selected models, one 204-pin SO-DIMM socket (*for the models with 4GB on-board memory)		
Optical Storage	None Some: SSD / SATA 6.0Gb/s, 2.5" wide, 7mm high Some: HDD / SATA 6.0Gb/s, 2.5" wide, 7mm or 9.5mm high, APS Some: SSHD with 8GB NAND flash memory						WLAN ⁴	11b/g/n+BT: ThinkPad 11b/g/n, 2x2, Wi-Fi + BT, M.2 card 7260 b/g/n+BT: Intel Wireless-N 7260, 2x2, Wi-Fi + BT, M.2 card 7260 a/b/g/n+BT: Intel Dual Band Wireless-N 7260, 2x2, Wi-Fi + BT, M.2 card 7260 ac+BT: Intel Dual Band Wireless-AC 7260, 2x2, Wi-Fi + BT, M.2 card		
M.2 SSD	Some: Single-sided M.2 SSD, via M.2 card slot, exclusive with Smart card reader Some: Double-sided M.2 SSD, via M.2 card slot, exclusive with WWAN card						WWAN (optional)	Upp: Wireless WAN upgradable EM7355: Sierra Wireless EM7355, Qualcomm® Gobi™ 4G LTE/ HSPA+/EVDO/GSM/GPRS/EDGE, GPS		
Widescreen display	Some: 14.0" (355mm) HD (1366x768), 200 nits, 350:1 contrast ratio Some: 14.0" (355mm) HD+ (1600x900), 250 nits, 400:1 contrast ratio						SIM card (optional)	AT&T / Verizon: AT&T® / Verizon® LTE (4G), contract required with service provider Select: User selectable, contract required with service provider		
Multi-touch	Some: Capacitive-type multi-touch, supports 10-finger gesture						Bluetooth™	Bluetooth 4.0 wireless, integrated in Wi-Fi + Bluetooth combo adapter		
Camera	HD720p resolution, wide view angle, low light sensitive, face tracking, fixed focus						Ethernet	Non-vPro model: Intel Ethernet Connection I218-V (Clarkville) vPro model: Intel Ethernet Connection I218-LM (Clarkville)		
Graphics	Intel HD Graphics 4400 in processor						NFC	Optional: Near Field Communication		
Dimensions ³	14.0W" (WxDxH):		13.35" x 9.15" x 0.83"; 339mm x 232.5mm x 21mm			Security	Power-on password, hard disk password, supervisor password, security keyhole			
Weight ²	14.0W" MultiTouch (WxDxH):		13.35" x 9.15" x 0.91"; 339mm x 232.5mm x 23mm			Security chip	Trusted Platform Module, TCG 1.2-compliant			
	Models	3-cell + 3-cell		3-cell + 6-cell		vPro (optional)	Intel vPro Technology			
	Non-MultiTouch	3.79 lb / 1.72kg		4.10 lb / 1.86kg		Fingerprint reader	Optional: Fingerprint reader on the keyboard bezel, swipe sensor			
	MultiTouch	4.03 lb / 1.83kg		4.33 lb / 1.97kg		Preload	Win8 / 8.1 DG Win7: Windows® 7 Professional 64 preinstalled through downgrade rights in Windows 8 / 8.1 Pro 64-bit Win8 / 8.1 64: Windows 8 / 8.1 64-bit Win8 / 8.1 P64: Windows 8 / 8.1 Pro 64-bit			
Case material	Glass-Fiber Reinforced Plastic						Limited warranty ¹² 1-year - depot / 3-years (1-yr battery) - depot / 3-years (1-year battery) onsite			
Internal battery	Optional: Integrated Li-Ion or Li-Polymer 3-cell (23.5Wh), HW Authentication									
External battery	Li-Ion 3-cell (23.5Wh) or 6-cell (47.5Wh or 72Wh), HW Authentication									
Max battery life ¹⁰	Battery configuration	3-cell + 3-cell		3-cell + 6-cell 47.5Wh		3-cell + 6-cell 72Wh				
	Battery life	8.6 hr		12.9 hr		17.2 hr				
AC adapter	45-watt AC adapter									

See footnotes for more detailed information

(CB1-1) © Lenovo

ThinkPad T440 20B6 (TopSeller) - II

Product Specifications Reference (PSREF)

Model	Processor vPro	Graphics	Memory (soldered +DIMM)	Multi-Display touch	Storage	WLAN & Bluetooth	WWAN / M.2 SSD	SIM card	Smart card reader / M.2 SSD	Camera	Backlit key-board	Finger-print reader	NFC	Battery cells (int+ext)	Power adapter (watt)	Preload	Base warranty (year)	Global	Ann date (m/y)		
20B6006AUS	i5-4300U	vPro HD 4400	0+4GB	14" HD+	No	500G 7200	7260 ac+BT	Upg	None	None	720p	Backlit	Finger	None	No+6(47.5wh)	45W	Win8 DG Win7	3-depot	No	11/13	
20B6009MUS	i5-4300U	vPro HD 4400	4+4GB	14" HD+	No	512G SSD	7260 ac+BT	Upg	None	None	720p	Backlit	Finger	None	3+3	45W	Win8.1 DG Win7	3-depot	No	07/14	
20B6008FUS	i5-4300U	vPro HD 4400	4+0GB	14" HD+	No	500G 7200	7260 ac+BT	Upg	None	None	16GB	720p	Backlit	Finger	None	3+3	45W	Win8 DG Win7	3-depot	No	03/14
20B6008GUS	i5-4300U	vPro HD 4400	4+4GB	14" HD+	No	500G 7200	7260 ac+BT	Upg	None	None	16GB	720p	Backlit	Finger	None	3+3	45W	Win8 DG Win7	3-depot	No	03/14
20B6008HUS	i5-4300U	vPro HD 4400	4+0GB	14" HD+	No	500G 7200 Opal	7260 ac+BT	Upg	None	None	720p	Backlit	Finger	None	3+3	45W	Win8 DG Win7	3-depot	No	03/14	
20B6009NUS	i7-4600U	vPro HD 4400	4+4GB	14" HD+	No	512G SSD	7260 ac+BT	Upg	None	None	720p	Backlit	Finger	None	3+3	45W	Win8.1 DG Win7	3-depot	No	07/14	
20B6005EUS	i7-4600U	vPro HD 4400	4+0GB	14" HD+	No	500G 7200	7260 ac+BT	Upg	None	None	16GB	720p	Backlit	Finger	None	3+3	45W	Win8 DG Win7	3-depot	No	09/13
20B6005NUS	i7-4600U	vPro HD 4400	4+0GB	14" HD+	No	180G SSD Opal	7260 ac+BT	Upg	None	None	720p	Backlit	Finger	None	3+3	45W	Win8 DG Win7	3-depot	No	10/13	
20B6005PUS	i7-4600U	vPro HD 4400	4+0GB	14" HD+	No	256G SSD eDrive	7260 ac+BT	Upg	None	None	720p	Backlit	Finger	None	3+3	45W	Win8 DG Win7	3-depot	No	09/13	
20B6006BUS	i7-4600U	vPro HD 4400	4+4GB	14" HD+	No	180G SSD Opal	7260 ac+BT	Upg	None	None	720p	Backlit	Finger	None	3+3	45W	Win8 DG Win7	3-depot	No	11/13	
20B6006DUS	i7-4600U	vPro HD 4400	4+4GB	14" HD+	No	256G SSD eDrive	7260 ac+BT	Upg	None	None	720p	Backlit	Finger	None	3+3	45W	Win8 DG Win7	3-depot	No	11/13	
20B6006EUS	i7-4600U	vPro HD 4400	4+4GB	14" HD+	No	240G SSD Opal	7260 ac+BT	Upg	None	None	720p	Backlit	Finger	None	3+3	45W	Win8 DG Win7	3-depot	No	11/13	
20B6008DUS	i7-4600U	vPro HD 4400	4+0GB	14" HD	No	500G 7200	7260 ac+BT	Upg	None	None	16GB	720p	Backlit	Finger	None	3+3	45W	Win8 DG Win7	3-depot	No	03/14
20B6008JUS	i7-4600U	vPro HD 4400	4+4GB	14" HD+	No	500G 7200	7260 ac+BT	Upg	None	None	16GB	720p	Backlit	Finger	None	3+3	45W	Win8 DG Win7	3-depot	No	03/14

• For detailed platform specifications, please see [ThinkPad T440 Platform Specifications sheet](#)

Processor	4th Generation Intel® Core™ i3 / i5 / i7 Processor						Keyboard UltraNav™	6-row, spill-resistant, multimedia Fn keys, optional LED backlight TrackPoint® pointing device and Mylar surface touchpad, integrated five buttons, multi-touch	
	Processor	# of Cores	Base Frequency	Max Turbo Frequency	Cache	Memory Types	ThinkLight™	None	
	i3-4010U	2	1.7 GHz	-	3MB	DDR3L-1600	Chipset	Intel SoC (System on Chip) platform	
	i3-4030U		1.9 GHz	-	3MB		Smart card reader	Optional: Smart card reader	
	i5-4200U		1.6 GHz	2.6 GHz	3MB		Media reader	4-in-1 reader (MMC, SD, SDHC, SDXC)	
	i5-4300U		1.9 GHz	2.9 GHz	3MB		Ports	Two USB 3.0 (one Always On), VGA, MiniDP, Ethernet (RJ-45), Dock connector	
	i7-4500U		1.8 GHz	3 GHz	4MB		Audio support	HD Audio, Realtek® ALC3232 codec, Dolby® Advanced Audio™ v2 / stereo speakers, 1W x 2 / dual array microphone, combo audio/microphone jack	
	i7-4600U		2.1 GHz	3.3 GHz	4MB		WLAN ⁴	11b/g/n+BT: ThinkPad 11b/g/n, 2x2, Wi-Fi + BT, M.2 card 7260 b/g/n+BT: Intel Wireless-N 7260, 2x2, Wi-Fi + BT, M.2 card 7260 a/b/g/n+BT: Intel Dual Band Wireless-N 7260, 2x2, Wi-Fi + BT, M.2 card 7260 ac+BT: Intel Dual Band Wireless-AC 7260, 2x2, Wi-Fi + BT, M.2 card	
Memory	8GB or 12GB* max ⁷ / PC3-12800 1600MHz DDR3L, non-parity, dual-channel capable*, 4GB memory soldered to systemboard on selected models, one 204-pin SO-DIMM socket (*for the models with 4GB on-board memory)						WWAN (optional)	Upg: Wireless WAN upgradable EM7355: Sierra Wireless EM7355, Qualcomm® Gobi™ 4G LTE/ HSPA+/EVDO/GSM/GPRS/EDGE, GPS	
Optical Storage	None Some: SSD / SATA 6.0Gb/s, 2.5" wide, 7mm high Some: HDD / SATA 6.0Gb/s, 2.5" wide, 7mm or 9.5mm high, APS Some: SSHD with 8GB NAND flash memory						SIM card (optional)	AT&T / Verizon: AT&T® / Verizon® LTE (4G), contract required with service provider Select: User selectable, contract required with service provider	
M.2 SSD	Some: Single-sided M.2 SSD, via M.2 card slot, exclusive with Smart card reader Some: Double-sided M.2 SSD, via M.2 card slot, exclusive with WWAN card						Bluetooth™	Bluetooth 4.0 wireless, integrated in Wi-Fi + Bluetooth combo adapter	
Widescreen display	Some: 14.0" (355mm) HD (1366x768), 200 nits, 350:1 contrast ratio Some: 14.0" (355mm) HD+ (1600x900), 250 nits, 400:1 contrast ratio						Ethernet	Non-vPro model: Intel Ethernet Connection I218-V (Clarkville) vPro model: Intel Ethernet Connection I218-LM (Clarkville)	
Multi-touch	Some: Capacitive-type multi-touch, supports 10-finger gesture						NFC	Optional: Near Field Communication	
Camera	HD720p resolution, wide view angle, low light sensitive, face tracking, fixed focus						Security	Power-on password, hard disk password, supervisor password, security keyhole	
Graphics	Intel HD Graphics 4400 in processor						Security chip	Trusted Platform Module, TCG 1.2-compliant	
Dimensions ³	14.0W" (WxDxH):		13.35" x 9.15" x 0.83"; 339mm x 232.5mm x 21mm			vPro (optional)	Intel vPro Technology		
Weight ²	14.0W" MultiTouch (WxDxH):		13.35" x 9.15" x 0.91"; 339mm x 232.5mm x 23mm			Fingerprint reader	Optional: Fingerprint reader on the keyboard bezel, swipe sensor		
	Models	3-cell + 3-cell		3-cell + 6-cell		Preload	Win8 / 8.1 DG Win7: Windows® 7 Professional 64 preinstalled through downgrade rights in Windows 8 / 8.1 Pro 64-bit		
	Non-MultiTouch	3.79 lb / 1.72kg		4.10 lb / 1.86kg		Win8 / 8.1 64:	Windows 8 / 8.1 64-bit		
Case material	MultiTouch		4.03 lb / 1.83kg		4.33 lb / 1.97kg		Win8 / 8.1 P64:	Windows 8 / 8.1 Pro 64-bit	
	Glass-Fiber Reinforced Plastic						Limited warranty ¹² 1-year - depot / 3-years (1-yr battery) - depot / 3-years (1-year battery) onsite		
	Optional: Integrated Li-Ion or Li-Polymer 3-cell (23.5Wh), HW Authentication								
Internal battery	Li-Ion 3-cell (23.5Wh) or 6-cell (47.5Wh or 72Wh), HW Authentication								
External battery	Li-Ion 3-cell (23.5Wh) or 6-cell (47.5Wh or 72Wh), HW Authentication								
Max battery life ¹⁰	Battery configuration		3-cell + 3-cell		3-cell + 6-cell 47.5Wh		3-cell + 6-cell 72Wh		
	Battery life		8.6 hr		12.9 hr		17.2 hr		
AC adapter	45-watt AC adapter								

See footnotes for more detailed information

(CB1-2) © Lenovo

ThinkPad T440 20B6 (TopSeller) - Windows 8

Product Specifications Reference (PSREF)

Model	Processor vPro	Graphics	Memory (soldered +DIMM)	Multi-Display touch	Storage	WLAN & Bluetooth	WWAN / M.2 SSD	SIM card	Smart card reader / M.2 SSD	Camera	Backlit key-board	Finger-print reader	NFC	Battery cells (int+ext)	Power adapter (watt)	Preload	Base warranty (year)	Global	Ann date (m/y)
20B60076US	i5-4200U	No HD 4400	0+4GB 14" HD+	MT	500G 7200	7260 ac+BT	Upg	None	None	720p	Backlit	None	None	3+3	45W	Win8.1 P64	1-depot	No	01/14
20B60077US	i5-4300U vPro	HD 4400	0+4GB 14" HD+	MT	500G 7200	7260 ac+BT	Upg	None	None	720p	Backlit	Finger	None	3+3	45W	Win8.1 P64	3-depot	No	01/14
20B60078US	i5-4300U vPro	HD 4400	0+4GB 14" HD+	MT	500G 7200	7260 ac+BT	Upg	None	16GB	720p	Backlit	Finger	None	3+3	45W	Win8.1 P64	3-depot	No	01/14
20B60079US	i5-4300U vPro	HD 4400	0+4GB 14" HD+	MT	256G SSD eDrive	7260 ac+BT	Upg	None	None	720p	Backlit	Finger	None	3+3	45W	Win8.1 P64	3-depot	No	01/14
20B6002AUS	i5-4300U vPro	HD 4400	0+4GB 14" HD+	MT	500G 7200	7260 ac+BT	Upg	None	16GB	720p	Backlit	Finger	None	3+3	45W	Win8 P64	3-depot	No	09/13
20B6002BUS	i5-4300U vPro	HD 4400	0+4GB 14" HD+	MT	256G SSD eDrive	7260 ac+BT	Upg	None	None	720p	Backlit	Finger	None	3+3	45W	Win8 P64	3-depot	No	09/13
20B6008KUS	i5-4300U vPro	HD 4400	4+0GB 14" HD+	MT	500G 7200	7260 ac+BT	Upg	None	16GB	720p	Backlit	Finger	None	3+3	45W	Win8.1 P64	3-depot	No	03/14
20B6007AUS	i7-4600U vPro	HD 4400	4+0GB 14" HD+	MT	256G SSD eDrive	7260 ac+BT	Upg	None	None	720p	Backlit	Finger	None	3+3	45W	Win8.1 P64	3-depot	No	01/14
20B6007BUS	i7-4600U vPro	HD 4400	4+0GB 14" HD+	MT	500G 7200	7260 ac+BT	Upg	None	16GB	720p	Backlit	Finger	None	3+3	45W	Win8.1 P64	3-depot	No	01/14
20B6009PUS	i7-4600U vPro	HD 4400	4+4GB 14" HD+	MT	512G SSD	7260 ac+BT	Upg	None	None	720p	Backlit	Finger	None	3+3	45W	Win8.1 P64	3-depot	No	07/14
20B6002CUS	i7-4600U vPro	HD 4400	4+0GB 14" HD+	MT	256G SSD eDrive	7260 ac+BT	Upg	None	None	720p	Backlit	Finger	None	3+3	45W	Win8 P64	3-depot	No	09/13
20B6002DUS	i7-4600U vPro	HD 4400	4+0GB 14" HD+	MT	500G 7200	7260 ac+BT	Upg	None	16GB	720p	Backlit	Finger	None	3+3	45W	Win8 P64	3-depot	No	09/13

• For detailed platform specifications, please see [ThinkPad T440 Platform Specifications sheet](#)

Processor	4th Generation Intel® Core™ i3 / i5 / i7 Processor					Keyboard UltraNav™	6-row, spill-resistant, multimedia Fn keys, optional LED backlight TrackPoint® pointing device and Mylar surface touchpad, integrated five buttons, multi-touch					
	Processor	# of Cores	Base Frequency	Max Turbo Frequency	Cache	Memory Types	ThinkLight™	None				
	i3-4010U	2	1.7 GHz	-	3MB	DDR3L-1600	Chipset	Intel SoC (System on Chip) platform				
	i3-4030U		1.9 GHz	-	3MB		Smart card reader	Optional: Smart card reader				
	i5-4200U		1.6 GHz	2.6 GHz	3MB		Media reader	4-in-1 reader (MMC, SD, SDHC, SDXC)				
	i5-4300U		1.9 GHz	2.9 GHz	3MB		Ports	Two USB 3.0 (one Always On), VGA, MiniDP, Ethernet (RJ-45), Dock connector				
	i7-4500U		1.8 GHz	3 GHz	4MB		Audio support	HD Audio, Realtek® ALC3232 codec, Dolby® Advanced Audio™ v2 / stereo speakers, 1W x 2 / dual array microphone, combo audio/microphone jack				
	i7-4600U		2.1 GHz	3.3 GHz	4MB		WLAN ⁴	11b/g/n+BT: ThinkPad 11b/g/n, 2x2, Wi-Fi + BT, M.2 card 7260 b/g/n+BT: Intel Wireless-N 7260, 2x2, Wi-Fi + BT, M.2 card 7260 a/b/g/n+BT: Intel Dual Band Wireless-N 7260, 2x2, Wi-Fi + BT, M.2 card 7260 ac+BT: Intel Dual Band Wireless-AC 7260, 2x2, Wi-Fi + BT, M.2 card				
Memory	8GB or 12GB* max ⁷ / PC3-12800 1600MHz DDR3L, non-parity, dual-channel capable*, 4GB memory soldered to systemboard on selected models, one 204-pin SO-DIMM socket (*for the models with 4GB on-board memory)					WWAN (optional)	Upg: Wireless WAN upgradable EM7355: Sierra Wireless EM7355, Qualcomm® Gobi™ 4G LTE/HSPA+/EVDO/GSM/GPRS/EDGE, GPS					
Optical Storage	None Some: SSD / SATA 6.0Gb/s, 2.5" wide, 7mm high Some: HDD / SATA 6.0Gb/s, 2.5" wide, 7mm or 9.5mm high, APS Some: SSHD with 8GB NAND flash memory					SIM card (optional)	AT&T / Verizon: AT&T® / Verizon® LTE (4G), contract required with service provider Select: User selectable, contract required with service provider					
M.2 SSD	Some: Single-sided M.2 SSD, via M.2 card slot, exclusive with Smart card reader Some: Double-sided M.2 SSD, via M.2 card slot, exclusive with WWAN card					Bluetooth™	Bluetooth 4.0 wireless, integrated in Wi-Fi + Bluetooth combo adapter					
Widescreen display	Some: 14.0" (355mm) HD (1366x768), 200 nits, 350:1 contrast ratio Some: 14.0" (355mm) HD+ (1600x900), 250 nits, 400:1 contrast ratio					Ethernet	Non-vPro model: Intel Ethernet Connection I218-V (Clarkville) vPro model: Intel Ethernet Connection I218-LM (Clarkville)					
Multi-touch	Some: Capacitive-type multi-touch, supports 10-finger gesture					NFC	Optional: Near Field Communication					
Camera	HD720p resolution, wide view angle, low light sensitive, face tracking, fixed focus					Security	Power-on password, hard disk password, supervisor password, security keyhole					
Graphics	Intel HD Graphics 4400 in processor					Security chip	Trusted Platform Module, TCG 1.2-compliant					
Dimensions ³	14.0W" (WxDxH): 13.35" x 9.15" x 0.83"; 339mm x 232.5mm x 21mm 14.0W" MultiTouch (WxDxH): 13.35" x 9.15" x 0.91"; 339mm x 232.5mm x 23mm					vPro (optional)	Intel vPro Technology					
Weight ²	Models	3-cell + 3-cell		3-cell + 6-cell		Fingerprint reader	Optional: Fingerprint reader on the keyboard bezel, swipe sensor					
	Non-MultiTouch	3.79 lb / 1.72kg		4.10 lb / 1.86kg		Preload	Win8 / 8.1 DG Win7: Windows® 7 Professional 64 preinstalled through downgrade rights in Windows 8 / 8.1 Pro 64-bit Win8 / 8.1 64: Windows 8 / 8.1 64-bit Win8 / 8.1 P64: Windows 8 / 8.1 Pro 64-bit					
	MultiTouch	4.03 lb / 1.83kg		4.33 lb / 1.97kg		Limited warranty ¹²	1-year - depot / 3-years (1-yr battery) - depot / 3-years (1-year battery) onsite					
Case material	Glass-Fiber Reinforced Plastic					AC adapter	45-watt AC adapter					
Internal battery	Optional: Integrated Li-Ion or Li-Polymer 3-cell (23.5Wh), HW Authentication											
External battery	Li-Ion 3-cell (23.5Wh) or 6-cell (47.5Wh or 72Wh), HW Authentication											
Max battery life ¹⁰	Battery configuration	3-cell + 3-cell		3-cell + 6-cell 47.5Wh		3-cell + 6-cell 72Wh						
	Battery life	8.6 hr		12.9 hr		17.2 hr						

See footnotes for more detailed information

(CB1-3) © Lenovo

ThinkPad T440 20B7

Model	Processor vPro	Graphics	Memory (soldered +DIMM)	Multi-Display touch	Storage	WLAN & Bluetooth	WWAN / M.2 SSD	SIM card	Smart card reader / M.2 SSD	Camera	Backlit key-board	Finger-print reader	NFC	Battery cells (int+ext)	Power adapter (watt)	Preload	Base warranty (year)	Global	Ann date (m/y)
20B70044US	i5-4300U vPro	HD 4400	0+4GB 14" HD+	No	500G 7200	7260 ac+BT	Upg	None	None	720p	None	Finger	None	No+6(47.5wh)	45W	Win8 DG Win7	3-depot	Yes	11/13
20B70047US	i5-4300U vPro	HD 4400	0+4GB 14" HD	No	500G 7200	7260 ac+BT	Upg	None	None	720p	None	Finger	None	No+6(47.5wh)	45W	Win8 DG Win7	3-depot	Yes	11/13
20B7004CUS	i5-4300U vPro	HD 4400	0+8GB 14" HD+	No	180G SSD Opal	7260 ac+BT	Upg	None	None	720p	None	Finger	None	3+3	45W	Win8 DG Win7	3-depot	Yes	11/13
20B7004FUS	i5-4300U vPro	HD 4400	0+8GB 14" HD+	No	500G 7200	7260 ac+BT	Upg	None	16GB	720p	None	Finger	None	3+3	45W	Win8 DG Win7	3-depot	Yes	11/13
20B7004HUS	i5-4300U vPro	HD 4400	0+4GB 14" HD+	No	500G 7200	7260 ac+BT	Upg	None	16GB	720p	None	Finger	None	3+3	45W	Win8 DG Win7	3-depot	Yes	11/13
20B7004JUS	i5-4300U vPro	HD 4400	0+8GB 14" HD+	No	240G SSD Opal	7260 ac+BT	Upg	None	None	720p	None	Finger	None	3+3	45W	Win8 DG Win7	3-depot	Yes	11/13
20B7004MUS	i5-4300U vPro	HD 4400	0+8GB 14" HD	No	500G 7200	7260 ac+BT	Upg	None	16GB	720p	None	Finger	None	3+3	45W	Win8 DG Win7	3-depot	Yes	11/13
20B7008UUS	i5-4300U vPro	HD 4400	4+4GB 14" HD+	No	256G SSD eDrive	7260 a/b/g/n+BT	Upg	None	None	720p	Backlit	Finger	None	3+3	45W	Win8.1 DG Win7	3-depot	Yes	04/14
20B7008WUS	i5-4300U vPro	HD 4400	4+0GB 14" HD	No	500G 7200	7260 a/b/g/n+BT	Upg	None	None	720p	None	Finger	None	3+3	45W	Win8.1 DG Win7	3-depot	Yes	04/14
20B7008YUS	i5-4300U vPro	HD 4400	4+0GB 14" HD+	No	500G 7200	7260 a/b/g/n+BT	Upg	None	None	720p	Backlit	Finger	None	3+3	45W	Win8.1 DG Win7	3-depot	Yes	04/14
20B7008VUS	i7-4600U vPro	HD 4400	4+0GB 14" HD+	No	500G 7200	7260 a/b/g/n+BT	Upg	None	None	720p	Backlit	Finger	None	3+3	45W	Win8.1 DG Win7	3-depot	Yes	04/14
20B7008XUS	i7-4600U vPro	HD 4400	4+4GB 14" HD+	No	256G SSD eDrive	7260 a/b/g/n+BT	Upg	None	None	720p	Backlit	Finger	None	3+3	45W	Win8.1 DG Win7	3-depot	Yes	04/14
20B7004BUS	i7-4600U vPro	HD 4400	4+4GB 14" HD+	No	180G SSD Opal	7260 ac+BT	Upg	None	None	720p	None	Finger	None	3+3	45W	Win8 DG Win7	3-depot	Yes	11/13
20B7004DUS	i7-4600U vPro	HD 4400	4+4GB 14" HD+	No	500G 7200	7260 ac+BT	Upg	None	16GB	720p	None	Finger	None	3+3	45W	Win8 DG Win7	3-depot	Yes	11/13
20B7004GUS	i7-4600U vPro	HD 4400	4+0GB 14" HD+	No	500G 7200	7260 ac+BT	Upg	None	16GB	720p	None	Finger	None	3+3	45W	Win8 DG Win7	3-depot	Yes	11/13
20B7004QUS	i7-4600U vPro	HD 4400	4+4GB 14" HD+	No	240G SSD Opal	7260 ac+BT	Upg	None	None	720p	None	Finger	None	3+3	45W	Win8 DG Win7	3-depot	Yes	11/13

• For detailed platform specifications, please see [ThinkPad T440 Platform Specifications sheet](#)

Processor	4th Generation Intel® Core™ i3 / i5 / i7 Processor					Keyboard UltraNav™	6-row, spill-resistant, multimedia Fn keys, optional LED backlight TrackPoint® pointing device and Mylar surface touchpad, integrated five buttons, multi-touch				
	Processor	# of Cores	Base Frequency	Max Turbo Frequency	Cache	Memory Types	ThinkLight™	None			
	i3-4010U	2	1.7 GHz	-	3MB	DDR3L-1600	Chipset	Intel SoC (System on Chip) platform			
	i3-4030U		1.9 GHz	-	3MB		Smart card reader	Optional: Smart card reader			
	i5-4200U		1.6 GHz	2.6 GHz	3MB		Media reader	4-in-1 reader (MMC, SD, SDHC, SDXC)			
	i5-4300U		1.9 GHz	2.9 GHz	3MB		Ports	Two USB 3.0 (one Always On), VGA, MiniDP, Ethernet (RJ-45), Dock connector			
	i7-4500U		1.8 GHz	3 GHz	4MB		Audio support	HD Audio, Realtek® ALC3232 codec, Dolby® Advanced Audio™ v2 / stereo speakers, 1W x 2 / dual array microphone, combo audio/microphone jack			
	i7-4600U		2.1 GHz	3.3 GHz	4MB		WLAN ⁴	11b/g/n+BT: ThinkPad 11b/g/n, 2x2, Wi-Fi + BT, M.2 card 7260 b/g/n+BT: Intel Wireless-N 7260, 2x2, Wi-Fi + BT, M.2 card 7260 a/b/g/n+BT: Intel Dual Band Wireless-N 7260, 2x2, Wi-Fi + BT, M.2 card 7260 ac+BT: Intel Dual Band Wireless-AC 7260, 2x2, Wi-Fi + BT, M.2 card			
Memory	8GB or 12GB* max ⁷ / PC3-12800 1600MHz DDR3L, non-parity, dual-channel capable*, 4GB memory soldered to systemboard on selected models, one 204-pin SO-DIMM socket (*for the models with 4GB on-board memory)					WWAN (optional)	Upg: Wireless WAN upgradable EM7355: Sierra Wireless EM7355, Qualcomm® Gobi™ 4G LTE/ HSPA+/EVDO/GSM/GPRS/EDGE, GPS				
Optical Storage	None Some: SSD / SATA 6.0Gb/s, 2.5" wide, 7mm high Some: HDD / SATA 6.0Gb/s, 2.5" wide, 7mm or 9.5mm high, APS Some: SSHD with 8GB NAND flash memory					SIM card (optional)	AT&T / Verizon: AT&T® / Verizon® LTE (4G), contract required with service provider Select: User selectable, contract required with service provider				
M.2 SSD	Some: Single-sided M.2 SSD, via M.2 card slot, exclusive with Smart card reader Some: Double-sided M.2 SSD, via M.2 card slot, exclusive with WWAN card					Bluetooth™	Bluetooth 4.0 wireless, integrated in Wi-Fi + Bluetooth combo adapter				
Widescreen display	Some: 14.0" (355mm) HD (1366x768), 200 nits, 350:1 contrast ratio Some: 14.0" (355mm) HD+ (1600x900), 250 nits, 400:1 contrast ratio					Ethernet	Non-vPro model: Intel Ethernet Connection I218-V (Clarkville) vPro model: Intel Ethernet Connection I218-LM (Clarkville)				
Multi-touch	Some: Capacitive-type multi-touch, supports 10-finger gesture					NFC	Optional: Near Field Communication				
Camera	HD720p resolution, wide view angle, low light sensitive, face tracking, fixed focus					Security	Power-on password, hard disk password, supervisor password, security keyhole				
Graphics	Intel HD Graphics 4400 in processor					Security chip	Trusted Platform Module, TCG 1.2-compliant				
Dimensions ³	14.0W" (WxDxH):		13.35" x 9.15" x 0.83"; 339mm x 232.5mm x 21mm			vPro (optional)	Intel vPro Technology				
Weight ²	14.0W" MultiTouch (WxDxH):		13.35" x 9.15" x 0.91"; 339mm x 232.5mm x 23mm			Fingerprint reader	Optional: Fingerprint reader on the keyboard bezel, swipe sensor				
	Models	3-cell + 3-cell		3-cell + 6-cell		Preload	Win8 / 8.1 DG Win7: Windows® 7 Professional 64 preinstalled through downgrade rights in Windows 8 / 8.1 Pro 64-bit				
	Non-MultiTouch	3.79 lb / 1.72kg		4.10 lb / 1.86kg			Win8 / 8.1 64: Windows 8 / 8.1 64-bit				
Case material	Glass-Fiber Reinforced Plastic						Win8 / 8.1 P64: Windows 8 / 8.1 Pro 64-bit				
	Optional: Integrated Li-Ion or Li-Polymer 3-cell (23.5Wh), HW Authentication					Limited warranty ¹² 1-year - depot / 3-years (1-yr battery) - depot / 3-years (1-year battery) onsite					
	External battery Li-Ion 3-cell (23.5Wh) or 6-cell (47.5Wh or 72Wh), HW Authentication										
Max battery life ¹⁰											
	Battery configuration	3-cell + 3-cell		3-cell + 6-cell 47.5Wh		3-cell + 6-cell 72Wh					
	Battery life	8.6 hr		12.9 hr		17.2 hr					
AC adapter	45-watt AC adapter										

See footnotes for more detailed information

ThinkPad T440 20B7 (Windows 8)

Product Specifications Reference (PSREF)

Model	Processor vPro	Graphics	Memory (soldered +DIMM)	Multi-Display touch	Storage	WLAN & Bluetooth	WWAN / M.2 SSD	SIM card	Smart card reader / M.2 SSD	Camera	Backlit key-board	Finger-print reader	NFC	Battery cells (int+ext)	Power adapter (watt)	Preload	Base warranty (year)	Global	Ann date (m/y)
20B7005KUS	i5-4300U vPro	HD 4400	0+4GB 14" HD+	MT	256G SSD eDrive	7260 ac+BT	Upg	None	None	720p	Backlit	Finger	None	3+3	45W	Win8.1 P64	3-depot	Yes	01/14
20B7005MUS	i5-4300U vPro	HD 4400	0+4GB 14" HD+	MT	500G 7200	7260 ac+BT	Upg	None	16GB	720p	Backlit	Finger	None	3+3	45W	Win8.1 P64	3-depot	Yes	01/14
20B70005US	i5-4300U vPro	HD 4400	0+4GB 14" HD+	No	500G 7200	7260 ac+BT	Upg	None	None	720p	None	Finger	None	No+6(47.5wh)	45W	Win8 P64	3-depot	Yes	09/13
20B70009US	i5-4300U vPro	HD 4400	0+4GB 14" HD+	MT	500G 7200	7260 ac+BT	Upg	None	16GB	720p	None	Finger	None	3+3	45W	Win8 P64	3-depot	Yes	09/13
20B7000BUS	i5-4300U vPro	HD 4400	0+4GB 14" HD+	MT	128G SSD	7260 ac+BT	Upg	None	None	720p	None	Finger	None	3+3	45W	Win8 P64	3-depot	Yes	09/13
20B7000FUS	i5-4300U vPro	HD 4400	0+4GB 14" HD+	No	128G SSD	7260 ac+BT	Upg	None	None	720p	None	Finger	None	3+3	45W	Win8 P64	3-depot	Yes	09/13
20B7000JUS	i5-4300U vPro	HD 4400	0+4GB 14" HD	No	500G 7200	7260 ac+BT	Upg	None	16GB	720p	None	Finger	None	3+3	45W	Win8 P64	3-depot	Yes	09/13
20B7000NUS	i5-4300U vPro	HD 4400	0+4GB 14" HD	No	256G SSD eDrive	7260 ac+BT	Upg	None	None	720p	None	Finger	None	3+3	45W	Win8 P64	3-depot	Yes	09/13
20B7000QUS	i5-4300U vPro	HD 4400	0+4GB 14" HD	No	500G 7200	7260 ac+BT	Upg	None	None	720p	None	Finger	None	No+6(47.5wh)	45W	Win8 P64	3-depot	Yes	09/13
20B7000TUS	i5-4300U vPro	HD 4400	0+4GB 14" HD+	No	500G 7200	7260 ac+BT	Upg	None	16GB	720p	None	Finger	None	3+3	45W	Win8 P64	3-depot	Yes	09/13
20B7000UUS	i5-4300U vPro	HD 4400	0+4GB 14" HD+	No	256G SSD eDrive	7260 ac+BT	Upg	None	None	720p	None	Finger	None	3+3	45W	Win8 P64	3-depot	Yes	09/13
20B7000VUS	i5-4300U vPro	HD 4400	0+4GB 14" HD+	MT	256G SSD eDrive	7260 ac+BT	Upg	None	None	720p	None	Finger	None	3+3	45W	Win8 P64	3-depot	Yes	09/13
20B7000WUS	i5-4300U vPro	HD 4400	0+4GB 14" HD	No	128G SSD	7260 ac+BT	Upg	None	None	720p	None	Finger	None	3+3	45W	Win8 P64	3-depot	Yes	09/13
20B7003SUS	i5-4300U vPro	HD 4400	0+8GB 14" HD+	No	500G 7200	7260 ac+BT	Upg	None	16GB	720p	None	Finger	None	3+3	45W	Win8 P64	3-depot	No	09/13
20B7003UUS	i5-4300U vPro	HD 4400	0+8GB 14" HD+	No	500G 7200	7260 ac+BT	Upg	None	None	720p	None	Finger	None	No+6(47.5wh)	45W	Win8 P64	3-depot	No	09/13
20B7003VUS	i5-4300U vPro	HD 4400	0+8GB 14" HD+	No	128G SSD	7260 ac+BT	Upg	None	None	720p	Backlit	Finger	None	3+3	45W	Win8 P64	3-depot	No	09/13
20B70061US	i5-4300U vPro	HD 4400	4+0GB 14" HD+	No	500G 7200	7260 ac+BT	Upg	None	16GB	720p	None	Finger	None	3+3	45W	Win8 P64	3-depot	Yes	03/14
20B70062US	i5-4300U vPro	HD 4400	4+0GB 14" HD+	No	180G SSD Opal	7260 ac+BT	Upg	None	None	720p	Backlit	Finger	None	3+3	45W	Win8 P64	3-depot	Yes	03/14

• For detailed platform specifications, please see [ThinkPad T440 Platform Specifications sheet](#)

Processor	4th Generation Intel® Core™ i3 / i5 / i7 Processor	Keyboard UltraNav™	6-row, spill-resistant, multimedia Fn keys, optional LED backlight TrackPoint® pointing device and Mylar surface touchpad, integrated five buttons, multi-touch																																
	<table border="1"> <thead> <tr> <th>Processor</th> <th># of Cores</th> <th>Base Frequency</th> <th>Max Turbo Frequency</th> <th>Cache</th> <th>Memory Types</th> </tr> </thead> <tbody> <tr> <td>i3-4010U</td> <td rowspan="7">2</td> <td>1.7 GHz</td> <td>-</td> <td>3MB</td> <td rowspan="7">DDR3L-1600</td> </tr> <tr> <td>i3-4030U</td> <td>1.9 GHz</td> <td>-</td> <td>3MB</td> </tr> <tr> <td>i5-4200U</td> <td>1.6 GHz</td> <td>2.6 GHz</td> <td>3MB</td> </tr> <tr> <td>i5-4300U</td> <td>1.9 GHz</td> <td>2.9 GHz</td> <td>3MB</td> </tr> <tr> <td>i7-4500U</td> <td>1.8 GHz</td> <td>3 GHz</td> <td>4MB</td> </tr> <tr> <td>i7-4600U</td> <td>2.1 GHz</td> <td>3.3 GHz</td> <td>4MB</td> </tr> </tbody> </table>	Processor	# of Cores	Base Frequency	Max Turbo Frequency	Cache	Memory Types	i3-4010U	2	1.7 GHz	-	3MB	DDR3L-1600	i3-4030U	1.9 GHz	-	3MB	i5-4200U	1.6 GHz	2.6 GHz	3MB	i5-4300U	1.9 GHz	2.9 GHz	3MB	i7-4500U	1.8 GHz	3 GHz	4MB	i7-4600U	2.1 GHz	3.3 GHz	4MB	ThinkLight™	None
Processor	# of Cores	Base Frequency	Max Turbo Frequency	Cache	Memory Types																														
i3-4010U	2	1.7 GHz	-	3MB	DDR3L-1600																														
i3-4030U		1.9 GHz	-	3MB																															
i5-4200U		1.6 GHz	2.6 GHz	3MB																															
i5-4300U		1.9 GHz	2.9 GHz	3MB																															
i7-4500U		1.8 GHz	3 GHz	4MB																															
i7-4600U		2.1 GHz	3.3 GHz	4MB																															
			Chipset	Intel SoC (System on Chip) platform																															
		Smart card reader	Optional: Smart card reader																																
		Media reader	4-in-1 reader (MMC, SD, SDHC, SDXC)																																
		Ports	Two USB 3.0 (one Always On), VGA, MiniDP, Ethernet (RJ-45), Dock connector																																
		Audio support	HD Audio, Realtek® ALC3232 codec, Dolby® Advanced Audio™ v2 / stereo speakers, 1W x 2 / dual array microphone, combo audio/microphone jack																																
Memory	8GB or 12GB* max ⁷ / PC3-12800 1600MHz DDR3L, non-parity, dual-channel capable*, 4GB memory soldered to systemboard on selected models, one 204-pin SO-DIMM socket (*for the models with 4GB on-board memory)	WLAN ⁴	11b/g/n+BT: ThinkPad 11b/g/n, 2x2, Wi-Fi + BT, M.2 card 7260 b/g/n+BT: Intel Wireless-N 7260, 2x2, Wi-Fi + BT, M.2 card 7260 a/b/g/n+BT: Intel Dual Band Wireless-N 7260, 2x2, Wi-Fi + BT, M.2 card 7260 ac+BT: Intel Dual Band Wireless-AC 7260, 2x2, Wi-Fi + BT, M.2 card																																
Optical Storage	None Some: SSD / SATA 6.0Gb/s, 2.5" wide, 7mm high Some: HDD / SATA 6.0Gb/s, 2.5" wide, 7mm or 9.5mm high, APS Some: SSHD with 8GB NAND flash memory	WWAN (optional)	Upg: Wireless WAN upgradable EM7355: Sierra Wireless EM7355, Qualcomm® Gobi™ 4G LTE/ HSPA+/EVDO/GSM/GPRS/EDGE, GPS																																
M.2 SSD	Some: Single-sided M.2 SSD, via M.2 card slot, exclusive with Smart card reader Some: Double-sided M.2 SSD, via M.2 card slot, exclusive with WWAN card	SIM card (optional)	AT&T / Verizon: AT&T® / Verizon® LTE (4G), contract required with service provider Select: User selectable, contract required with service provider																																
Widescreen display	Some: 14.0" (355mm) HD (1366x768) , 200 nits, 350:1 contrast ratio Some: 14.0" (355mm) HD+ (1600x900) , 250 nits, 400:1 contrast ratio	Bluetooth™	Bluetooth 4.0 wireless, integrated in Wi-Fi + Bluetooth combo adapter																																
Multi-touch	Some: Capacitive-type multi-touch, supports 10-finger gesture	Ethernet	Non-vPro model: Intel Ethernet Connection I218-V (Clarkville) vPro model: Intel Ethernet Connection I218-LM (Clarkville)																																
Camera	HD720p resolution, wide view angle, low light sensitive, face tracking, fixed focus	NFC	Optional: Near Field Communication																																
Graphics	Intel HD Graphics 4400 in processor	Security	Power-on password, hard disk password, supervisor password, security keyhole																																
Dimensions ³	14.0W" (WxDxH): 13.35" x 9.15" x 0.83"; 339mm x 232.5mm x 21mm 14.0W" MultiTouch (WxDxH): 13.35" x 9.15" x 0.91"; 339mm x 232.5mm x 23mm	Security chip	Trusted Platform Module, TCG 1.2-compliant																																
Weight ²	<table border="1"> <thead> <tr> <th>Models</th> <th>3-cell + 3-cell</th> <th>3-cell + 6-cell</th> </tr> </thead> <tbody> <tr> <td>Non-MultiTouch</td> <td>3.79 lb / 1.72kg</td> <td>4.10 lb / 1.86kg</td> </tr> <tr> <td>MultiTouch</td> <td>4.03 lb / 1.83kg</td> <td>4.33 lb / 1.97kg</td> </tr> </tbody> </table>	Models	3-cell + 3-cell	3-cell + 6-cell	Non-MultiTouch	3.79 lb / 1.72kg	4.10 lb / 1.86kg	MultiTouch	4.03 lb / 1.83kg	4.33 lb / 1.97kg	vPro (optional)	Intel vPro Technology																							
Models	3-cell + 3-cell	3-cell + 6-cell																																	
Non-MultiTouch	3.79 lb / 1.72kg	4.10 lb / 1.86kg																																	
MultiTouch	4.03 lb / 1.83kg	4.33 lb / 1.97kg																																	
Case material	Glass-Fiber Reinforced Plastic	Fingerprint reader	Optional: Fingerprint reader on the keyboard bezel, swipe sensor																																
Internal battery	Optional: Integrated Li-Ion or Li-Polymer 3-cell (23.5Wh), HW Authentication	Preload	Win8 / 8.1 DG Win7: Windows® 7 Professional 64 preinstalled through downgrade rights in Windows 8 / 8.1 Pro 64-bit Win8 / 8.1 64: Windows 8 / 8.1 64-bit Win8 / 8.1 P64: Windows 8 / 8.1 Pro 64-bit																																
External battery	Li-Ion 3-cell (23.5Wh) or 6-cell (47.5Wh or 72Wh), HW Authentication																																		
Max battery life ¹⁰	<table border="1"> <thead> <tr> <th>Battery configuration</th> <th>3-cell + 3-cell</th> <th>3-cell + 6-cell 47.5Wh</th> <th>3-cell + 6-cell 72Wh</th> </tr> </thead> <tbody> <tr> <td>Battery life</td> <td>8.6 hr</td> <td>12.9 hr</td> <td>17.2 hr</td> </tr> </tbody> </table>	Battery configuration	3-cell + 3-cell	3-cell + 6-cell 47.5Wh	3-cell + 6-cell 72Wh	Battery life	8.6 hr	12.9 hr	17.2 hr	Limited warranty ¹²	1-year - depot / 3-years (1-yr battery) - depot / 3-years (1-year battery) onsite																								
Battery configuration	3-cell + 3-cell	3-cell + 6-cell 47.5Wh	3-cell + 6-cell 72Wh																																
Battery life	8.6 hr	12.9 hr	17.2 hr																																
AC adapter	45-watt AC adapter																																		

See footnotes for more detailed information
US model(s) withdrawn effective March 2015

ThinkPad T440 20B7 (Windows 8) - II

Product Specifications Reference (PSREF)

Model	Processor vPro	Graphics	Memory (soldered +DIMM)	Multi-Display touch	Storage	WLAN & Bluetooth	WWAN / M.2 SSD	SIM card	Smart card reader / M.2 SSD	Camera	Backlit key-board	Finger-print reader	NFC	Battery cells (int+ext)	Power adapter (watt)	Preload	Base warranty (year)	Global	Ann date (m/y)
20B70066US	i5-4300U	vPro HD 4400	4+0GB 14" HD	No	500G 7200	7260 ac+BT	Upg	None	16GB 720p	None	None	Finger	None	3+3	45W	Win8 P64	3-depot	Yes	03/14
20B70068US	i5-4300U	vPro HD 4400	4+0GB 14" HD+	No	240G SSD Opal	7260 ac+BT	Upg	None	None 720p	Backlit	Finger	None	None	3+3	45W	Win8 P64	3-depot	Yes	03/14
20B70069US	i5-4300U	vPro HD 4400	4+0GB 14" HD+	No	256G SSD eDrive	7260 ac+BT	Upg	None	None 720p	Backlit	Finger	None	None	3+3	45W	Win8 P64	3-depot	Yes	03/14
20B7005LUS	i7-4600U	vPro HD 4400	4+0GB 14" HD+	MT	256G SSD eDrive	7260 ac+BT	Upg	None	None 720p	Backlit	Finger	None	None	3+3	45W	Win8.1 P64	3-depot	Yes	01/14
20B7005NUS	i7-4600U	vPro HD 4400	4+0GB 14" HD+	MT	500G 7200	7260 ac+BT	Upg	None	16GB 720p	Backlit	Finger	None	None	3+3	45W	Win8.1 P64	3-depot	Yes	01/14
20B70006US	i7-4600U	vPro HD 4400	4+0GB 14" HD+	MT	500G 7200	7260 ac+BT	Upg	None	16GB 720p	None	Finger	None	None	3+3	45W	Win8 P64	3-depot	Yes	09/13
20B70008US	i7-4600U	vPro HD 4400	4+0GB 14" HD+	MT	256G SSD eDrive	7260 ac+BT	Upg	None	None 720p	None	Finger	None	None	3+3	45W	Win8 P64	3-depot	Yes	09/13
20B7000GUS	i7-4600U	vPro HD 4400	4+0GB 14" HD+	No	500G 7200	7260 ac+BT	Upg	None	16GB 720p	None	Finger	None	None	3+3	45W	Win8 P64	3-depot	Yes	09/13
20B7000RUS	i7-4600U	vPro HD 4400	4+0GB 14" HD+	No	256G SSD eDrive	7260 ac+BT	Upg	None	None 720p	None	Finger	None	None	3+3	45W	Win8 P64	3-depot	Yes	09/13
20B70065US	i5-4300U	vPro HD 4400	4+0GB 14" HD+	No	500G 7200	7260 ac+BT	Upg	None	16GB 720p	Backlit	Finger	None	None	3+3	45W	Win8 P64	3-depot	Yes	03/14

• For detailed platform specifications, please see [ThinkPad T440 Platform Specifications sheet](#)

Processor	4th Generation Intel® Core™ i3 / i5 / i7 Processor						Keyboard UltraNav™	6-row, spill-resistant, multimedia Fn keys, optional LED backlight TrackPoint® pointing device and Mylar surface touchpad, integrated five buttons, multi-touch		
	Processor	# of Cores	Base Frequency	Max Turbo Frequency	Cache	Memory Types	ThinkLight™	None		
	i3-4010U	2	1.7 GHz	-	3MB	DDR3L-1600	Chipset	Intel SoC (System on Chip) platform		
	i3-4030U		1.9 GHz	-	3MB		Smart card reader	Optional: Smart card reader		
	i5-4200U		1.6 GHz	2.6 GHz	3MB		Media reader	4-in-1 reader (MMC, SD, SDHC, SDXC)		
	i5-4300U		1.9 GHz	2.9 GHz	3MB		Ports	Two USB 3.0 (one Always On), VGA, MiniDP, Ethernet (RJ-45), Dock connector		
	i7-4500U		1.8 GHz	3 GHz	4MB		Audio support	HD Audio, Realtek® ALC3232 codec, Dolby® Advanced Audio™ v2 / stereo speakers, 1W x 2 / dual array microphone, combo audio/microphone jack		
	i7-4600U		2.1 GHz	3.3 GHz	4MB		WLAN ⁴	11b/g/n+BT: ThinkPad 11b/g/n, 2x2, Wi-Fi + BT, M.2 card 7260 b/g/n+BT: Intel Wireless-N 7260, 2x2, Wi-Fi + BT, M.2 card 7260 a/b/g/n+BT: Intel Dual Band Wireless-N 7260, 2x2, Wi-Fi + BT, M.2 card 7260 ac+BT: Intel Dual Band Wireless-AC 7260, 2x2, Wi-Fi + BT, M.2 card		
Memory	8GB or 12GB* max ⁷ / PC3-12800 1600MHz DDR3L, non-parity, dual-channel capable*, 4GB memory soldered to systemboard on selected models, one 204-pin SO-DIMM socket (*for the models with 4GB on-board memory)						WWAN (optional)	Upg: Wireless WAN upgradable EM7355: Sierra Wireless EM7355, Qualcomm® Gobi™ 4G LTE/ HSPA+/EVDO/GSM/GPRS/EDGE, GPS		
Optical Storage	None Some: SSD / SATA 6.0Gb/s, 2.5" wide, 7mm high Some: HDD / SATA 6.0Gb/s, 2.5" wide, 7mm or 9.5mm high, APS Some: SSHD with 8GB NAND flash memory						SIM card (optional)	AT&T / Verizon: AT&T® / Verizon® LTE (4G), contract required with service provider Select: User selectable, contract required with service provider		
M.2 SSD	Some: Single-sided M.2 SSD, via M.2 card slot, exclusive with Smart card reader Some: Double-sided M.2 SSD, via M.2 card slot, exclusive with WWAN card						Bluetooth™	Bluetooth 4.0 wireless, integrated in Wi-Fi + Bluetooth combo adapter		
Widescreen display	Some: 14.0" (355mm) HD (1366x768), 200 nits, 350:1 contrast ratio Some: 14.0" (355mm) HD+ (1600x900), 250 nits, 400:1 contrast ratio						Ethernet	Non-vPro model: Intel Ethernet Connection I218-V (Clarkville) vPro model: Intel Ethernet Connection I218-LM (Clarkville)		
Multi-touch	Some: Capacitive-type multi-touch, supports 10-finger gesture						NFC	Optional: Near Field Communication		
Camera	HD720p resolution, wide view angle, low light sensitive, face tracking, fixed focus						Security	Power-on password, hard disk password, supervisor password, security keyhole		
Graphics	Intel HD Graphics 4400 in processor						Security chip	Trusted Platform Module, TCG 1.2-compliant		
Dimensions ³	14.0W" (WxDxH):		13.35" x 9.15" x 0.83"; 339mm x 232.5mm x 21mm				vPro (optional)	Intel vPro Technology		
Weight ²	14.0W" MultiTouch (WxDxH):		13.35" x 9.15" x 0.91"; 339mm x 232.5mm x 23mm				Fingerprint reader	Optional: Fingerprint reader on the keyboard bezel, swipe sensor		
	Models	3-cell + 3-cell		3-cell + 6-cell				Preload	Win8 / 8.1 DG Win7: Windows® 7 Professional 64 preinstalled through downgrade rights in Windows 8 / 8.1 Pro 64-bit	
	Non-MultiTouch	3.79 lb / 1.72kg		4.10 lb / 1.86kg					Win8 / 8.1 64: Windows 8 / 8.1 64-bit	
	MultiTouch	4.03 lb / 1.83kg		4.33 lb / 1.97kg					Win8 / 8.1 P64: Windows 8 / 8.1 Pro 64-bit	
Case material	Glass-Fiber Reinforced Plastic								Limited warranty ¹²	1-year - depot / 3-years (1-yr battery) - depot / 3-years (1-year battery) onsite
Internal battery	Optional: Integrated Li-Ion or Li-Polymer 3-cell (23.5Wh), HW Authentication									
External battery	Li-Ion 3-cell (23.5Wh) or 6-cell (47.5Wh or 72Wh), HW Authentication									
Max battery life ¹⁰	Battery configuration	3-cell + 3-cell		3-cell + 6-cell 47.5Wh		3-cell + 6-cell 72Wh				
	Battery life	8.6 hr		12.9 hr		17.2 hr				
AC adapter	45-watt AC adapter									

See footnotes for more detailed information

(CB1-6) © Lenovo

ThinkPad T440 20B7 (Onsite)

Model	Processor	vPro	Graphics	Memory (soldered +DIMM)	Multi-Display touch	Storage	WLAN & Bluetooth	WWAN / M.2 SSD	SIM card	Smart card reader / M.2 SSD	Camera	Backlit key-board	Finger-print reader	NFC	Battery cells (int+ext)	Power adapter (watt)	Preload	Base warranty (year)	Global	Ann date (m/y)	
20B70048US	i5-4300U	vPro	HD 4400	0+4GB	14" HD+	No	500G 7200	7260 ac+BT	Upg	None	16GB 720p	None	Finger	None	3+3	45W	Win8 DG Win7	3-onsite	Yes	11/13	
20B70049US	i5-4300U	vPro	HD 4400	0+4GB	14" HD+	No	500G 7200	7260 ac+BT	Upg	None	None	720p	None	Finger	None	No+6(47.5wh)	45W	Win8 DG Win7	3-onsite	Yes	11/13
20B7004EUS	i5-4300U	vPro	HD 4400	0+8GB	14" HD	No	500G 7200	7260 ac+BT	Upg	None	16GB 720p	None	Finger	None	3+3	45W	Win8 DG Win7	3-onsite	Yes	11/13	
20B7004LUS	i5-4300U	vPro	HD 4400	0+8GB	14" HD+	No	180G SSD Opal	7260 ac+BT	Upg	None	None	720p	None	Finger	None	3+3	45W	Win8 DG Win7	3-onsite	Yes	11/13
20B7004NUS	i5-4300U	vPro	HD 4400	0+8GB	14" HD+	No	500G 7200	7260 ac+BT	Upg	None	16GB 720p	None	Finger	None	3+3	45W	Win8 DG Win7	3-onsite	Yes	11/13	
20B7004PUS	i5-4300U	vPro	HD 4400	0+4GB	14" HD	No	500G 7200	7260 ac+BT	Upg	None	None	720p	None	Finger	None	No+6(47.5wh)	45W	Win8 DG Win7	3-onsite	Yes	11/13
20B7004RUS	i5-4300U	vPro	HD 4400	0+8GB	14" HD+	No	240G SSD Opal	7260 ac+BT	Upg	None	None	720p	None	Finger	None	3+3	45W	Win8 DG Win7	3-onsite	Yes	11/13
20B70045US	i7-4600U	vPro	HD 4400	4+0GB	14" HD+	No	500G 7200	7260 ac+BT	Upg	None	16GB 720p	None	Finger	None	3+3	45W	Win8 DG Win7	3-onsite	Yes	11/13	
20B70046US	i7-4600U	vPro	HD 4400	4+4GB	14" HD+	No	240G SSD Opal	7260 ac+BT	Upg	None	None	720p	None	Finger	None	3+3	45W	Win8 DG Win7	3-onsite	Yes	11/13
20B7004AUS	i7-4600U	vPro	HD 4400	4+4GB	14" HD+	No	180G SSD Opal	7260 ac+BT	Upg	None	None	720p	None	Finger	None	3+3	45W	Win8 DG Win7	3-onsite	Yes	11/13
20B7004KUS	i7-4600U	vPro	HD 4400	4+4GB	14" HD+	No	500G 7200	7260 ac+BT	Upg	None	16GB 720p	None	Finger	None	3+3	45W	Win8 DG Win7	3-onsite	Yes	11/13	

• For detailed platform specifications, please see [ThinkPad T440 Platform Specifications sheet](#)

Processor	4th Generation Intel® Core™ i3 / i5 / i7 Processor						Keyboard UltraNav™	6-row, spill-resistant, multimedia Fn keys, optional LED backlight TrackPoint® pointing device and Mylar surface touchpad, integrated five buttons, multi-touch		
	Processor	# of Cores	Base Frequency	Max Turbo Frequency	Cache	Memory Types	ThinkLight™	None		
	i3-4010U	2	1.7 GHz	-	3MB	DDR3L-1600	Chipset	Intel SoC (System on Chip) platform		
	i3-4030U		1.9 GHz	-	3MB		Smart card reader	Optional: Smart card reader		
	i5-4200U		1.6 GHz	2.6 GHz	3MB		Media reader	4-in-1 reader (MMC, SD, SDHC, SDXC)		
	i5-4300U		1.9 GHz	2.9 GHz	3MB		Ports	Two USB 3.0 (one Always On), VGA, MiniDP, Ethernet (RJ-45), Dock connector		
	i7-4500U		1.8 GHz	3 GHz	4MB		Audio support	HD Audio, Realtek® ALC3232 codec, Dolby® Advanced Audio™ v2 / stereo speakers, 1W x 2 / dual array microphone, combo audio/microphone jack		
	i7-4600U		2.1 GHz	3.3 GHz	4MB		WLAN ⁴	11b/g/n+BT: ThinkPad 11b/g/n, 2x2, Wi-Fi + BT, M.2 card 7260 b/g/n+BT: Intel Wireless-N 7260, 2x2, Wi-Fi + BT, M.2 card 7260 a/b/g/n+BT: Intel Dual Band Wireless-N 7260, 2x2, Wi-Fi + BT, M.2 card 7260 ac+BT: Intel Dual Band Wireless-AC 7260, 2x2, Wi-Fi + BT, M.2 card		
Memory	8GB or 12GB* max ⁷ / PC3-12800 1600MHz DDR3L, non-parity, dual-channel capable*, 4GB memory soldered to systemboard on selected models, one 204-pin SO-DIMM socket (*for the models with 4GB on-board memory)						WWAN (optional)	Upg: Wireless WAN upgradable EM7355: Sierra Wireless EM7355, Qualcomm® Gobi™ 4G LTE/ HSPA+/EVDO/GSM/GPRS/EDGE, GPS		
Optical Storage	None Some: SSD / SATA 6.0Gb/s, 2.5" wide, 7mm high Some: HDD / SATA 6.0Gb/s, 2.5" wide, 7mm or 9.5mm high, APS Some: SSHD with 8GB NAND flash memory						SIM card (optional)	AT&T / Verizon: AT&T® / Verizon® LTE (4G), contract required with service provider Select: User selectable, contract required with service provider		
M.2 SSD	Some: Single-sided M.2 SSD, via M.2 card slot, exclusive with Smart card reader Some: Double-sided M.2 SSD, via M.2 card slot, exclusive with WWAN card						Bluetooth™	Bluetooth 4.0 wireless, integrated in Wi-Fi + Bluetooth combo adapter		
Widescreen display	Some: 14.0" (355mm) HD (1366x768), 200 nits, 350:1 contrast ratio Some: 14.0" (355mm) HD+ (1600x900), 250 nits, 400:1 contrast ratio						Ethernet	Non-vPro model: Intel Ethernet Connection I218-V (Clarkville) vPro model: Intel Ethernet Connection I218-LM (Clarkville)		
Multi-touch	Some: Capacitive-type multi-touch, supports 10-finger gesture						NFC	Optional: Near Field Communication		
Camera	HD720p resolution, wide view angle, low light sensitive, face tracking, fixed focus						Security	Power-on password, hard disk password, supervisor password, security keyhole		
Graphics	Intel HD Graphics 4400 in processor						Security chip	Trusted Platform Module, TCG 1.2-compliant		
Dimensions ³	14.0W" (WxDxH):		13.35" x 9.15" x 0.83"; 339mm x 232.5mm x 21mm				vPro (optional)	Intel vPro Technology		
Weight ²	14.0W" MultiTouch (WxDxH):		13.35" x 9.15" x 0.91"; 339mm x 232.5mm x 23mm				Fingerprint reader	Optional: Fingerprint reader on the keyboard bezel, swipe sensor		
	Models	3-cell + 3-cell		3-cell + 6-cell				Preload	Win8 / 8.1 DG Win7: Windows® 7 Professional 64 preinstalled through downgrade rights in Windows 8 / 8.1 Pro 64-bit	
	Non-MultiTouch	3.79 lb / 1.72kg		4.10 lb / 1.86kg					Win8 / 8.1 64: Windows 8 / 8.1 64-bit	
	MultiTouch	4.03 lb / 1.83kg		4.33 lb / 1.97kg					Win8 / 8.1 P64: Windows 8 / 8.1 Pro 64-bit	
Case material	Glass-Fiber Reinforced Plastic								Limited warranty ¹²	1-year - depot / 3-years (1-yr battery) - depot / 3-years (1-year battery) onsite
Internal battery	Optional: Integrated Li-Ion or Li-Polymer 3-cell (23.5Wh), HW Authentication									
External battery	Li-Ion 3-cell (23.5Wh) or 6-cell (47.5Wh or 72Wh), HW Authentication									
Max battery life ¹⁰	Battery configuration	3-cell + 3-cell		3-cell + 6-cell 47.5Wh		3-cell + 6-cell 72Wh				
	Battery life	8.6 hr		12.9 hr		17.2 hr				
AC adapter	45-watt AC adapter									

See footnotes for more detailed information

ThinkPad T440 20B7 (Onsite) - Windows 8

Product Specifications Reference (PSREF)

Model	Processor vPro	Graphics	Memory (soldered +DIMM)	Multi-Display touch	Storage	WLAN & Bluetooth	WWAN / M.2 SSD	SIM card	Smart card reader / M.2 SSD	Camera	Backlit key-board	Finger-print reader	NFC	Battery cells (int+ext)	Power adapter (watt)	Preload	Base warranty (year)	Global	Ann date (m/y)
20B70007US	i5-4300U vPro	HD 4400	0+4GB 14" HD+	No	500G 7200	7260 ac+BT	Upg	None	16GB 720p	None	None	Finger	None	3+3	45W	Win8 P64	3-onsite	Yes	09/13
20B7000DUS	i5-4300U vPro	HD 4400	0+4GB 14" HD	No	500G 7200	7260 ac+BT	Upg	None	16GB 720p	None	None	Finger	None	3+3	45W	Win8 P64	3-onsite	Yes	09/13
20B7000HUS	i5-4300U vPro	HD 4400	0+4GB 14" HD+	No	500G 7200	7260 ac+BT	Upg	None	None 720p	None	None	Finger	None	No+6(47.5wh)	45W	Win8 P64	3-onsite	Yes	09/13
20B7000LUS	i5-4300U vPro	HD 4400	0+4GB 14" HD	No	128G SSD	7260 ac+BT	Upg	None	None 720p	None	None	Finger	None	3+3	45W	Win8 P64	3-onsite	Yes	09/13
20B7000MUS	i5-4300U vPro	HD 4400	0+4GB 14" HD	No	500G 7200	7260 ac+BT	Upg	None	None 720p	None	None	Finger	None	No+6(47.5wh)	45W	Win8 P64	3-onsite	Yes	09/13
20B7000PUS	i5-4300U vPro	HD 4400	0+4GB 14" HD+	No	128G SSD	7260 ac+BT	Upg	None	None 720p	None	None	Finger	None	3+3	45W	Win8 P64	3-onsite	Yes	09/13
20B7000SUS	i5-4300U vPro	HD 4400	0+4GB 14" HD	No	256G SSD eDrive	7260 ac+BT	Upg	None	None 720p	None	None	Finger	None	3+3	45W	Win8 P64	3-onsite	Yes	09/13
20B7000XUS	i5-4300U vPro	HD 4400	0+4GB 14" HD+	No	256G SSD eDrive	7260 ac+BT	Upg	None	None 720p	None	None	Finger	None	3+3	45W	Win8 P64	3-onsite	Yes	09/13
20B7003TUS	i5-4300U vPro	HD 4400	0+8GB 14" HD+	No	500G 7200	7260 ac+BT	Upg	None	16GB 720p	None	None	Finger	None	3+3	45W	Win8 P64	3-onsite	No	09/13
20B7003WUS	i5-4300U vPro	HD 4400	0+8GB 14" HD+	No	128G SSD	7260 ac+BT	Upg	None	None 720p	Backlit	Finger	None	None	3+3	45W	Win8 P64	3-onsite	No	09/13
20B70063US	i5-4300U vPro	HD 4400	4+0GB 14" HD+	MT	180G SSD Opal	7260 ac+BT	Upg	None	None 720p	Backlit	Finger	None	None	3+3	45W	Win8.1 P64	3-onsite	Yes	03/14
20B70064US	i5-4300U vPro	HD 4400	4+0GB 14" HD+	MT	240G SSD Opal	7260 ac+BT	Upg	None	None 720p	Backlit	Finger	None	None	3+3	45W	Win8.1 P64	3-onsite	Yes	03/14
20B70067US	i5-4300U vPro	HD 4400	4+0GB 14" HD+	MT	256G SSD eDrive	7260 ac+BT	Upg	None	None 720p	Backlit	Finger	None	None	3+3	45W	Win8.1 P64	3-onsite	Yes	03/14
20B7006AUS	i5-4300U vPro	HD 4400	4+0GB 14" HD+	MT	500G 7200	7260 ac+BT	Upg	None	16GB 720p	Backlit	Finger	None	None	3+3	45W	Win8.1 P64	3-onsite	Yes	03/14
20B7000CUS	i7-4600U vPro	HD 4400	4+0GB 14" HD+	No	500G 7200	7260 ac+BT	Upg	None	16GB 720p	None	None	Finger	None	3+3	45W	Win8 P64	3-onsite	Yes	09/13

• For detailed platform specifications, please see [ThinkPad T440 Platform Specifications sheet](#)

Processor	4th Generation Intel® Core™ i3 / i5 / i7 Processor					Keyboard UltraNav™	6-row, spill-resistant, multimedia Fn keys, optional LED backlight TrackPoint® pointing device and Mylar surface touchpad, integrated five buttons, multi-touch				
	Processor	# of Cores	Base Frequency	Max Turbo Frequency	Cache	Memory Types	ThinkLight™	None			
	i3-4010U	2	1.7 GHz	-	3MB	DDR3L-1600	Chipset	Intel SoC (System on Chip) platform			
	i3-4030U		1.9 GHz	-	3MB		Smart card reader	Optional: Smart card reader			
	i5-4200U		1.6 GHz	2.6 GHz	3MB		Media reader	4-in-1 reader (MMC, SD, SDHC, SDXC)			
	i5-4300U		1.9 GHz	2.9 GHz	3MB		Ports	Two USB 3.0 (one Always On), VGA, MiniDP, Ethernet (RJ-45), Dock connector			
	i7-4500U		1.8 GHz	3 GHz	4MB		Audio support	HD Audio, Realtek® ALC3232 codec, Dolby® Advanced Audio™ v2 / stereo speakers, 1W x 2 / dual array microphone, combo audio/microphone jack			
	i7-4600U		2.1 GHz	3.3 GHz	4MB		WLAN ⁴	11b/g/n+BT: ThinkPad 11b/g/n, 2x2, Wi-Fi + BT, M.2 card 7260 b/g/n+BT: Intel Wireless-N 7260, 2x2, Wi-Fi + BT, M.2 card 7260 a/b/g/n+BT: Intel Dual Band Wireless-N 7260, 2x2, Wi-Fi + BT, M.2 card 7260 ac+BT: Intel Dual Band Wireless-AC 7260, 2x2, Wi-Fi + BT, M.2 card			
Memory	8GB or 12GB* max ⁷ / PC3-12800 1600MHz DDR3L, non-parity, dual-channel capable*, 4GB memory soldered to systemboard on selected models, one 204-pin SO-DIMM socket (*for the models with 4GB on-board memory)					WWAN (optional)	Upg: Wireless WAN upgradable EM7355: Sierra Wireless EM7355, Qualcomm® Gobi™ 4G LTE/ HSPA+/EVDO/GSM/GPRS/EDGE, GPS				
Optical Storage	None Some: SSD / SATA 6.0Gb/s, 2.5" wide, 7mm high Some: HDD / SATA 6.0Gb/s, 2.5" wide, 7mm or 9.5mm high, APS Some: SSHD with 8GB NAND flash memory					SIM card (optional)	AT&T / Verizon: AT&T® / Verizon® LTE (4G), contract required with service provider Select: User selectable, contract required with service provider				
M.2 SSD	Some: Single-sided M.2 SSD, via M.2 card slot, exclusive with Smart card reader Some: Double-sided M.2 SSD, via M.2 card slot, exclusive with WWAN card					Bluetooth™	Bluetooth 4.0 wireless, integrated in Wi-Fi + Bluetooth combo adapter				
Widescreen display	Some: 14.0" (355mm) HD (1366x768), 200 nits, 350:1 contrast ratio Some: 14.0" (355mm) HD+ (1600x900), 250 nits, 400:1 contrast ratio					Ethernet	Non-vPro model: Intel Ethernet Connection I218-V (Clarkville) vPro model: Intel Ethernet Connection I218-LM (Clarkville)				
Multi-touch	Some: Capacitive-type multi-touch, supports 10-finger gesture					NFC	Optional: Near Field Communication				
Camera	HD720p resolution, wide view angle, low light sensitive, face tracking, fixed focus					Security	Power-on password, hard disk password, supervisor password, security keyhole				
Graphics	Intel HD Graphics 4400 in processor					Security chip	Trusted Platform Module, TCG 1.2-compliant				
Dimensions ³	14.0W" (WxDxH): 13.35" x 9.15" x 0.83"; 339mm x 232.5mm x 21mm 14.0W" MultiTouch (WxDxH): 13.35" x 9.15" x 0.91"; 339mm x 232.5mm x 23mm					vPro (optional)	Intel vPro Technology				
Weight ²	Models	3-cell + 3-cell		3-cell + 6-cell		Fingerprint reader	Optional: Fingerprint reader on the keyboard bezel, swipe sensor				
	Non-MultiTouch	3.79 lb / 1.72kg		4.10 lb / 1.86kg		Preload	Win8 / 8.1 DG Win7: Windows® 7 Professional 64 preinstalled through downgrade rights in Windows 8 / 8.1 Pro 64-bit Win8 / 8.1 64: Windows 8 / 8.1 64-bit Win8 / 8.1 P64: Windows 8 / 8.1 Pro 64-bit				
	MultiTouch	4.03 lb / 1.83kg		4.33 lb / 1.97kg		Limited warranty ¹²	1-year - depot / 3-years (1-yr battery) - depot / 3-years (1-year battery) onsite				
Case material	Glass-Fiber Reinforced Plastic					AC adapter	45-watt AC adapter				
Internal battery	Optional: Integrated Li-Ion or Li-Polymer 3-cell (23.5Wh), HW Authentication										
External battery	Li-Ion 3-cell (23.5Wh) or 6-cell (47.5Wh or 72Wh), HW Authentication										
Max battery life ¹⁰	Battery configuration	3-cell + 3-cell	3-cell + 6-cell 47.5Wh	3-cell + 6-cell 72Wh							
	Battery life	8.6 hr	12.9 hr	17.2 hr							

See footnotes for more detailed information

(CB1-8) © Lenovo