


<p>Name <b>T2014 Wide Flat Panel Monitor</b>                  Bezel color <b>Raven black</b>                  Type-model <b>60C2HAR1US</b>                  Panel TFT-LCD, twisted nematic (TN), White LED backlight                  Viewable image size <b>19.5" (495mm)</b> diagonal                  Max view area (W x H) <b>17.1" x 9.3" (433.9mm x 236.3mm)</b>                  Native resolution <b>1600x900</b>                  Aspect ratio <b>16:9</b>                  Pixel pitch (mm) <b>0.2712 x 0.2626 mm</b>                  Dot/Pixel per Inch <b>94.1 dpi</b>                  Brightness <b>250 nits or cd/m<sup>2</sup> (typical)</b>                  Contrast ratio <b>1000:1 (typical)</b>                  Pixel response time <b>5ms (typical)</b>                  Color gamut <b>72%</b>                  Viewing angle at 10:1 CR <b>170° (+/- 85°) horizontal, 160° (+/- 80°) vertical</b>                  Stand <b>Tilt adjustable stand</b>                  Bezel width <b>Sides: 0.78" (19.8mm)</b>                  Dimensions (HxWxD) <b>13.86" H x 18.62" W x 7.47" D;                  352.1mm H x 473.0mm W x 189.8mm D</b>                  Power supply <b>20 watts typical, 22 watts maximum,                  &lt;0.5 watts standby/suspend, universal,                  integrated (no external brick-like power supply)</b>                  Weight <b>5.56 lb; 2.53 kg</b>                  Limited warranty<sup>4</sup> <b>3 year (includes backlight)</b>                  Available date <b>January 2015</b></p>	<p style="text-align: center;"><b>Features</b></p> <ul style="list-style-type: none"> <li>• Widescreen 19.5-inch monitor</li> <li>• Supports 1600x900 resolution</li> <li>• Includes dual input connection for attachment to two systems concurrently (analog and digital)</li> <li>• EPEAT Gold certified</li> <li>• Microsoft® Windows® 7 certified</li> <li>• Microsoft Windows 8 / Windows 8.1 certified</li> </ul>				
<p>VESA-compliant<sup>2</sup> <b>VESA DDC2B/CI</b>                  Power management <b>ENERGY STAR® qualified</b>                  Ergonomics <b>ISO 9241-307</b>                  Emission standards <b>FCC Class B</b>                  Environmental <b>TCO Displays 6.0, TCO Certified Edge 2.0, WEEE,                  RoHS, EPEAT™ Gold rating</b></p>	<div style="text-align: center;">  <p><b>ThinkVision T2014 Wide Monitor</b></p> </div>				
<p>Preset resolutions <b>VGA: 640x350, 640x480, 720x400                  SVGA: 800x600, 832x624                  XGA: 1024x768, 1152x864                  SXGA: 1280x1024                  WXGA: 1366x768                  WXGA+: 1440x900, 1600x900</b></p> <p>Presets / user settings <b>Standard presets: 24                  user settings: 24</b></p>					
<p>Viewing adjustments <b>Tilt: 22° backward, -5° forward</b>                  Rotating screen <b>None</b>                  On screen display <b>On screen display with digital user controls (8 languages)</b>                  Control features <b>Direct access (buttons on front) for automatic image setup, dual input and brightness</b>                  Multiple input <b>Dual input (two different PCs attach to two different connectors; one PC shows image; select via button)</b>                  Monitor connectors <b>(1) VGA 15-pin D-shell, analog, blue                  (2) Digital Visual Interface (DVI-D), digital, white, <b>HDCP-compliant</b></b>                  Signal cables <b>(1) detachable, VGA 15-pin D-shell at each end, analog, 1.8 meter                  (2) detachable, DVI-D at each end, digital, 1.8 meter</b>                  Mounting features <b>Wall or desk mounting using the Extend Arm or third-party accessories, 100mm x 100mm mount</b>                  Security <b>Security keyhole for attachment of optional cable lock (Kensington® lock-compatible)</b></p>					
<p>Ship group <b>Monitor with stand, Safety and Warranty Information, 1.8 meter analog signal cable, 1.8 meter DVI signal cable,                  1.8 meter black power cord</b></p>	<p style="text-align: center;"><b>Accessories</b></p> <table border="0" style="width: 100%;"> <tr> <td>Kensington MicroSaver Cable Lock</td> <td style="text-align: right;">73P2582</td> </tr> <tr> <td>Kensington Twin Head Cable Lock</td> <td style="text-align: right;">45K1620</td> </tr> </table> <p>See details at <a href="http://www.lenovo.com/support/monitoraccessories">www.lenovo.com/support/monitoraccessories</a></p> <p>See all monitors at <a href="http://www.lenovo.com/thinkvision">www.lenovo.com/thinkvision</a></p>	Kensington MicroSaver Cable Lock	73P2582	Kensington Twin Head Cable Lock	45K1620
Kensington MicroSaver Cable Lock	73P2582				
Kensington Twin Head Cable Lock	45K1620				
<p style="text-align: center;"><b>Limited Warranty</b></p> <p>See details at <a href="http://support.lenovo.com/en_US/guides-and-manuals/detail.page?DocID=UM008281">http://support.lenovo.com/en_US/guides-and-manuals/detail.page?DocID=UM008281</a></p>					

See footnotes for important warranty information

<b>Model</b>	<b>60C2HAR1US</b>
Product	ThinkVision T2014
Region	US
Color	Raven Black (Bezel)
Panel	Twisted Nematic
Display Size	19.5"
View Area	433.9x236.3 mm
Resolution	1600x900
Aspect Ratio	16:9
Pixel Pitch	0.27x0.26 mm
Dot / Pixel Per Inch	94.1 dpi
Brightness	250 nits
Contrast Ratio	1000:1
Pixel Response Time	5 ms
Color Gamut	72%
View Angle (H / V)	170 / 160
Stand	Tilt Stand
Side Bezel Width	19.8 mm
Dimensions with Stand (HxWxD)	352.1x473.0x189.8 mm
Power Consumption (Typical / Maximum)	20W / 22W
Power Adapter	Integrated
Weight (Including Stand)	5.56lb / 2.53kg
Warranty	3-year
ENERGY STAR	ENERGY STAR 6.0
TCO	TCO 6.0
EPEAT	Gold
Presets / User Settings	24 / 24
On Screen Display	OSD, 8 Languages
USB Port	None
Speaker	None
Camera	None
Multiple Input	VGA, DVI
Monitor Cable	VGA, DVI
CPU / Platform	None / None
Display Ram / Storage / Card Slot	None / None / None
Wireless / Ethernet / Bluetooth	None / None / None
Touch Screen / Digitizer Pen / Battery	None / None / None
Operating System	Support Windows 7, Windows 8, Windows 8.1
Ann Date (mm/yy)	01/15

