

## Samsung S22C450B LED display 54,6 см (21.5") 1920 x 1080 пікселів Full HD Чорний

Виробник : Samsung

Код продукту: LS22C45KBS

Назва моделі : S22C450B

Samsung S22C450B. Діагональ дисплею: 54,6 см (21.5"), Роздільна здатність дисплея: 1920 x 1080 пікселів, Тип HD: Full HD, Технологія дисплея: LED. Дисплей: LED. Час відклику: 5 мс, Власне форматне співвідношення: 16:9, Кут огляду по горизонталі: 170°, Кут огляду по вертикалі: 160°. Кріплення VESA, Регулювання висоти. Колір продукту: Чорний



Display		Ergonomics	
Display diagonal *	54.6 cm (21.5")	Pivot angle	-1 - 95°
Display resolution *	1920 x 1080 pixels	Swivelling	✓
HD type *	Full HD	Swivel angle range	-45 - 45°
Native aspect ratio *	16:9	Tilt adjustment	✓
Display technology *	LED	Tilt angle range	-3 - 25°
Panel type *	TN+Film	LED indicators	Power
Touchscreen *	✗	Power	
Display brightness (typical)	250 cd/m²	Power consumption (typical) *	24 W
Response time *	5 ms	Power consumption (standby) *	0.1 W
Supported graphics resolutions	1920 x 1080 (HD 1080)	AC input voltage	100 - 240 V
Aspect ratio	16:9	AC input frequency	50 - 60 Hz
Contrast ratio (typical) *	1000:1	Operational conditions	
Dynamic contrast ratio marketing name	Mega Contrast	Operating temperature (T-T)	10 - 40 °C
Viewing angle, horizontal	170°	Operating relative humidity (H-H)	10 - 80%
Viewing angle, vertical	160°	Weight & dimensions	
Display number of colours *	16.78 million colours	Width (with stand)	504.3 mm
Pixel pitch	0.24825 x 0.24825 mm	Depth (with stand)	210 mm
3D	✗	Height (with stand)	425.3 mm
Multimedia		Width (without stand)	504.3 mm
Built-in speaker(s) *	✗	Depth (without stand)	55.4 mm
Built-in camera *	✗	Height (without stand)	301.9 mm
Design		Weight (without stand)	3.05 kg
Product colour *	Black	Packaging content	
Ports & interfaces		Cables included	DVI, VGA
VGA (D-Sub) ports quantity	1	Quick start guide	✓
DVI port	✓	Manual	✓
DVI-D ports quantity	1	Sustainability	
HDCP	✗	Sustainability certificates	EPEAT Gold, ENERGY STAR
Ergonomics		Other features	
VESA mounting *	✓	Display	LED
Panel mounting interface	100 x 100 mm	TV tuner integrated	✗
Cable lock slot *	✗	Display viewable area (HxV)	476.6 x 268.1 mm

Ergonomics		Other features	
Height adjustment *	✓	Certification	UL, CSA, TUV, NEMKO, KC, CCC, GB, PSB, GOST, SCFI, FCC, ACE, EN, KCC, AS/NZS, CCC, GB
Pivot	✓		
Thin Client			
Thin client installed			✗

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 17-MAR-2025. Prints or copies of Information are only valid on the printed Publication date