

TECRA C50-D

Detailed Product Specification¹

Model Name: C50-D	Part Number: PS585C-039021	UPC: 6-23506-04561-2																																
Operating System - Windows 10 Pro Processor² and Graphics³ - Intel® Core™ i7-7500U Processor (3M Cache, up to 3.10 GHz), Base 2.5GHz - Intel® HD Graphics Memory⁴ 8GB DDR4 2133MHz (max 16GB) - Not user replaceable, 1 of 2 slots occupied Storage⁵ 256 GB SSD Serial ATA hard disk drive Display⁶ 15.6" diagonal widescreen TFT display at 1366 x 768 native resolution (HD) - Native support for 720p content 16:9 aspect ratio - LED backlit Sound - Built-in stereo speakers Input Devices - Spill-resistant Raised Tile Keyboard with 10-key (black) - Touch pad pointing device with multi-touch control Communications - HD webcam with TruTalk™ dual microphones - Intel® Ethernet Connection (10/100/1000) - Intel® Dual-Band Wireless - Bluetooth⁷ Expandability - Memory Card Reader - Secure Digital, Secure Digital High Capacity, Mini SD Card, Micro SD Card, SDXC, Multi Media Card [shared slot may require adapter for use] Ports - Video - RGB - HDMI® - Audio - Microphone input/ Headphone output (shared) - Data 2 USB 3.0⁸ ports 2 USB 2.0 port - RJ-45 LAN port - Security - Slot for security lock Physical Description - Graphite Black - Dimensions (W x D x H): 13.4" x 9.6" x 0.94" 340mm x 244mm x 23.8mm - Weight: Starting at 5.0 lbs (2.25 kg) depending upon configuration⁹ Power¹⁰ 45W (19V) 100-240V/50-60Hz AC Adapter. 4 cell/45 Wh Lithium Ion battery - PA5212U-1BRS Toshiba EasyGuard®¹¹ - Protect & Fix - HALT Tested Design - LCD Cover Face and Point pressure Resistant Design - Secure - Execute Disable Bit - Reinforced Security Cable Lock Slot - Trusted Platform Module v2.0 - Connect - Voice-over-IP Ready Design - Wireless Communication On/Off - Optimize - FN Shortcut Keys - TOSHIBA eco Utility™ Software - Software and Utilities - TOSHIBA eco Utility™ - TOSHIBA HW Setup Utility - TOSHIBA Service Station 1 month trial for new Microsoft® Office 365 customers¹² 3 YEAR STANDARD LIMITED WARRANTY¹³ - Includes International Limited Warranty for obtaining service when traveling outside Canada. Environmental Specifications¹⁴ - This product is RoHS¹⁵ compatible - ENERGY STAR® Qualified - EPEAT Gold Rated Service Upgrades and Extensions Toshiba offers many different enhanced services such as SystemGuard®, On-Site Repair to provide additional support to your notebook PC. For a full description and complete list of programs and program terms and conditions, please visit www.toshiba.ca Accessories For additional and most updated accessories, please visit www.toshiba.ca Power <table><tr><th>Part Number</th><th>Description</th></tr><tr><td>PA5177U-1ACA</td><td>Toshiba 45W Global AC Adapter</td></tr><tr><td>PA5212U-1BRS</td><td>Toshiba Primary Li-Ion Battery Pack</td></tr></table> Expansion <table><tr><th>Part Number</th><th>Description</th></tr><tr><td>PA3927U-1PRP</td><td>dynadock® U3.0 Universal USB Docking Station</td></tr></table> Input Devices <table><tr><th>Part Number</th><th>Description</th></tr><tr><td>ACC210</td><td>Noteworthy Numeric Keypad</td></tr><tr><td>ACC230</td><td>Noteworthy USB English Keyboard</td></tr><tr><td>ACC276</td><td>Noteworthy Retractable Optical Mouse</td></tr><tr><td>PA3571U-1ETA</td><td>Toshiba USB Optical Tilt-Wheel Mouse</td></tr><tr><td>PA5042A-1ETB</td><td>Toshiba W15 Nano Wireless Mouse</td></tr><tr><td>PA5211U-1ETB</td><td>Toshiba Bluetooth Optical Mouse B35</td></tr></table> Carrying Case <table><tr><th>Part Number</th><th>Description</th></tr><tr><td>ACC100</td><td>Noteworthy Classic Nylon Case 16"</td></tr><tr><td>ACC106</td><td>Noteworthy Leather Carrying Case - 16"</td></tr><tr><td>PA3840C-1ETB</td><td>Toshiba Nylon Top Load Case - fits up to 16" notebooks</td></tr></table>			Part Number	Description	PA5177U-1ACA	Toshiba 45W Global AC Adapter	PA5212U-1BRS	Toshiba Primary Li-Ion Battery Pack	Part Number	Description	PA3927U-1PRP	dynadock® U3.0 Universal USB Docking Station	Part Number	Description	ACC210	Noteworthy Numeric Keypad	ACC230	Noteworthy USB English Keyboard	ACC276	Noteworthy Retractable Optical Mouse	PA3571U-1ETA	Toshiba USB Optical Tilt-Wheel Mouse	PA5042A-1ETB	Toshiba W15 Nano Wireless Mouse	PA5211U-1ETB	Toshiba Bluetooth Optical Mouse B35	Part Number	Description	ACC100	Noteworthy Classic Nylon Case 16"	ACC106	Noteworthy Leather Carrying Case - 16"	PA3840C-1ETB	Toshiba Nylon Top Load Case - fits up to 16" notebooks
Part Number	Description																																	
PA5177U-1ACA	Toshiba 45W Global AC Adapter																																	
PA5212U-1BRS	Toshiba Primary Li-Ion Battery Pack																																	
Part Number	Description																																	
PA3927U-1PRP	dynadock® U3.0 Universal USB Docking Station																																	
Part Number	Description																																	
ACC210	Noteworthy Numeric Keypad																																	
ACC230	Noteworthy USB English Keyboard																																	
ACC276	Noteworthy Retractable Optical Mouse																																	
PA3571U-1ETA	Toshiba USB Optical Tilt-Wheel Mouse																																	
PA5042A-1ETB	Toshiba W15 Nano Wireless Mouse																																	
PA5211U-1ETB	Toshiba Bluetooth Optical Mouse B35																																	
Part Number	Description																																	
ACC100	Noteworthy Classic Nylon Case 16"																																	
ACC106	Noteworthy Leather Carrying Case - 16"																																	
PA3840C-1ETB	Toshiba Nylon Top Load Case - fits up to 16" notebooks																																	

Subject to Change

While Toshiba has made every effort at the time of publication to ensure the accuracy of the information provided herein, product specifications, configurations, prices, system/component/options availability are all subject to change without notice. For the most up-to-date product information about your computer, or to stay current with the various computer software or hardware options, visit Toshiba's Web site at www.toshiba.ca

Return Policy

Notwithstanding anything to the contrary in any third party License Agreement or product documentation supplied with your PC, Toshiba Client Solutions Canada Ltd. does not accept the return of component parts, or bundled software, that have been removed from the PC system. Pro-rata refunds on individual PC components or bundled software, including the operating system, will not be granted. If you wish to return a complete PC system, contact the TCSC dealer where you purchased the product, and comply with the dealer's standard return policies and procedures.

Tecra and EasyGuard are registered trademarks of Toshiba Client Solutions Canada Ltd. and/or Toshiba Corporation. All other products and names mentioned are the property of their respective owners.

^{C1} **64-bit computing:**

64-bit computing requires that the following hardware and software requirements are met:

- 64-bit Operating System
- 64-bit CPU, Chipset and BIOS (Basic Input/Output System)
- 64-bit Device drivers
- 64-bit applications

Certain device drivers and/or applications may not be compatible with a 64-bit CPU and therefore may not function properly. See "Detailed Specs" for more information.

¹ **Product Series Legal Footnote.** The product specifications and configuration information are designed for a product Series. Your particular model may not have all the features and specifications listed or illustrated. For more detailed information about the features and specifications on your particular model, please visit Toshiba's Web site at pcsupport.toshiba.com.

Product Offering Legal Footnote. Toshiba Client Solutions Canada LTD reserves the right to modify or withdraw this offer at anytime without notice

² **Processor (Central Processing Unit).** Also see **64-Bit Computing** Legal Footnote, if applicable.

CPU performance in your computer product may vary from specifications under the following conditions:

1. use of certain external peripheral products
2. use of battery power instead of AC power
3. use of certain multimedia, computer generated graphics or video applications
4. use of standard telephone lines or low speed network connections
5. use of complex modeling software, such as high end computer aided design applications
6. use of several applications or functionalities simultaneously
7. use of computer in areas with low air pressure (high altitude >1,000 meters or >3,280 feet above sea level)
8. use of computer at temperatures outside the range of 5°C to 30°C (41°F to 86°F) or >25°C (77°F) at high altitude (all temperature references are approximate and may vary depending on the specific computer model – please visit the Toshiba website at www.pcsupport.toshiba.com for details).

CPU performance may also vary from specifications due to design configuration.

Under some conditions, your computer product may automatically shut-down. This is a normal protective feature designed to reduce the risk of lost data or damage to the product when used outside recommended conditions. To avoid risk of lost data, always make back-up copies of data by periodically storing it on an external storage medium. Use your computer product only under recommended conditions. Read additional restrictions under "Environmental Conditions" in your product "Detailed Specs." Contact Toshiba Technical Service and Support for more information.

³ **Graphics (Graphics Processing Unit).** GPU performance may vary depending on product model, design configuration, applications, power management settings and features utilized. GPU performance is only optimized when operating in AC power mode and may decrease considerably when operating in battery power mode.

Total Available Graphics Memory is the total of, as applicable, Dedicated Video Memory, System Video Memory and Shared System Memory. Shared System Memory will vary depending on system memory size and other factors.

⁴ **Memory (Main System).** Part of the main system memory may be used by the graphics system for graphics performance and therefore reduce the amount of main system memory available for other computing activities. The amount of main system memory allocated to support graphics may vary depending on the graphics system, applications utilized, system memory size and other factors. Computers configured with a 32-bit operating system can address up to 3GB of system memory. Only computers configured with a 64-bit operating system can address 4 GB or more of system memory.

⁵ **Storage Drive**

Computer (Internal) HDD Capacity. One Gigabyte (GB) means $10^9 = 1,000,000,000$ bytes using powers of 10. The computer operating system, however, reports storage capacity using powers of 2 for the definition of $1\text{ GB} = 2^{30} = 1,073,741,824$ bytes, and therefore shows less storage capacity. Available storage capacity will also be less if the computer includes one or more pre-installed operating systems, such as Microsoft Operating System and/or pre-installed software applications, or media content. Actual formatted capacity may vary.

Solid State Drive (SSD) Capacity.

Computer (Internal) SSD Capacity. One Gigabyte (GB) means $10^9 = 1,000,000,000$ bytes using powers of 10. The computer operating system, however, reports storage capacity using powers of 2 for the definition of $1\text{ GB} = 2^{30} = 1,073,741,824$ bytes, and therefore shows less storage capacity. Available storage capacity will also be less if the computer includes one or more pre-installed operating systems, such as Microsoft Operating System and/or pre-installed software applications, or media content. Actual formatted capacity may vary.

⁶ **Display.** Small bright dots may appear on your screen display when you turn on your PC. Your display contains an extremely large number of thin-film transistors (TFT) and is manufactured using high-precision technology. Any small bright dots that may appear on your display are an intrinsic characteristic of the TFT manufacturing technology. Over a period of time, and depending on the usage of the computer, the brightness of the screen will deteriorate. This is also an intrinsic characteristic of the screen technology. When the computer is operated on battery power, the screen will dim and you may not be able to increase the brightness of the screen while on battery power.

⁷ **Wireless.** May require purchase of additional software, external hardware, or services. Transmission speeds may vary. Certain optional features within the wireless-n specifications (if available on your system) may not be supported..

⁸ **USB 3.0.** 5Gbps is the maximum theoretical interface transfer rate per the specifications of the Universal Serial Bus 3.0. Actual transfer rate will vary depending on your system configuration and other factors.

⁹ **Weight.** Weight may vary depending on product configuration, vendor components, manufacturing variability and options selected.

¹⁰ **Battery Life Rating.**

Measured by MobileMark[®] 2014 for models preinstalled with Microsoft[®] Windows 10.

- Benchmark rules for Mobile Mark[™] 2014: Wireless connectivity = On, Screen brightness = 150 nits or greater, except when screen dimming is allowed, Predefined updated workloads. Predefined updated workloads.

Details of MobileMark[®] 2014 testing protocols are available at www.bapco.com MobileMark is a U.S. Registered trademark of the Business Applications Performance Corporation.

Rating is for comparison purposes only, and does not indicate the battery life that will be obtained by any individual user. Actual battery life may vary considerably from specifications depending on product model, configuration, applications, power management settings and features utilized, as well as the natural performance variations produced by the design of individual components. The battery life rating is only achieved on the select models and configurations tested by Toshiba under the specific test settings at the time of publication and is not an estimate of a system's battery life under any conditions other than the specific test settings.

After a period of time, the battery will lose its ability to perform at maximum capacity and will need to be replaced. This is normal for all batteries.

¹¹ **EasyGuard.** Toshiba EasyGuard[™] technology comprises a number of features some of which may or may not be available on a particular Toshiba notebook depending on the model selected. See www.easyguard.toshiba.com for detailed information.

¹² **Microsoft[®] Office trial** Buy Microsoft[®] Office to use full-featured Office software on this PC.

The version of Microsoft[®] Office included in this computer is only available in and can only be activated within the region in which you purchased it. Certain Microsoft[®] software products included with this computer may use technological measures for copy protection. In such case, you will not be able to use the Product if you do not activate it with Microsoft. Activation may be completed by Internet or telephone (toll charges may apply). Product Activation procedures and Microsoft's privacy policy will be detailed during initial launch of the Product, or upon certain reinstallations of the software products or reconfiguration of the computer.

¹³ **Warranty:** The terms and conditions of Toshiba's standard limited warranty are available at www.warranty.toshiba.com.

¹⁴ **Temperature (Environmental) Conditions.** All temperature references are approximate and the performance of your computer may vary from specifications even when operating within the recommended temperature range.

	Operating	Non-operating
Temperature	5° to 35° C	-20° to 65° C
Thermal Gradient	15° C per hour (max)	20° C per hour
Relative Humidity (non-condensing)	20% to 80%	10% to 90%
Altitude (relative to sea level)	-60 to 3,000 meters	-60 to 10,000 meters
Shock	10G	60G
Vibration	0.5G, 0.25G w/ODD	1.0G

¹⁵ **RoHS.** This computer is compatible with European Union Directive 2011/65/EU, Restriction of the use of certain Hazardous Substances in electrical and electronic equipment (RoHS), which restricts use of lead, cadmium, mercury, hexavalent chromium, PBB, and PBDE. Toshiba requires its computer component suppliers to meet RoHS requirements and verifies its suppliers' commitment to meeting RoHS requirements by conducting component sampling inspections during the product design approval process.